Index to Volume 90

January–June, 1999

Author Index

AAGAARD BDL, SONG JK, ESKRIDGE JM, MAYBERG MR. Complex right hemisphere developmental venous anomaly associated with multiple facial hemangiomas. Case report, 766

ABASCAL J. *See* López-Lozano JJ, 875

ABDEL-RAHMAN N, AL-AWADI Y, RAMADAN AA, CHOUDHURY AR. Cerebral heterotopia of the temporofacial region. Case report, 770

ABE H. *See* Houkin K, 786

ABLIN G, FAIRHOLM DJ, KELLY DF. Report of FIENS activities. Letter, 986

ABRAHAMS JM, FORMAN MS, LAVI E, GOLDBERG H, FLAMM ES. Hemangiopericytoma of the third ventricle. Case report, 359

ADLER JR JR.. *See* Bellon RJ, 959

AFSHAR F. *See* Niemann K, 891

AICARDI J. *See* Bourgeois M, 274

_____. *See* Bourgeois M, 833

AKIMOTO H. *See* Kuroiwa T, 499

ALAFACI C. *See* Salpietro FM, 609

AL-AWADI Y. *See* Abdel-Rahman N, 770

ALBERTI O. *See* Dorward NL, 160

ALBRIGHT AL. *See* Robertson PL, 605

ALDSKOGIUS H. *See* Mattsson P, 760

ALEXANDER E III. *See* Shrieve DC, 72

ALLEN CV. *See* Groothuis DR, 321

AL-MEFTY O. *See* Türe U, 720

ALONSO OF. *See* Zhao W, 510

ALVES WM. *See* Lanzino G, 1011

AMAGASAKI K, YAMAZAKI H, OHMORI K, KOIZUMI H, HASHIZUME K, SASAGUCHI N. Malignant intravascular lymphomatosis associated with venous stenosis. Case report, 355

AMAKER B. *See* Ritter AM, 138

ANDERMANN F. *See* Bittar RG, 478

ANDERSON RE. *See* Coert BA, 332

ANDREFSKY JC, FRANK JI, CHYATTE D. The ciliospinal reflex in pentobarbital coma, 644

ANEGAWA S, HAYASHI T, TORIGOE R, FURUKAWA Y. Diffuse calvarial meningioma. Case report and review of the literature, 970

ANG LC. *See* Taylor MD, 946

ARAI H. *See* Nishino A, 59

ARAI T, TAKEYAMA N, TANAKA T. Glutathione monoethyl ester and inhibition of the oxyhemoglobin-induced increase in cytosolic calcium in cultured smooth-muscle cells, 527

ARLE JE, PERRINE K, DEVINSKY O, DOYLE WK. Neural network analysis of preoperative variables and outcome in epilepsy surgery, 998

ARMSTRONG DC. *See* Kulkarni AV, 546

ARPIN-SYPERT EJ. *See* Sypert GW, 802

ARRIBAS M. *See* Sahuquillo J, 16

ARTHUIS F. *See* Duffau H, 78

ASHLEY S. *See* Nutting C, 823

ASSAF JA. *See* Schroeder HWS, 153

AUQUE J. *See* Civit T, 807

AVENDAÑO C. *See* Isla A, 1057

AXER H, STEGELMEYER J, VON KEYSERLINGK DG. Comparison of tissue impedance measurements with nerve fiber architecture in human telencephalon: value in identification of intact subcortical structures, 902

BAGLEY LJ. *See* Philips MF, 65

BAKAY RAE. *See* Vitek JL, 177

BARONE TA. *See* Plunkett RJ, 1072

BASER S. *See* Kondziolka D, 197

BASKAYA M. *See* Sandin JA III, 951

BASKAYA MK. *See* Dogan A, 1078

BASKIN JJ. *See* Porter RW, 50

BAVINZSKI G, KILLER M, GRUBER A, REINPRECHT A, GROSS CE, RICHLING B. Treatment of basilar artery bifurcation aneurysms by using Guglielmi detachable coils: a 6-year experience, 843

BÉBÉAR JP. *See* Darrouzet V, 27

BECKER DP. *See* Liau LM, 1115

BECKER L. *See* Jay V, 348

BECKER LE. *See* Kulkarni AV, 546

_____. *See* Taylor MD, 946

BEGOUD D. *See* Guieu R, 1037

BEJARANO B. *See* Isla A, 1057

BELLON RJ, LIU AY, ADLER JR JR., NORBASH AM. Percutaneous transfemoral embolization of an indirect carotid–cavernous fistula with cortical venous access to the cavernous sinus. Case report, 959

BERGENHEIM AT. *See* Hariz MI, 175

BERNSTEIN M. *See* Kulkarni AV, 182

_____. *See* Taylor MD, 35

BERTELLI JA, GHIZONI MF. Selective motor hyperreinnervation by using contralateral C-7 motor rootlets in the reconstruction of an avulsion injury of the brachial plexus. Case report, 1133

BIDABÉ AM. *See* Rougier A, 282

BILBAO J. *See* Kovacs K, 608

BINNS MA. *See* Stuss DT, 635

BISE K. *See* Widenka DC, 1098

BISSONETTE DJ. *See* Subach BR, 815

BITAR A. *See* Duffau H, 78

BITTAR RG, OLIVIER A, SADIKOT AF, ANDERMANN F, COMEAU RM, CYR M, PETERS TM, REUTENS DC. Localization of somatosensory function by using positron emission tomography scanning: a comparison with intraoperative cortical stimulation, 478

BLACK KL. *See* Liau LM, 1115

BLACK PML. *See* Shrieve DC, 72

BLASER S. *See* Hoving E, 537

BLOSS HG. *See* Menovsky T, 1143

BOBEK MP, SAGHER O. Aseptic meningitis caused by Teflon implantation for microvascular decompression. Case report, 145

BOGUCKI J, CZERNICKI Z. Direct brainstem surgery. Letter, 174

BÖHMER A. *See* Stoeckli SJ, 773

BOLLEN AW. *See* Metzger AK, 306

BONAROTI E. *See* Kondziolka D, 197

BONAVENTURE J. *See* Lajeunie E, 443

BOON AJW, TANS JTJ, DELWEL EJ, EGELER-PEERDEMAN SM, HANLO PW, WURZER HAL, HERMANS J. Dutch Normal-Pressure Hydrocephalus Study: the role of cerebrovascular disease, 221

BORREMANS JJ. *See* Krauss JK, 883

BOSTRÖM S. *See* Ekseth K, 559

BOUFFET E. *See* Foreman NK, 605

BOURGEOIS M, SAINTE-ROSE C, CINALLI G, MAIXNER W, MALUCCI C, ZERAH M, PIERRE-KAHN A, RENIER D, HOPPE-HIRSCH E, AICARDI J. Epilepsy in children with shunted hydrocephalus, 274

_____, _____, Lellouch-Tubiana A, Malucci C, Brunelle F, Maixner W, Cinalli G, Pierre-Kahn A, Renier D, Zerah M, Hirsch JF, Goutières F, Aicardi J. Surgery of epilepsy associated with focal lesions in childhood, 833

_____. *See* Pencalet P, 265

Boyer KL. Book review, 172

Brackmann DE. *See* Lanman TH, 617

Brada M. *See* Nutting C, 823

Brandt F. *See* Kondziolka D, 197

Brandt L. *See* Lanzino G, 1011

Brandys CE. *See* Stuss DT, 635

Bravo G. *See* López-Lozano JJ, 875

Brazil L. *See* Nutting C, 823

Breier JI. *See* Papanicolaou AC, 85

Brennan JW, Morgan MK, Sorby W, Grinnell V. Recurrent stenosis of common carotid–intracranial internal carotid interposition saphenous vein bypass graft caused by intimal hyperplasia and treated with endovascular stent placement. Case report and review of the literature, 571

Brera B. *See* López-Lozano JJ, 875

Broaddus WC. *See* Ritter AM, 138

Brock M. *See* Kombos T, 376

Broderick JP. *See* Wagner KR, 491

Bronner MP. *See* Grant GA, 148

Bronstein JM. *See* Liau LM, 1115

Brott TG. *See* Wagner KR, 491

Brown JA, Coursaget C, Preul MC, Sangvai D. Historical Vignette: Mercury water and cauterizing stones: Nicolas André and tic douloureux, 977

Brown MJ. *See* Zager EL, 374

Brue T. *See* Guieu R, 1037

Brundin P, Petersen A, Hansson O. Graft survival. Letter, 804

Brunelle F. *See* Bourgeois M, 833

_____. *See* Cinalli G, 448

Bruner JM. *See* Bunin GR, 984

Buchfelder M. *See* Fahlbusch R, 237

_____. *See* Honegger J, 251

Bunin GR, Surawicz TS, Witman PA, Martin SP, Davis F, Bruner JM. Craniopharyngioma. Letter, 984

Burr RB. *See* McDonald JD, 591

Busto R. *See* Zhao W, 510

Byrne JV, Sohn MJ, Molyneux AJ. Five-year experience in using coil embolization for ruptured intracranial aneurysms: outcome and incidence of late rebleeding, 656

Caillé JM. *See* Rougier A, 282

Cairncross JG. *See* Taylor MD, 946

Calancie B, Harris W. Evoked potentials. Letter, 376

Cameron R. *See* Lajeunie E, 443

Capelle L. *See* Duffau H, 78

Carey ME. *See* Sarphie TG, 734

Carrion CA. *See* Detwiler PW, 1129

Carruth FG. *See* Stuss DT, 635

Cesarini KG, Hårdemark HG, Persson L. Improved survival after aneurysmal subarachnoid hemorrhage: review of management during a 12-year period, 664

Ceylan S. *See* Duru S, 363

Chang DC. *See* Lin JJ, 974

Chang HS, Nihei H. Theoretical comparison of surgery and radiosurgery in cerebral arteriovenous malformations, 709

Chang P. *See* Fagan P, 987

Chappell ET. *See* Kelly DF, 1042

Chen MY, Lonser RR, Morrison PF, Governale LS, Oldfield EH. Variables affecting convection-enhanced delivery to the striatum: a systematic examination of rate of infusion, cannula size, infusate concentration, and tissue–cannula sealing time, 315

Chong BW. *See* McDonald JD, 591

Choudhury AR. *See* Abdel-Rahman N, 770

Chumas P. *See* Cinalli G, 448

Chyatte D. *See* Andrefsky JC, 644

Cinalli G, Sainte-Rose C. Clinical examination and shunt failure. Letter, 373

_____, _____, Chumas P, Zerah M, Brunelle F, Lot G, Pierre-Kahn A, Renier D. Failure of third ventriculostomy in the treatment of aqueductal stenosis in children, 448

_____, _____, Simon I, Lot G, Sgouros S. Sylvian aqueduct syndrome and global rostral midbrain dysfunction associated with shunt malfunction, 227

_____. *See* Bourgeois M, 274, 833

_____. *See* Pencalet P, 265

Cirak B, Guven MB. Catamenial mononeuropathy and radiculopathy. Letter, 374

_____. *See* Güven MB, 1142

Civit T, Auque J. Delayed aneurysm regrowth. Letter, 807

Clínica Puerta De Hierro Neural Transplantation Group. *See* López-Lozano JJ, 875

Cloft HJ, Razack N, Kallmes DF. Prevalence of cerebral aneurysms in patients with persistent primitive trigeminal artery, 865

Cloughesy TF. *See* Liau LM, 1115

Clyde BL. *See* McLaughlin MR, 1, 1148

Coert BA, Anderson RE, Meyer FB. A comparative study of the effects of two nitric oxide synthase inhibitors and two nitric oxide donors on temporary focal cerebral ischemia in the Wistar rat, 332

Coffey RJ. *See* Morita A, 42

Cohen JI. *See* Schwartz MS, 651

Colbourne F. *See* Kaibara T, 339

Comeau RM. *See* Bittar RG, 478

Comey CH, McLaughlin MR, Lunsford LD. Triton tumor. Letter, 989

_____, _____, Martinez AJ, Jho HD, Lunsford LD. MIB-1 and schwannomas. Letter, 810

_____. *See* McLaughlin MR, 1

Conde CP. *See* Isla A, 1057

Conrad JA. *See* Wallenfriedman MA, 1064

Constantinou JEC. *See* Papanicolaou AC, 85

Coons SW. *See* Detwiler PW, 1129

Cormio M, Valadka AB, Robertson CS. Elevated jugular venous oxygen saturation after severe head injury, 9

Corthesy ME. *See* Lieberman DM, 928

Coumans JVCE, Watson VE, Picken CA, McGrail KM. Saphenous vein interposition graft for recurrent carotid stenosis after prior endarterectomy and stent placement. Case report, 567

Coursaget C. *See* Brown JA, 977

Crawley AP. *See* Rezai AR, 583

Croce MA. *See* Kelly DF, 1042

Cruz J. Hypothermia and head injury. Letter, 607

Cummins A. *See* Lieberman DM, 928

Cyr M. *See* Bittar RG, 478

Czernicki Z. *See* Bogucki J, 174

Czosnyka M, Richards HK, Czosnyka Z, Piechnik S, Pickard JD. Vascular components of cerebrospinal fluid compensation, 752

Czosnyka Z. *See* Czosnyka M, 752

Darrouzet V, Guerin J, Bébéar JP. New technique of side-to-end hypoglossal–facial nerve attachment with translocation of the infratemporal facial nerve, 27

Davidson JF. *See* Sarphie TG, 734

Davis F. *See* Bunin GR, 984

Davis KD. *See* Rezai AR, 583

de Courten-Myers GM. *See* Wagner KR, 491

DelaBarre L. *See* Wallenfriedman MA, 1064

Delashaw JB Jr.. *See* Schwartz MS, 651

Delezoide AL. *See* Lajeunie E, 443

Del Maestro R. Search for the soul. Letter, 807

DeLong MR. *See* Vitek JL, 177

Delwel EJ. *See* Boon AJW, 221

Dempsey RJ. *See* Dogan A, 1078

_____. *See* Sandin JA III, 951

de Parseval N. *See* Lajeunie E, 443

Derksen PT. *See* Porter RW, 50

Index

DE TRIBOLET N. *See* Regli L, 1025
DETWILER PW, PORTER RW, COONS SW, SPETZLER RF, CARRION CA, REKATE HL. Sporadic unifocal infantile myofibromatosis involving the skull. Case report, 1129
_____. *See* Porter RW, 50
DEVINSKY O. *See* Arle JE, 998
DE VRIES J. *See* Menovsky T, 1143
DICOSTANZO V. *See* Guieu R, 1037
DIETZ H. *See* Guerra WKW, 187
DILLS C. *See* Groothuis DR, 321
DiPATRE PL. *See* Liau LM, 1115
DiPIERRO CG, FRANCEL PC, JACKSON TR, KAMIRYO T, LAWS ER JR.. Optimizing accuracy in magnetic resonance imaging–guided stereotaxis: a technique with validation based on the anterior commissure–posterior commissure line, 94
DOBRESCU C. *See* Groothuis DR, 321
DOGAN A, RAO AM, BASKAYA MK, HATCHER J, TEMIZ C, RAO VLR, DEMPSEY RJ. Contribution of polyamine oxidase to brain injury after trauma, 1078
DONSON AM, WEIL MD, FOREMAN NK. Tamoxifen radiosensitization in human glioblastoma cell lines, 533
DORSCH NWC. *See* Lanzino G, 1011
DORWARD NL, ALBERTI O, PALMER JD, KITCHEN ND, THOMAS DGT. Accuracy of true frameless stereotaxy: in vivo measurement and laboratory phantom studies. Technical note, 160
DOSTROVSKY JO. *See* Gross RE, 468
_____. *See* Rezai AR, 583
DOYLE WK. *See* Arle JE, 998
DRAKE JM. *See* Kulkarni AV, 546
DUCKWILER GR. *See* Murayama Y, 207
_____. *See* Solander S, 857
DUFFAU H, LOPES M, JANOSEVIC V, SICHEZ JP, FAILLOT T, CAPELLE L, ISMAÏL M, BITAR A, ARTHUIS F, FOHANNO D. Early rebleeding from intracranial dural arteriovenous fistulas: report of 20 cases and review of the literature, 78
DUFOUR H. *See* Guieu R, 1037
DURU S, CEYLAN S, CEYLAN S. Optic chiasm diastasis in a pituitary tumor. Case illustration, 363

EDWARDS V. *See* Jay V, 348
EGEL RT. *See* Justesen CR, 551
EGELER-PEERDEMAN SM. *See* Boon AJW, 221
EKSETH K, BOSTRÖM S. Late complications of Silastic duraplasty: low-virulence infections. Case report, 559
EL-ADAWY Y. *See* Ohata K, 702
EL BAHH B. *See* Rougier A, 282
EL GHOUZZI V. *See* Lajeunie E, 443
EL-NAGGAR A. *See* Ohata K, 702
EL-SHEIK K. *See* Ohata K, 702
ENDO S. *See* Hayashi N, 1125
ENGEBRAATEN O, HJORTLAND GO, HIRSCHBERG H, FODSTAD Ø. Growth of precultured human glioma biopsy specimens in nude rat brain, 125
ENJALBERT A. *See* Guieu R, 1037
EPPLEN JT. *See* Koch R, 776
ESKRIDGE JM. *See* Aagaard BDL, 766
_____. *See* Fukuhara T, 575
ESPINOSA-DE-LOS-MONTEROS AL. *See* Hernandez I, 647
ESSEN CV. *See* Frisén L, 542

FAGAN P, CHANG P, TURNER J. Triton tumor. Letter, 987
FAHLBUSCH R, HONEGGER J, PAULUS W, HUK W, BUCHFELDER M. Surgical treatment of craniopharyngiomas: experience with 168 patients, 237
_____. *See* Honegger J, 251
_____. *See* Paulus W, 555
FAILLOT T. *See* Duffau H, 78
FAIRHOLM DJ. *See* Ablin G, 986
FALKENBACK D. *See* Lundberg F, 101
FATOUROS PP, MARMAROU A. Use of magnetic resonance imaging for in vivo measurements of water content in human brain: method and normal values, 109
FEUERSTEIN BG. *See* Metzger AK, 306
FEUSTEL PJ. *See* Friedlich DL, 993
FINDLAY JM. *See* Ohkuma H, 1105
FINE HA. *See* Shrieve DC, 72
FINFER S. *See* Morgan MK, 695
FIRLIK AD. *See* Firlik KS, 364
FIRLIK KS, FIRLIK AD. The peer-review process of the *Journal of Neurosurgery*, 364
FLAMM ES. *See* Abrahams JM, 359
FLICKINGER JC. *See* Subach BR, 815
FODSTAD H. *See* Hariz MI, 175
FODSTAD Ø. *See* Engebraaten O, 125
FOHANNO D. *See* Duffau H, 78
FOOTE RL. *See* Morita A, 42
FOREMAN NK, BOUFFET E. Ependymomas in children. Letters, 605
_____. *See* Donson AM, 533
FORMAN MS. *See* Abrahams JM, 359
FRANCEL PC. *See* DiPierro CG, 94
FRANK JI. *See* Andrefsky JC, 644
FRAZEE JG. *See* Solander S, 857
FREDA PU. *See* Post KD, 809
FREEMAN TB, HAUSER RA, SANBERG PR. Fetal transplant cyst. Letter, 1148
FRIEDLICH DL, FEUSTEL PJ, POPP AJ. Workforce demand for neurosurgeons in the United States of America: a 13-year retrospective study, 993
FRISÉN L, ESSEN CV, ROOS A. Surgically created fourth–third cranial nerve communication: temporary success in a child with bilateral third nerve hamartomas. Case report, 542
FRITSCH MJ. *See* Guerra WKW, 187
FRONCKOWIAK MD. *See* Plunkett RJ, 1072
FUJII Y. *See* Nakada T, 791
FUJIMAKI T, KIRINO T. Coagulation of the petrosal vein for MVD. Letter, 1148
FUKAMI M. *See* Yamaura I, 853
FUKUHARA T, MCKHANN GM II, SANTIAGO P, ESKRIDGE JM, LOESER JD, WINN HR. Resolution of central pain after embolization of an arteriovenous malformation. Case report, 575
FULDA GJ. *See* Kelly DF, 1042
FURUKAWA Y. *See* Anegawa S, 970
FUTRAN N. *See* Grant GA, 148

GAAB MR. *See* Guerra WKW, 187
_____. *See* Schroeder HWS, 153
GALARIA I. Search for the soul. Letter, 807
GALETTA SL. *See* Philips MF, 65
GARNACHO A. *See* Sahuquillo J, 16
GARWOOD M. *See* Wallenfriedman MA, 1064
GESCHWIND MD. Book review, 982
GHAHARY A. *See* Ohkuma H, 1105
GHIZONI MF. *See* Bertelli JA, 1133
GINSBERG MD. *See* Zhao W, 510
GOBIN YP. *See* Murayama Y, 207
_____. *See* Solander S, 857
GODOY N. *See* Krauss JK, 883
GOEL A, GUPTA S. Vertebral artery injury with transarticular screws. Letter, 376
GOLDBERG H. *See* Abrahams JM, 359
GONZALES M. *See* Lajeunie E, 443
GONZALEZ RG. *See* Østergaard L, 300
GONZÁLEZ-DARDER JM, PESUDO-MARTÍNEZ JV. Surgical treatment of multiple neurofibromas of the ulnar nerve in segmental neurofibromatosis. Case report, 1137
GOODALE DB. *See* Kelly DF, 1042
GORMAN D. *See* Morita A, 42

GORMLEY WB. *See* Papanicolaou AC, 85

GOTO K, SIDIPRATOMO P, OGATA N, INOUE T, MATSUNO H. Combining endovascular and neurosurgical treatments of high-risk dural arteriovenous fistulas in the lateral sinus and the confluence of the sinuses, 289

GOTOH O. *See* Takagi K, 680

GOUTIÈRES F. *See* Bourgeois M, 833

GOVERNALE LS. *See* Chen MY, 315

GRAHAM RS. *See* Ritter AM, 138

GRANT GA, WENER MH, YAZIJI H, FUTRAN N, BRONNER MP, MANDEL N, MAYBERG MR. Destructive tophaceous calcium hydroxyapatite tumor of the infratemporal fossa. Case report and review of the literature, 148

GRASSO G. *See* Salpietro FM, 609

GRATZL O. *See* Schaller B, 215

GRAUPMAN PC. *See* Wallenfriedman MA, 1064

GREENBERG SJ. *See* Plunkett RJ, 1072

GREGERSON DS. *See* Wallenfriedman MA, 1064

GRINNELL V. *See* Brennan JW, 571

_____. *See* Morgan MK, 695

GRISOLI F. *See* Guieu R, 1037

GROOTHUIS DR, WARD S, ITSKOVICH AC, DOBRESCU C, ALLEN CV, DILLS C, LEVY RM. Comparison of ^{14}C-sucrose delivery to the brain by intravenous, intraventricular, and convection-enhanced intracerebral infusion, 321

GROSS CE. *See* Bavinzski G, 843

GROSS RE, LOMBARDI WJ, HUTCHISON WD, NARULA S, SAINT-CYR JA, DOSTROVSKY JO, TASKER RR, LANG AE, LOZANO AM. Variability in lesion location after microelectrode-guided pallidotomy for Parkinson's disease: anatomical, physiological, and technical factors that determine lesion distribution, 468

GRUBB RL JR.. Obituary: Henry G. Schwartz, M.D. 1909–1998, 599

GRUBER A. *See* Bavinzski G, 843

GRUBER DP, ZIMMERMAN GA, TOMSICK TA, VAN LOVEREN HR, LINK MJ, TEW JM JR.. A comparison between endovascular and surgical management of basilar artery apex aneurysms, 868

GRZYBICKI DM. Disc pathology. Letter, 804

GUERIN J. *See* Darrouzet V, 27

GUERRA WKW, GAAB MR, DIETZ H, MUELLER JU, PIEK J, FRITSCH MJ. Surgical decompression for traumatic brain swelling: indications and results, 187

GUGLIELMI G. *See* Murayama Y, 207

_____. *See* Solander S, 857

GUIEU R, DUFOUR H, GRISOLI F, JAQUET P, GUIEU Y, ROSSO JP, MUNIER M, DICOSTANZO V, BRUE T, ENJALBERT A, BEGOUD D, ROCHAT H. An ultrarapid prognostic index in microprolactinoma surgery, 1037

GUIEU Y. *See* Guieu R, 1037

GUILLOT M. *See* Rougier A, 282

GUPTA S. *See* Goel A, 376

GUTERMAN LR. *See* Lanzino G, 688

_____. *See* Mericle RA, 808, 1031

GÜVEN MB, CIRAK B, KUTLUHAN A, UGRAS S. Pituitary abscess secondary to neurobrucellosis. Case illustration, 1142

_____. *See* CIRAK B, 374

GYLDENSTED C. *See* Østergaard L, 300

HADEISHI H. *See* Takagi K, 680

HAESELBARTH K. *See* Niemann K, 891

HAKUBA A. *See* Ohata K, 702

HALL WA. *See* Wallenfriedman MA, 1064

HALLIKAINEN D. *See* Peltoniemi HH, 910

HANDA J. *See* Nakasu S, 455

HANLO PW. *See* Boon AJW, 221

HANSSON O. *See* Brundin P, 804

HÅRDEMARK HG. *See* Cesarini KG, 664

HARDERS AG. *See* Koch R, 776

HARIZ MI, BERGENHEIM AT, FODSTAD H. Crusade for microelectrode guidance in pallidotomy. Letter, 175

HARRIS W. *See* Calancie B, 376

HASHIMOTO H, IIDA JI, HIRONAKA Y, SAKAKI T. Intracranial Castleman's disease of solitary form. Case report, 563

HASHIZUME K. *See* Amagasaki K, 355

HATCHER J. *See* Dogan A, 1078

HAUSER RA. *See* Freeman TB, 1148

HAYASHI N, ENDO S, TSUKAMOTO E, HOHNOKI S, MASUOKA T, TAKAKU A. Endoscopic ventriculocystocisternostomy of a quadrigeminal cistern arachnoid cyst. Case report, 1125

HAYASHI T. *See* Anegawa S, 970

HEATH DL, VINK R. Improved motor outcome in response to magnesium therapy received up to 24 hours after traumatic diffuse axonal brain injury in rats, 504

HEENE DL. *See* Stehle G, 610

HEILBRUN MP. *See* McDonald JD, 591

HEISS JD. *See* Lonser RR, 169

HERMANS J. *See* Boon AJW, 221

HERNANDEZ I, SODERLUND D, ESPINOSA-DE-LOS-MONTEROS AL, OCHOA R, ZARATE A, MERCADO M. Differential effects of octreotide treatment and transsphenoidal surgery on growth hormone–binding protein levels in patients with acromegaly, 647

HERR DL. *See* Kelly DF, 1042

HIRAKAWA K. *See* Kuroiwa T, 499

HIRONAKA Y. *See* Hashimoto H, 563

HIRSCH JF. *See* Bourgeois M, 833

HIRSCHBERG H. *See* Engebraaten O, 125

HITSELBERGER WE. *See* Lanman TH, 617

HIURA T. *See* Khalid MH, 918

HJORTLAND GO. *See* Engebraaten O, 125

HOCHBERG FH. *See* Østergaard L, 300

HOHNOKI S. *See* Hayashi N, 1125

HONEGGER J, BUCHFELDER M, FAHLBUSCH R. Surgical treatment of craniopharyngiomas: endocrinological results, 251

_____. *See* Fahlbusch R, 237

HONG M. *See* Mehta V, 805

HOPKINS LN. *See* Lanzino G, 688

_____. *See* Mericle RA, 808, 1031

HOPPE-HIRSCH E. *See* Bourgeois M, 274

_____. *See* Pencalet P, 265

HORGAN MA. *See* Schwartz MS, 651

HORVATH E. *See* Kovacs K, 608

HORWITZ NH, RIZZOLI H. Disc pathology. Letter, 804

HOUKIN K, KAMIYAMA H, KURODA S, ISHIKAWA T, TAKAHASHI A, ABE H. Long-term patency of radial artery graft bypass for reconstruction of the internal carotid artery. Technical note, 786

HOVING E, BLASER S, KELLY E, RUTKA JT. Anatomical and embryological considerations in the repair of a large vertex cephalocele. Case report, 537

_____. *See* Jay V, 348

HUA Y. *See* Wagner KR, 491

HUANG SJ. *See* Jeng JS, 463

HUK W. *See* Fahlbusch R, 237

HUK WJ. *See* Paulus W, 555

HURST RW. *See* Philips MF, 65

HUTCHISON WD. *See* Gross RE, 468

ICHINOSE S. *See* Kuroiwa T, 499

IIDA JI. *See* Hashimoto H, 563

IMAMURA Y. *See* Yokoyama T, 1005

INO Y. *See* Taylor MD, 946

INOUE T. *See* Goto K, 289

INOUE Y. *See* Ohata K, 702

IRVING RM. *See* Jackler RK, 375

ISHIKAWA T. *See* Houkin K, 786

ISLA A, BEJARANO B, MORALES C, CONDE CP, AVENDAÑO C. Anatomical and functional connectivity of the transected ulnar nerve after intercostal neurotization in cats, 1057

ISMAIL M. *See* Duffau H, 78

ISODA H. *See* Ryu H, 624

ITOYAMA Y. *See* Ushio Y, 133

ITSKOVICH AC. *See* Groothuis DR, 321

Index

IWABUCHI S, MARTON LS, ZHANG JH. Role of protein tyrosine phosphorylation in erythrocyte lysate–induced intracellular free calcium concentration elevation in cerebral smooth-muscle cells, 743

JACKLER RK, PITTS LH, IRVING RM. Hearing preservation in vestibular schwannoma surgery. Letter, 375
JACKSON TR. *See* DiPierro CG, 94
JACOBSON J. *See* Kelly DF, 1042
JANNETTA PJ. *See* McLaughlin MR, 1, 1148
_____. *See* Resnick DK, 580
JANOSEVIC V. *See* Duffau H, 78
JAQUET P. *See* Guieu R, 1037
JAY V, EDWARDS V, HOVING E, RUTKA J, BECKER L, ZIELENSKA M, TESHIMA I. Central neurocytoma: morphological, flow cytometric, polymerase chain reaction, fluorescence in situ hybridization, and karyotypic analyses. Case report, 348
_____. *See* Kulkarni AV, 546
JEAN WC. *See* Wallenfriedman MA, 1064
JENG JS, YIP PK, HUANG SJ, KAO MC. Changes in hemodynamics of the carotid and middle cerebral arteries before and after endoscopic sympathectomy in patients with palmar hyperhidrosis: preliminary results, 463
JHO HD. *See* Comey CH, 810
JOIST A, JOOSTEN U, WETTERKAMP D, NEUBER M, PROBST A, RIEGER H. Anterior interosseous nerve compression after supracondylar fracture of the humerus: a metaanalysis, 1053
JONES G. *See* McDonald JD, 591
JONES GT. *See* Stehbens WE, 605
JOOSTEN U. *See* Joist A, 1053
JOURNEAU P. *See* Lajeunie E, 443
JOY MLG. *See* Rezai AR, 583
JUNG HW. *See* Lee JH, 796
JUSTESEN CR, PENN RD, KROIN JS, EGEL RT. Stereotactic pallidotomy in a child with Hallervorden–Spatz disease. Case report, 551

KABA K. *See* Yamaura I, 853
KAIBARA T, SUTHERLAND GR, COLBOURNE F, TYSON RL. Hypothermia: depression of tricarboxylic acid cycle flux and evidence for pentose phosphate shunt upregulation, 339
KALLMES DF. *See* Cloft HJ, 865
KAMIRYO T. *See* DiPierro CG, 94
KAMIYAMA H. *See* Houkin K, 786
KAO MC. *See* Jeng JS, 463
KASSELL NF. Obituary: Charles George Drake, M.D. 1920–1998, 797
_____. *See* Lanzino G, 1011, 1018
KATAYAMA Y, KIMURA S, WATANABE T, YOSHINO A, KOSHINAGA M. Peripheral-type primitive neuroectodermal tumor arising in the tentorium. Case report, 141
KAUFMAN-FOX K. Erratum. Letter, 810
KAWAI K. *See* Takagi K, 680
KAZITA K. *See* Mori T, 955
KELLOGG JX. *See* Schwartz MS, 651
KELLY DF, GOODALE DB, WILLIAMS J, HERR DL, CHAPPELL ET, ROSNER MJ, JACOBSON J, LEVY ML, CROCE MA, MANIKER AH, FULDA GJ, LOVETT JV, MOHAN O, NARAYAN RK. Propofol in the treatment of moderate and severe head injury: a randomized, prospective double-blinded pilot trial, 1042
_____. *See* Ablin G, 986
KELLY E. *See* Hoving E, 537
KERN M. *See* Kroppenstedt SN, 520
KHALID MH, SHIBATA S, HIURA T. Effects of clotrimazole on the growth, morphological characteristics, and cisplatin sensitivity of human glioblastoma cells in vitro, 918
KILLER M. *See* Bavinzski G, 843
KIM CY. *See* Lee JH, 796
KIM DG. *See* Lee JH, 796
KIM L. *See* Østergaard L, 300
KIM SH, YOUM JY, SONG SH, KIM Y, SONG KS. Primary intracranial leiomyoma. Case illustration, 171
_____. *See* Mericle RA, 1031
KIM Y. *See* Kim SH, 171
KIM YS. *See* Kondziolka D, 197
KIMURA S. *See* Katayama Y, 141
KIRINO T. *See* Fujimaki T, 1148
_____. *See* Matsuno A, 608
KITANO S. *See* Komiyama M, 964
KITCHEN ND. *See* Dorward NL, 160
KLINE DG, SPINNER RJ. Sciatic nerve injury. Letter, 806
KOBAYASHI S. *See* Koyama T, 780
KOCH R, SCHOLZ M, NELEN MR, SCHWECHHEIMER K, EPPLEN JT, HARDERS AG. Lhermitte–Duclos disease as a component of Cowden's syndrome. Case report and review of the literature, 776
KOCHI M. *See* Ushio Y, 133
KOEHLER SB. *See* McDonald JD, 591
KOIZUMI H. *See* Amagasaki K, 355
KOMBOS T, BROCK M. Evoked potentials. Letter, 376
KOMIYAMA M, NISHIKAWA M, KITANO S, SAKAMOTO H, MIYAGI N, KUSUDA S, SUGIMOTO H. Transumbilical embolization of a congenital dural arteriovenous fistula at the torcular herophili in a neonate. Case report, 964
KONDZIOLKA D, BONAROTI E, BASER S, BRANDT F, KIM YS, LUNSFORD LD. Outcomes after stereotactically guided pallidotomy for advanced Parkinson's disease, 197
_____. *See* Subach BR, 815
KOOY HM. *See* Shrieve DC, 72
KOSHINAGA M. *See* Katayama Y, 141
KOVACS K, HORVATH E, STEFANEANU L, BILBAO J, SINGER W, MULLER PJ. Plurihormonal pituitary tumor. Letter, 608
KOYAMA T, OKUDERA H, KOBAYASHI S. Computer-generated surgical simulation of morphological changes in microstructures: concepts of "virtual retractor". Technical note, 780
KRAUSS JK, BORREMANS JJ, POHLE T, GODOY N. Movement disorders following nonfunctional neurosurgery, 883
KRETH FW, MUACEVIC A. Stereotactic biopsy and hemorrhage. Letter, 181
_____, _____. Resection of malignant gliomas of childhood. Letter, 1147
KROIN JS. *See* Justesen CR, 551
KROPPENSTEDT SN, KERN M, THOMALE UW, SCHNEIDER GH, LANKSCH WR, UNTERBERG AW. Effect of cerebral perfusion pressure on contusion volume following impact injury, 520
KUDRYK BJ. *See* Lundberg F, 101
KULKARNI AV, BECKER LE, JAY V, ARMSTRONG DC, DRAKE JM. Primary cerebellar glioblastomas multiforme in children. Report of four cases, 546
_____, BERNSTEIN M. Stereotactic biopsy and hemorrhage. Letter, 182
KUMAGAI M. *See* Takenaka K, 935
KURATSU JI. *See* Ushio Y, 133
KURODA S. *See* Houkin K, 786
KUROIWA T, NAGAOKA T, UEKI M, YAMADA I, MIYASAKA N, AKIMOTO H, ICHINOSE S, OKEDA R, HIRAKAWA K. Correlations between the apparent diffusion coefficient, water content, and ultrastructure after induction of vasogenic brain edema in cats, 499
KUSUDA S. *See* Komiyama M, 964
KUTLUHAN A. *See* Güven MB, 1142
KWAN CL. *See* Rezai AR, 583
KWEE IL. *See* Nakada T, 791

LAJEUNIE E, CAMERON R, EL GHOUZZI V, DE PARSEVAL N, JOURNEAU P, GONZALES M, DELEZOIDE AL, BONAVENTURE J, LE MERRER M, RENIER D. Clinical variability in patients with Apert's syndrome, 443
LAMBORN K. *See* Metzger AK, 306
LANG AE. *See* Gross RE, 468
LANKSCH WR. *See* Kroppenstedt SN, 520

LANMAN TH, BRACKMANN DE, HITSELBERGER WE, SUBIN B. Report of 190 consecutive cases of large acoustic tumors (vestibular schwannoma) removed via the translabyrinthine approach, 617
LANZINO G, KASSELL NF, DORSCH NWC, PASQUALIN A, BRANDT L, SCHMIEDEK P, TRUSKOWSKI LL, ALVES WM, ET AL. Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part I. A cooperative study in Europe, Australia, New Zealand, and South Africa, 1011
_____, _____, ET AL. Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part II. A cooperative study in North America, 1018
_____, MERICLE RA, LOPES DK, WAKHLOO AK, GUTERMAN LR, HOPKINS LN. Percutaneous transluminal angioplasty and stent placement for recurrent carotid artery stenosis, 688
_____. *See* Mericle RA, 808, 1031
LAURYSSEN C. *See* Wright NM, 377
LAVI E. *See* Abrahams JM, 359
LAWS ER JR.. *See* DiPierro CG, 94
LAWTON MT. *See* Porter RW, 50
LEA T. *See* Lundberg F, 101
LEE CC. *See* Lin JJ, 974
LEE G. *See* Wallenfriedman MA, 1064
LEE JH, KIM CY, KIM DG, JUNG HW. Postoperative ectopic seeding of a craniopharyngioma. Case illustration, 796
LEE VMY. *See* Philips MF, 116
LELLOUCH-TUBIANA A. *See* Bourgeois M, 833
_____. *See* Pencalet P, 265
LE MERRER M. *See* Lajeunie E, 443
LESPINET V. *See* Rougier A, 282
LEV M. *See* Østergaard L, 300
LEVINE B. *See* Stuss DT, 635
LEVY ML. *See* Kelly DF, 1042
LEVY RM. *See* Groothuis DR, 321
LEWINE JD. *See* McDonald JD, 591
LEWIS AI. *See* Zubkov AY, 1091
LI DQ. *See* Lundberg F, 101
LI JH. *See* Nishino A, 59
LIAU LM, BLACK KL, PRINS RM, SYKES SN, DIPATRE PL, CLOUGHESY TF, BECKER DP, BRONSTEIN JM. Treatment of intracranial gliomas with bone marrow–derived dendritic cells pulsed with tumor antigens, 1115
LIEBERMAN DM, CORTHESY ME, CUMMINS A, OLDFIELD EH. Reversal of experimental parkinsonism by using selective chemical ablation of the medial globus pallidus, 928
LIN GY. *See* Lin JJ, 974
LIN JJ, LIN GY, SHIH C, LIN SZ, CHANG DC, LEE CC. Benefit of bilateral pallidotomy in the treatment of generalized dystonia. Case report, 974
LIN SZ. *See* Lin JJ, 974
LINK MJ. *See* Gruber DP, 868
LIS A. *See* Plunkett RJ, 1072
LIU AY. *See* Bellon RJ, 959
LJUNGH A. *See* Lundberg F, 101
LOEFFLER JS. *See* Shrieve DC, 72
LOESER JD. *See* Fukuhara T, 575
LOMBARDI WJ. *See* Gross RE, 468
LONSER RR, HEISS JD, OLDFIELD EH. Syringomyelia, hemangioblastoma, and Chiari I malformation. Case illustration, 169
_____. *See* Chen MY, 315
LOOR JY. *See* Zhao W, 510
LOPES DK. *See* Lanzino G, 688
_____. *See* Mericle RA, 808, 1031
LOPES M. *See* Duffau H, 78
LÓPEZ-LOZANO JJ, BRAVO G, ABASCAL J, BRERA B, MILLAN I, CLÍNICA PUERTA DE HIERRO NEURAL TRANSPLANTATION GROUP. Clinical outcome of cotransplantation of peripheral nerve and adrenal medulla in patients with Parkinson's disease, 875
LOT G. *See* Cinalli G, 227, 448
LOUIS DN. *See* Taylor MD, 946
LOVETT JV. *See* Kelly DF, 1042
LOW WC. *See* Wallenfriedman MA, 1064
LOZANO AM. *See* Gross RE, 468
_____. *See* Rezai AR, 583
LUNDBERG F, LI DQ, FALKENBACK D, LEA T, SIESJÖ P, SÖDERSTRÖM S, KUDRYK BJ, TEGENFELDT JO, NOMURA S, LJUNGH A. Presence of vitronectin and activated complement factor C9 on ventriculoperitoneal shunts and temporary ventricular drainage catheters, 101
LUNSFORD LD. *See* Comey CH, 810, 989
_____. *See* Kondziolka D, 197
_____. *See* Subach BR, 815
LURTON D. *See* Rougier A, 282
MACDONALD RL. *See* Wang X, 1083
MAGGIO WW. *See* Papanicolaou AC, 85
MAITZ AH. *See* Subach BR, 815
MAIXNER W. *See* Bourgeois M, 274, 833
_____. *See* Pencalet P, 265
MALUCCI C. *See* Bourgeois M, 274, 833
MAMELAK AN. Fatal transplant cyst. Letter, 1150
MANDEL N. *See* Grant GA, 148
MANIKER AH. *See* Kelly DF, 1042
MARMAROU A. *See* Fatouros PP, 109
MARTIN NA. *See* Solander S, 857
MARTIN SP. *See* Bunin GR, 984
MARTINEZ AJ. *See* Comey CH, 810
MARTON LS. *See* Iwabuchi S, 743
_____. *See* Wang X, 1083
MARUBAYASHI T. *See* Ushio Y, 133
MASUOKA T. *See* Hayashi N, 1125
MATSUDA M. *See* Nakasu S, 455
MATSUMOTO T. *See* Yamaura I, 853
MATSUNO A, SASAKI T, KIRINO T. Plurihormonal pituitary tumor. Letter, 608
MATSUNO H. *See* Goto K, 289
MATTSSON P, ALDSKOGIUS H, SVENSSON M. Nimodipine-induced survival rate of facial motor neurons following intracranial transection of the facial nerve in the adult rat, 760
MAYBERG MR. *See* Aagaard BDL, 766
_____. *See* Grant GA, 148
MCDONALD JD, CHONG BW, LEWINE JD, JONES G, BURR RB, MCDONALD PR, KOEHLER SB, TSURUDA J, ORRISON WW, HEILBRUN MP. Integration of preoperative and intraoperative functional brain mapping in a frameless stereotactic environment for lesions near eloquent cortex. Technical note, 591
MCDONALD PR. *See* McDonald JD, 591
MCGRAIL KM. *See* Coumans JVCE, 567
MCINTOSH TK. *See* Philips MF, 116
MCKHANN GM II. *See* Fukuhara T, 575
MCLAUGHLIN MR, JANNETTA PJ, CLYDE BL, SUBACH BR, COMEY CH, RESNICK DK. Microvascular decompression of cranial nerves: lessons learned after 4400 operations, 1
_____, _____, SUBACH BR, CLYDE BL. Coagulation of the petrosal vein for MVD. Letter, 1148
_____. *See* Comey CH, 810, 989
MCMENOMEY SO. *See* Schwartz MS, 651
MEDELE RJ. *See* Widenka DC, 1098
MEHTA V, HONG M, SPEAKS J, MENDEZ I. Graft survival. Letter, 805
MELTZER T. *See* Schwartz MS, 651
MENDEZ I. *See* Mehta V, 805
MENOVSKY T, DE VRIES J, BLOSS HG. Treatment of postoperative subgaleal cerebrospinal fluid fistulas by using fibrin sealant. Technical note, 1143
MERCADO M. *See* Hernandez I, 647
MERICLE RA, KIM SH, LANZINO G, LOPES DK, WAKHLOO AK, GUTERMAN LR, HOPKINS LN. Carotid artery angioplasty and use of stents in high-risk patients with contralateral occlusions, 1031
_____, WAKHLOO AK, LOPES DK, LANZINO G, GUTERMAN LR, HOPKINS LN. Delayed aneurysm regrowth. Letter, 808
_____. *See* Lanzino G, 688

Index

METZGER AK, MOHAPATRA G, MINN YA, BOLLEN AW, LAMBORN K, WALDMAN FM, WILSON CB, FEUERSTEIN BG. Multiple genetic aberrations including evidence of chromosome 11q13 rearrangement detected in pituitary adenomas by comparative genomic hybridization, 306

MEYER FB. *See* Coert BA, 332

MIKULIS DJ. *See* Rezai AR, 583

MILLAN I. *See* López-Lozano JJ, 875

MINN YA. *See* Metzger AK, 306

MIYAGI N. *See* Komiyama M, 964

MIYASAKA N. *See* Kuroiwa T, 499

MOHAN O. *See* Kelly DF, 1042

MOHAPATRA G. *See* Metzger AK, 306

MOLYNEUX AJ. *See* Byrne JV, 656

MONTANERA WJ. *See* Norris JS, 673

MOORE A. *See* Nutting C, 823

MORALES C. *See* Isla A, 1057

MORGAN H. Book review, 1146

MORGAN MK, SEKHON LHS, FINFER S, GRINNELL V. Delayed neurological deterioration following resection of arteriovenous malformations of the brain, 695

_____. *See* Brennan JW, 571

MORI K. *See* Mori T, 955

MORI T, KAZITA K, SEIKE M, NOJIMA Y, MORI K. Successful cerebral artery stent placement for total occlusion of the vertebrobasilar artery in a patient suffering from acute stroke. Case report, 955

MORINO M. *See* Ohata K, 702

MORITA A, COFFEY RJ, FOOTE RL, SCHIFF D, GORMAN D. Risk of injury to cranial nerves after gamma knife radiosurgery for skull base meningiomas: experience in 88 patients, 42

MORRISON PF. *See* Chen MY, 315

MOULTON RJ. *See* Stuss DT, 635

MUACEVIC A. *See* Kreth FW, 181, 1147

MUELLER JU. *See* Guerra WKW, 187

MUIR JK. *See* Philips MF, 116

MÜLLER GB. *See* Weninger WJ, 484

MULLER PJ. *See* Kovacs K, 608

MUNIER M. *See* Guieu R, 1037

MURAYAMA Y, VIÑUELA F, DUCKWILER GR, GOBIN YP, GUGLIELMI G. Embolization of incidental cerebral aneurysms by using the Guglielmi detachable coil system, 207

NAGAOKA T. *See* Kuroiwa T, 499

NAKADA T, NAKAYAMA N, FUJII Y, KWEE IL. Clinical application of three-dimensional anisotropy contrast magnetic resonance axonography. Technical note, 791

NAKAGOMI T. *See* Takagi K, 680

NAKAJIMA M. *See* Nakasu S, 455

NAKANO A. *See* Yamaura I, 853

NAKASHIMA S. *See* Takenaka K, 935

NAKASU S, NAKASU Y, NAKAJIMA M, MATSUDA M, HANDA J. Preoperative identification of meningiomas that are highly likely to recur, 455

NAKASU Y. *See* Nakasu S, 455

NAKAYAMA H. *See* Takagi K, 680

NAKAYAMA N. *See* Nakada T, 791

NARAYAN RK. *See* Kelly DF, 1042

NARULA S. *See* Gross RE, 468

NELEN MR. *See* Koch R, 776

NEUBER M. *See* Joist A, 1053

NEWMAN SA. Clinical examination and shunt failure. Letter, 373

NIAKAN C. *See* Song JK Joseph M. Eskridge, 1141

NIEMANN K, VAN DEN BOOM R, HAESELBARTH K, AFSHAR F. A brainstem stereotactic atlas in a three-dimensional magnetic resonance imaging navigation system: first experiences with atlas-to-patient registration, 891

NIHEI H. *See* Chang HS, 709

NISHIKAWA M. *See* Komiyama M, 964

NISHINO A, SAKURAI Y, TSUJI I, ARAI H, UENOHARA H, SUZUKI S, LI JH. Resumption of work after aneurysmal subarachnoid hemorrhage in middle-aged Japanese patients, 59

NISHIZAWA S. *See* Yokoyama T, 1005

NODE Y. *See* Sugiyama M, 170

NOJIMA Y. *See* Mori T, 955

NOMURA S. *See* Lundberg F, 101

NORBASH AM. *See* Bellon RJ, 959

NORRIS JS, VALIANTE TA, WALLACE MC, WILLINSKY RA, MONTANERA WJ, TERBRUGGE KG, TYMIANSKI M. A simple relationship between radiological arteriovenous malformation hemodynamics and clinical presentation: a prospective, blinded analysis of 31 cases, 673

NOSKO M. Book review, 372

NOZAWA Y. *See* Takenaka K, 935

NUTTING C, BRADA M, BRAZIL L, SIBTAIN A, SARAN F, WESTBURY C, MOORE A, THOMAS DGT, TRAISH D, ASHLEY S. Radiotherapy in the treatment of benign meningioma of the skull base, 823

OAKES WJ. *See* Tubbs RS, 1151

OCHOA R. *See* Hernandez I, 647

OGATA N. *See* Goto K, 289

OGIHARA K. *See* Zubkov AY, 1091

OHAEGBULAM SC. Craniopharyngioma. Letter, 984

OHATA K, EL-NAGGAR A, TAKAMI T, MORINO M, EL-ADAWY Y, EL-SHEIK K, INOUE Y, HAKUBA A. Efficacy of induced hypotension in the surgical treatment of large cavernous sinus cavernomas, 702

OHKUMA H, PARNEY I JOSEPH MEGYESI, GHAHARY A, FINDLAY JM. Antisense preproendothelin-oligoDNA therapy for vasospasm in a canine model of subarachnoid hemorrhage, 1105

OHMORI K. *See* Amagasaki K, 355

OHTA S. *See* Yokoyama T, 1005

OKEDA R. *See* Kuroiwa T, 499

OKUDERA H. *See* Koyama T, 780

OLDFIELD EH. Direct convective macromolecule delivery. Letter, 611

_____. *See* Chen MY, 315

_____. *See* Lieberman DM, 928

_____. *See* Lonser RR, 169

OLIVIER A. *See* Bittar RG, 478

ORRISON WW. *See* McDonald JD, 591

OSAMURA RY. *See* Sugiyama M, 170

ØSTERGAARD L, HOCHBERG FH, RABINOV JD, SORENSEN AG, LEV M, KIM L, WEISSKOFF RM, GONZALEZ RG, GYLDENSTED C, ROSEN BR. Early changes measured by magnetic resonance imaging in cerebral blood flow, blood volume, and blood-brain barrier permeability following dexamethasone treatment in patients with brain tumors, 300

PALMER JD. *See* Dorward NL, 160

PAPANICOLAOU AC, SIMOS PG, BREIER JI, ZOURIDAKIS G, WILLMORE LJ, WHELESS JW, CONSTANTINOU JEC, MAGGIO WW, GORMLEY WB. Magnetoencephalographic mapping of the language-specific cortex, 85

PARENT AD. *See* Zubkov AY, 1091

PARNEY I JOSEPH MEGYESI. *See* Ohkuma H, 1105

PASCUZZI R. Book review, 173

PASQUALIN A. *See* Lanzino G, 1011

PATLOLLA A. *See* Zubkov AY, 1091

PAULUS W, ROMSTÖCK J, WEIDENBECHER M, HUK WJ, FAHLBUSCH R. Middle ear adenocarcinoma with intracranial extension. Case report, 555

_____. *See* Fahlbusch R, 237

PELTONIEMI HH, TULAMO R-M, TOIVONEN T, HALLIKAINEN D, TÖRMÄLÄ P, WARIS T. Biodegradable semirigid plate and miniscrew fixation compared with rigid titanium fixation in experimental calvarial osteotomy, 910

PENCALET P, MAIXNER W, SAINTE-ROSE C, LELLOUCH-TUBIANA A, CINALLI G, ZERAH M, PIERRE-KAHN A, HOPPE-HIRSCH E, BOURGEOIS M, RENIER D. Benign cerebellar astrocytomas in children, 265

PENN RD. *See* Justesen CR, 551
PERRINE K. *See* Arle JE, 998
PERRY J. *See* Taylor MD, 946
PERSSON L. *See* Cesarini KG, 664
PESUDO-MARTÍNEZ JV. *See* González-Darder JM, 1137
PETERS TM. *See* Bittar RG, 478
PETERSÉN A. *See* Brundin P, 804
PHILIPS MF, BAGLEY LJ, SINSON GP, RAPS EC, GALETTA SL, ZAGER EL, HURST RW. Endovascular thrombolysis for symptomatic cerebral venous thrombosis, 65
_____, MUIR JK, SAATMAN KE, RAGHUPATHI R, LEE VMY, TROJANOWSKI JQ, MCINTOSH TK. Survival and integration of transplanted postmitotic human neurons following experimental brain injury in immunocompetent rats, 116
PICKARD JD. *See* Czosnyka M, 752
PICKEN CA. *See* Coumans JVCE, 567
PIECHNIK S. *See* Czosnyka M, 752
PIEK J. *See* Guerra WKW, 187
PIERRE-KAHN A. *See* Bourgeois M, 274
_____. *See* Cinalli G, 448
_____. *See* Pencalet P, 265
PITTS LH. *See* Jackler RK, 375
PLANGGER CA. Sciatic nerve injury. Letter, 806
PLUNKETT RJ, LIS A, BARONE TA, FRONCKOWIAK MD, GREENBERG SJ. Hormonal effects on glioblastoma multiforme in the nude rat model, 1072
PLUTA R. Reversal of vasospasm. Letter, 373
POCA MA. *See* Sahuquillo J, 16
POHLE T. *See* Krauss JK, 883
POMPILI A. Magnetic resonance imaging of cotton. Letter, 179
POPP AJ. *See* Friedlich DL, 993
PORTER RW, DETWILER PW, SPETZLER RF, LAWTON MT, BASKIN JJ, DERKSEN PT, ZABRAMSKI JM. Cavernous malformations of the brainstem: experience with 100 patients, 50
_____. *See* Detwiler PW, 1129
POST KD, FREDA PU, WARDLAW SL. Surgery for acromegaly. Letter, 809
PREUL MC. *See* Brown JA, 977
PRINS RM. *See* Liau LM, 1115
PROBST A. *See* Joist A, 1053
PROBST R. *See* Schaller B, 215

QUEENAN JV. Book review, 982

RABINOV JD. *See* Østergaard L, 300
RAFAEL H. Tethered cord. Letter, 175
RAGHUPATHI R. *See* Philips MF, 116
RAMADAN AA. *See* Abdel-Rahman N, 770
RAO AM. *See* Dogan A, 1078
RAO VLR. *See* Dogan A, 1078
RAPS EC. *See* Philips MF, 65
RAZACK N. *See* Cloft HJ, 865
REGLI L, USKE A, DE TRIBOLET N. Endovascular coil placement compared with surgical clipping for the treatment of unruptured middle cerebral artery aneurysms: a consecutive series, 1025
REINPRECHT A. *See* Bavinzski G, 843
REKATE HL. *See* Detwiler PW, 1129
RENIER D. *See* Bourgeois M, 274, 833
_____. *See* Cinalli G, 448
_____. *See* Lajeunie E, 443
_____. *See* Pencalet P, 265
RESNICK DK, JANNETTA PJ. Hyperactive rhizopathy of the vagus nerve and microvascular decompression. Case report, 580
_____. *See* McLaughlin MR, 1
REUTENS DC. *See* Bittar RG, 478
REZAI AR, LOZANO AM, CRAWLEY AP, JOY MLG, DAVIS KD, KWAN CL, DOSTROVSKY JO, TASKER RR, MIKULIS DJ. Thalamic stimulation and functional magnetic resonance imaging: localization of cortical and subcortical activation with implanted electrodes. Technical note, 583
RICHARDS HK. *See* Czosnyka M, 752
RICHLING B. *See* Bavinzski G, 843
RIEGER H. *See* Joist A, 1053
RITTER AM. Book review, 604
_____, GRAHAM RS, AMAKER B, BROADDUS WC, YOUNG HF. Intracranial extension of an eccrine porocarcinoma. Case report and review of the literature, 138
RIZZOLI H. *See* Horwitz NH, 804
ROBERTSON CS. *See* Cormio M, 9
ROBERTSON PL, ALBRIGHT AL, WISOFF JH, ZELTZER PM. Ependymomas in children. Letter, 605
ROCHAT H. *See* Guieu R, 1037
ROMSTÖCK J. *See* Paulus W, 555
ROOS A. *See* Frisén L, 542
ROSEN BR. *See* Østergaard L, 300
ROSNER MJ. *See* Kelly DF, 1042
ROSSO JP. *See* Guieu R, 1037
ROUGIER A, LURTON D, EL BAHH B, LESPINET V, BIDABÉ AM, GUILLOT M, CAILLÉ JM. Bilateral decrease in interictal hippocampal blood flow in unilateral mesiotemporal epilepsy, 282
ROWED DW. Hearing preservation in vestibular schwannoma surgery. Letter, 374
RUBIO E. *See* Sahuquillo J, 16
RUTKA J. *See* Jay V, 348
RUTKA JT. *See* Hoving E, 537
RYU H, TANAKA T, YAMAMOTO S, UEMURA K, TAKEHARA Y, ISODA H. Magnetic resonance cisternography used to determine precise topography of the facial nerve and three components of the eighth cranial nerve in the internal auditory canal and cerebellopontine cistern, 624

SAATMAN KE. *See* Philips MF, 116
SADIKOT AF. *See* Bittar RG, 478
SAGHER O. *See* Bobek MP, 145
SAHUQUILLO J, POCA MA, ARRIBAS M, GARNACHO A, RUBIO E. Interhemispheric supratentorial intracranial pressure gradients in head-injured patients: are they clinically important? 16
SAINT-CYR JA. *See* Gross RE, 468
SAINTE-ROSE C. *See* Bourgeois M, 274, 833
_____. *See* Cinalli G, 227, 373, 448
_____. *See* Pencalet P, 265
SAKAI H. *See* Takenaka K, 935
SAKAI N. *See* Takenaka K, 935
SAKAKI T. *See* Hashimoto H, 563
SAKAMOTO H. *See* Komiyama M, 964
SAKURAI Y. *See* Nishino A, 59
SALAMAT MS. *See* Sandin JA III, 951
SALPIETRO FM, ALAFACI C, GRASSO G, TOMASELLO F. Primary melanoma. Letter, 609
SANBERG PR. *See* Freeman TB, 1148
SANDIN JA III, SALAMAT MS, BASKAYA M, DEMPSEY RJ. Intracerebral hemorrhage caused by the rupture of a nontraumatic middle meningeal artery aneurysm. Case report and review of the literature, 951
SANGVAI D. *See* Brown JA, 977
SANNO N. *See* Sugiyama M, 170
SANO K. Pathogenesis of intracranial germ cell tumors reconsidered, 258
_____. *See* Takagi K, 680
SANTIAGO P. *See* Fukuhara T, 575
SARAN F. *See* Nutting C, 823
SARPHIE TG, CAREY ME, DAVIDSON JF, SOBLOSKY JS. Scanning electron microscopy of the floor of the fourth ventricle in rats subjected to graded impact injury to the sensorimotor cortex, 734
SASAGUCHI N. *See* Amagasaki K, 355

Sasaki T. *See* Matsuno A, 608
Savitz MH. Primary melanoma. Letter, 609
Schaller B, Probst R, Strebel S, Gratzl O. Trigeminocardiac reflex during surgery in the cerebellopontine angle, 215
Schiff D. *See* Morita A, 42
Schmidt RH. Use of microvascular Doppler probe to avoid basilar artery injury during endoscopic third ventriculostomy. Technical note, 156
Schmiedek P. *See* Lanzino G, 1011
Schneider GH. *See* Kroppenstedt SN, 520
Scholz M. *See* Koch R, 776
Schraeder PL. Book review, 371
Schrenk HH. *See* Stehle G, 610
Schroeder HWS, Warzol RW, Assaf JA, Gaab MR. Fatal subarachnoid hemorrhage after endoscopic third ventriculostomy. Case report, 153
Schwartz M. *See* Taylor MD, 946
Schwartz ML. *See* Stuss DT, 635
Schwartz MS, Cohen JI, Meltzer T, Wheatley MJ, McMenomey SO, Horgan MA, Kellogg JX, Delashaw JB Jr.. Use of the radial forearm microvascular free-flap graft for cranial base reconstruction, 651
Schwechheimer K. *See* Koch R, 776
Scott RM. Surgery for acromegaly. Letter, 809
Seike M. *See* Mori T, 955
Sekhon LHS. *See* Morgan MK, 695
Sgouros S. *See* Cinalli G, 227
Shibata S. *See* Khalid MH, 918
Shih C. *See* Lin JJ, 974
Shiozaki T. Hypothermia and head injury. Letter, 607
Shrieve DC, Alexander E III, Black PML, Wen PY, Fine HA, Kooy HM, Loeffler JS. Treatment of patients with primary glioblastoma multiforme with standard postoperative radiotherapy and radiosurgical boost: prognostic factors and long-term outcome, 72
Sibtain A. *See* Nutting C, 823
Sichez JP. *See* Duffau H, 78
Sidipratomo P. *See* Goto K, 289
Siesjö P. *See* Lundberg F, 101
Simon I. *See* Cinalli G, 227
Simos PG. *See* Papanicolaou AC, 85
Singer W. *See* Kovacs K, 608
Sinn H. *See* Stehle G, 610
Sinson GP. *See* Philips MF, 65
Snow WG. *See* Stuss DT, 635
Soblosky JS. *See* Sarphie TG, 734
Soderlund D. *See* Hernandez I, 647
Söderström S. *See* Lundberg F, 101
Sohn MJ. *See* Byrne JV, 656
Solander S, Ulhoa A, Viñuela F, Duckwiler GR, Gobin YP, Martin NA, Frazee JG, Guglielmi G. Endovascular treatment of multiple intracranial aneurysms by using Guglielmi detachable coils, 857
Song JK Joseph M. Eskridge, Niakan C, Winn HR. Diabetes insipidus from hypothalamic diffuse axonal injury. Case illustration, 1141
_____. *See* Aagaard BDL, 766
Song KS. *See* Kim SH, 171
Song SH. *See* Kim SH, 171
Sorby W. *See* Brennan JW, 571
Sorensen AG. *See* Østergaard L, 300
Speaks J. *See* Mehta V, 805
Spencer DD. *See* Telfeian AE, 939
Spetzler RF. *See* Detwiler PW, 1129
_____. *See* Porter RW, 50
_____. *See* Vishteh G, 180
Spinner RJ. *See* Kline DG, 806
Stefaneanu L. *See* Kovacs K, 608
Stegelmeyer J. *See* Axer H, 902
Stehbens WE, Jones GT. Arteriovenous malformations and endothelin-1. Letter, 605
Stehle G, Heene DL, Wunder A, Schrenk HH, Sinn H. Direct convective macromolecule delivery. Letter, 610
Steiger HJ. *See* Widenka DC, 1098
Stemmer-Rachamimov AO. *See* Taylor MD, 946
Stoeckli SJ, Böhmer A. Persistent bilateral hearing loss after shunt placement for hydrocephalus. Case report, 773
Strauss C. Direct brainstem surgery. Letter, 174
Strebel S. *See* Schaller B, 215
Stummer W. *See* Widenka DC, 1098
Stuss DT, Binns MA, Carruth FG, Levine B, Brandys CE, Moulton RJ, Snow WG, Schwartz ML. The acute period of recovery from traumatic brain injury: posttraumatic amnesia or posttraumatic confusional state? 635
Subach BR, Kondziolka D, Lunsford LD, Bissonette DJ, Flickinger JC, Maitz AH. Stereotactic radiosurgery in the management of acoustic neuromas associated with neurofibromatosis Type 2, 815
_____. *See* McLaughlin MR, 1, 1148
Subin B. *See* Lanman TH, 617
Sugimoto H. *See* Komiyama M, 964
Sugiyama K. *See* Yokoyama T, 1005
Sugiyama M, Takumi I, Teramoto A, Node Y, Sanno N, Osamura RY. Neurohypophyseal germinoma with prolactinoma. Case illustration, 170
Surawicz TS. *See* Bunin GR, 984
Sutherland GR. *See* Kaibara T, 339
Suzuki S. *See* Nishino A, 59
Svensson M. *See* Mattsson P, 760
Sykes SN. *See* Liau LM, 1115
Sypert GW, Arpin-Sypert EJ. Book review, 802

Takagi K, Tamura A, Nakagomi T, Nakayama H, Gotoh O, Kawai K, Taneda M, Yasui N, Hadeishi H, Sano K. How should a subarachnoid hemorrhage grading scale be determined? A combinatorial approach based solely on the Glasgow Coma Scale, 680
Takahashi A. *See* Houkin K, 786
Takaku A. *See* Hayashi N, 1125
Takami T. *See* Ohata K, 702
Takehara Y. *See* Ryu H, 624
Takenaka K, Sakai H, Yamakawa H, Yoshimura SI, Kumagai M, Yamakawa H, Nakashima S, Nozawa Y, Sakai N. Polymorphism of the *endoglin* gene in patients with intracranial saccular aneurysms, 935
Takeyama N. *See* Arai T, 527
Takumi I. *See* Sugiyama M, 170
Tamura A. *See* Takagi K, 680
Tanabe M, Watanabe T. MIB-1 and schwannomas. Letter, 809
Tanaka T. *See* Arai T, 527
_____. *See* Ryu H, 624
Taneda M. *See* Takagi K, 680
Tani E. *See* Yamaura I, 853
Tans JTJ. *See* Boon AJW, 221
Tasker RR. *See* Gross RE, 468
_____. *See* Rezai AR, 583
Taylor MD, Bernstein M. Awake craniotomy with brain mapping as the routine surgical approach to treating patients with supratentorial intraaxial tumors: a prospective trial of 200 cases, 35
_____, Perry J, Zlatescu MC, Stemmer-Rachamimov AO, Ang LC, Ino Y, Schwartz M, Becker LE, Louis DN, Cairncross JG. The *hPMS2* exon 5 mutation and malignant glioma. Case report, 946
Tegenfeldt JO. *See* Lundberg F, 101
Telfeian AE, Spencer DD, Williamson A. Lack of correlation between neuronal hyperexcitability and electrocorticographic responsiveness in epileptogenic human neocortex, 939
Temiz C. *See* Dogan A, 1078
Teramoto A. *See* Sugiyama M, 170
TerBrugge KG. *See* Norris JS, 673
Teshima I. *See* Jay V, 348
Tew JM Jr.. *See* Gruber DP, 868
Thomale UW. *See* Kroppenstedt SN, 520
Thomas DGT. *See* Dorward NL, 160
_____. *See* Nutting C, 823

Toivonen T. *See* Peltoniemi HH, 910
Tomasello F. *See* Salpietro FM, 609
Tomsick TA. *See* Gruber DP, 868
Torigoe R. *See* Anegawa S, 970
Törmälä P. *See* Peltoniemi HH, 910
Toyota BD. The efficacy of an abbreviated course of nimodipine in patients with good-grade aneurysmal subarachnoid hemorrhage, 203
Traish D. *See* Nutting C, 823
Trojanowski JQ. *See* Philips MF, 116
Truskowski LL. *See* Lanzino G, 1011
Tsuji I. *See* Nishino A, 59
Tsukamoto E. *See* Hayashi N, 1125
Tsuruda J. *See* McDonald JD, 591
Tubbs RS, Oakes WJ. Trochlear nerve. Letter, 1151
Tulamo RM. *See* Peltoniemi HH, 910
Tumu P. *See* Zubkov AY, 1091
Türe U, Yaşargil DCH, Al-Mefty O, Yaşargil MG. Topographic anatomy of the insular region, 720
Turner J. *See* Fagan P, 987
Tymianski M. *See* Norris JS, 673
Tyson RL. *See* Kaibara T, 339

Ueki M. *See* Kuroiwa T, 499
Uemura K. *See* Ryu H, 624
———. *See* Yokoyama T, 1005
Uenohara H. *See* Nishino A, 59
Ugras S. *See* Güven MB, 1142
Ulhoa A. *See* Solander S, 857
Unterberg AW. *See* Kroppenstedt SN, 520
Urculo E. Trochlear nerve. Letter, 1150
Ushio Y, Kochi M, Kuratsu JI, Itoyama Y, Marubayashi T. Preliminary observations for a new treatment in children with primary intracranial yolk sac tumor or embryonal carcinoma. Report of five cases, 133
Uske A. *See* Regli L, 1025

Valadka AB. *See* Cormio M, 9
Valiante TA. *See* Norris JS, 673
van Den Boom R. *See* Niemann K, 891
van Loveren HR. *See* Gruber DP, 868
Vink R. *See* Heath DL, 504
Viñuela F. *See* Murayama Y, 207
———. *See* Solander S, 857
Vishteh G, Spetzler RF. Magnetic resonance imaging of cotton. Letter, 180
Vitek JL, Bakay RAE, DeLong MR. Crusade for microelectrode guidance in pallidotomy. Letter, 177
Vollmer DG. Book review, 603
von Keyserlingk DG. *See* Axer H, 902

Wagner KR, Xi G, Hua Y, Zuccarello M, de Courten-Myers GM, Broderick JP, Brott TG. Ultra-early clot aspiration after lysis with tissue plasminogen activator in a porcine model of intracerebral hemorrhage: edema reduction and blood-brain barrier protection, 491
Wakai S. Polycystic kidneys and aneurysms. Letter, 985
Wakhloo AK. *See* Lanzino G, 688
———. *See* Mericle RA, 808, 1031
Waldman FM. *See* Metzger AK, 306
Wallace MC. *See* Norris JS, 673
Wallenfriedman MA, Conrad JA, DelaBarre L, Graupman PC, Lee G, Garwood M, Gregerson DS, Jean WC, Hall WA, Low WC. Effects of continuous localized infusion of granulocyte–macrophage colony–stimulating factor and inoculations of irradiated glioma cells on tumor regression, 1064
Wang X, Marton LS, Weir BKA, Macdonald RL. Immediate early gene expression in vascular smooth-muscle cells synergistically induced by hemolysate components, 1083
Ward S. *See* Groothuis DR, 321
Wardlaw SL. *See* Post KD, 809
Waris T. *See* Peltoniemi HH, 910
Warnke PC. Stereotactic biopsy and hemorrhage. Letter, 180
Warzol RW. *See* Schroeder HWS, 153
Watanabe T. *See* Katayama Y, 141
———. *See* Tanabe M, 809
Watson VE. *See* Coumans JVCE, 567
Weidenbecher M. *See* Paulus W, 555
Weil MD. *See* Donson AM, 533
Weir BKA. *See* Wang X, 1083
Weisskoff RM. *See* Østergaard L, 300
Wen PY. *See* Shrieve DC, 72
Wener MH. *See* Grant GA, 148
Weninger WJ, Müller GB. The parasellar region of human infants: cavernous sinus topography and surgical approaches, 484
Westbury C. *See* Nutting C, 823
Wetterkamp D. *See* Joist A, 1053
Wheatley MJ. *See* Schwartz MS, 651
Wheless JW. *See* Papanicolaou AC, 85
Widenka DC, Medele RJ, Stummer W, Bise K, Steiger HJ. Inducible nitric oxide synthase: a possible key factor in the pathogenesis of chronic vasospasm after experimental subarachnoid hemorrhage, 1098
Wilkinson HA. Trigeminal nerve peripheral branch phenol/glycerol injections for tic douloureux, 828
Williams J. *See* Kelly DF, 1042
Williamson A. *See* Telfeian AE, 939
Willinsky RA. *See* Norris JS, 673
Willmore LJ. *See* Papanicolaou AC, 85
Wilson CB. *See* Metzger AK, 306
Winn HR. *See* Fukuhara T, 575
———. *See* Song JK Joseph M. Eskridge, 1141
Wisoff JH. *See* Robertson PL, 605
Witman PA. *See* Bunin GR, 984
Wolf EW II. Reversal of vasospasm. Letter, 373
Wright NM, Lauryssen C. Vertebral artery injury with transarticular screws. Letter, 377
Wunder A. *See* Stehle G, 610
Wurzer HAL. *See* Boon AJW, 221

Xi G. *See* Wagner KR, 491

Yamada I. *See* Kuroiwa T, 499
Yamakawa Haruki. *See* Takenaka K, 935
Yamakawa Hiroyasu. *See* Takenaka K, 935
Yamamoto S. *See* Ryu H, 624
Yamaura I, Tani E, Yokota M, Nakano A, Fukami M, Kaba K, Matsumoto T. Endovascular treatment of ruptured dissecting aneurysms aimed at occlusion of the dissected site by using Guglielmi detachable coils, 853
Yamazaki H. *See* Amagasaki K, 355 Yaşargil DCH. *See* Türe U, 720
Yaşargil MG. *See* Türe U, 720
Yasui N. *See* Takagi K, 680
Yazdan DA. A neurosurgical way of life. Letter, 986
Yazui H. *See* Grant GA, 148
Yip PK. *See* Jeng JS, 463
Yokota M. *See* Yamaura I, 853
Yokota N. *See* Yokoyama T, 1005

YOKOYAMA T, IMAMURA Y, SUGIYAMA K, NISHIZAWA S, YOKOTA N, OHTA S, UEMURA K. Prefrontal dysfunction following unilateral posteroventral pallidotomy in Parkinson's disease, 1005
YOSHIMURA SI. *See* Takenaka K, 935
YOSHINO A. *See* Katayama Y, 141
YOUM JY. *See* Kim SH, 171
YOUNG HF. *See* Ritter AM, 138

ZABRAMSKI JM. Polycystic kidneys and aneurysms. Letter, 986
_____. *See* Porter RW, 50
ZAGER EL, BROWN MJ. Catamenial mononeuropathy and radiculopathy. Letter, 374
_____. *See* Philips MF, 65
ZARATE A. *See* Hernandez I, 647
ZELTZER PM. *See* Robertson PL, 605
ZERAH M. *See* Bourgeois M, 274, 833
_____. *See* Cinalli G, 448
_____. *See* Pencalet P, 265
ZHANG J. *See* Zubkov AY, 1091
ZHANG JH. *See* Iwabuchi S, 743
ZHAO W, ALONSO OF, LOOR JY, BUSTO R, GINSBERG MD. Influence of early posttraumatic hypothermia therapy on cerebral blood flow and glucose metabolism after fluid-percussion brain injury, 510
ZIELENSKA M. *See* Jay V, 348
ZIMMERMAN GA. *See* Gruber DP, 868
ZLATESCU MC. *See* Taylor MD, 946
ZOURIDAKIS G. *See* Papanicolaou AC, 85
ZUBKOV AY, OGIHARA K, TUMU P, PATLOLLA A, LEWIS AI, PARENT AD, ZHANG J. Mitogen-activated protein kinase mediation of hemolysate-induced contraction in rabbit basilar artery, 1091
ZUCCARELLO M. *See* Wagner KR, 491

Subject Index

Abstracts

Amar A, Liu K, Miao W, Masri L, Levy M, McComb JG. *Prognostic factors for pediatric intracranial ependymomas*, 437A

Amin-Hanjani S, Barker FG II, Ogilvy CS. *Does intracisternal thrombolysis prevent vasospasm following aneurysmal subarachnoid hemorrhage? A meta-analysis*, 439A

Aydin Y, Ziyal IM, Duman H, Sahin Y. *Clinical and radiological results of lumbar microdiscectomy with preservation of ligamentum flavum compared to standard microdiscectomy*, 414A

Badie B, Schartner J, Klaver J, Vorpahl J. *Modulation of microglia motility by glioma cells is mediated by hepatocyte growth factor/scatter factor*, 430A

Bergsneider M, Vespa PM, Sehati N, Shalmon E, Kelly DF, Huang SC, Phelps ME, Hovda DA, Becker DP. *Early fluorodeoxyglucose PET is predictive of delayed neuroanatomical findings following human traumatic brain injury*, 427A

Bernstein M, Taylor MD. *Awake craniotomy or stereotactic biopsy for brain tumor results in median length of stay of 1 or 0 day, respectively*, 408A

Bilsky M, Boland P, Brennan M, Woodruff R, Healey J. *Surgery for sarcoma of the spine: outcome analysis of 65 patients over a 12-year period*, 433A

Bingaman K, Petronio J, Drach A. *Clinical presentation of optic pathway tumors in younger children with neurofibromatosis 1*, 438A

Breeze R, Freed C, Fahn S, Greene P, Tsai WY, Eidelberg D. *Fetal cell implantation for Parkinson's disease*, 404A

Brem H, Long D, Gordon T, Bowman H, Etzel A, Burleyson G, Betchen S. *Craniotomy for tumor: outcomes in high-volume versus low-volume hospitals*, 409A

Brown JA, Nguyen JP, Preul MC, Beyer B, Lefaucheur JP, Kondo S, Velasco F, Keravel Y. *Epidural motor cortex stimulation for neuropathic facial pain: interim analysis of results from treatment of 13 patients in a multicenter prospective trial*, 405A

_____, Sangvai D. *Faces of pain: the expression of anguish by classical Roman masters of marble and oil*, 442A

Brunori A, De Caro GMF, Giuffré R, Chiappetta F. *Origins and development of neurosurgery in the "Eternal city," 1880-1970*, 441A

Cahill D. *The use of bioresorbable cages for anterior cervical fusion in the goat*, 434A

Chang HS, Nakagawa H. *Adverse effect of limited hypotensive anesthesia on the outcome of SAH patients*, 440A

Chang S, Bell T, Tong D, Ceranski J, Steinberg GK. *Diagnosing cerebral vasospasm: the correlation rate between cerebral angiograms and transcranial Doppler ultrasonogram*, 439A

_____, Lopez JR, Steinberg GK. *A cost benefit analysis of the use of electrophysiological monitoring during resection of arteriovenous malformations*, 426A

Chun J, Lawton M, Wilson C. *Management of anterior cranial fossa dural arteriovenous fistulas*, 440A

Chung R, Carter B, Ogilvy C. *Outcome from aneurysm management in the elderly: should unruptured aneurysms be treated?* 410A

Chyatte D, Porterfield R. *Functional outcome after surgical repair of unruptured intracranial aneurysms*, 419A

Dagi TF. *Waiting in the wings: the adoption of stereotaxis therapeutics*, 441A

Di Rocco C. *Surgical treatment of hemimegalencephaly: techniques and complications*, 437A

Ducker T, Solomon C, Ducker L. *Patient-generated medical records (Spine)*, 416A

Dunsker S, Tobler W, ADCON-L Clinical Research Group U.S. *A clinical study of ADCON-L: a bioresorbable gel for the prevention of postoperative peridural fibrosis*, 420A

Elowitz E, Capala J, Cohen D, Coderre J, Diaz A, Joel D, Ma R, Tyson G, Chanana A. *Evaluation of radiation effect in glioblastoma multiforme patients treated with boron neutron capture therapy at Brookhaven National Laboratory*, 415A

Eskandar E, Borges L, Choi IS, Putman C, Budzik R, Ogilvy C. *Spinal dural arteriovenous fistulas: endovascular or microsurgical therapy?* 407A

Flannagan P, Abla A, Kandabarow A, Douglas R, Richman J. *The use of electromyography in the safe placement of 1000 pedicle screws*, 433A

Ganju A, Roosen N, Tiel RL, Kline DG. *Outcomes in a consecutive series of 111 operated plexus tumors*, 405A

Geer C, Selden NRW, Papadopoulos SM. *Anterior cervical plate fixation in the treatment of single-level cervical disc disease*, 410A

Giovanni B, Franzini A, Servello D, Dones I, Girotti F. *Deep brain stimulation in the treatment of Parkinsonian syndromes*, 424A

Gorecki J, Rubin L, Bbulsara K, Pracyk J, Chambers J. *A prospective, randomized, controlled clinical trial comparing intrathecal narcotic analgesia to standard medical management in benign pain*, 432A

Graham R, Broaddus WC, Young HF, Hughes T. *Multiple regression analysis of factors affecting outcome in patients with lumbar spinal stenosis*, 408A

Gruber D, Carey L, Haller J, Walker M, Shelton C, Brockmeyer D. *Surgical approaches to the pediatric skull base: experience and outcomes in 51 patients*, 438A

Gunel M, Craig HD, Choate K, Cepeda O, Steinberg G, Ogilvy C, Scott RM, Berg M, Johnson EW, Ptacek L, Awad IA, Lifton RP. *Positional cloning of the* CCM1 *gene and identification of two new loci for cavernous malformation, CCM2 and CCM3, by multilocus linkage analysis*, 409A

Heiss J, DeVroom H, Patronas N, Shawker T, Ennis R, Morris J, Oldfield E. *Pathophysiology of syringomyelia*, 413A

Hida K, Iwasaki Y, Abe H, Goto K, Miyasaka K. *Results of surgical treatment with special reference to embolization of perimedullary arteriovenous fistulas*, 434A

Horgan M, Schwartz MS, Kellogg JX, McMenomey SO, Delashaw JB. *History and classification of the petrosal approach on the petroclival region: 100 years of progress*, 440A

Huettmann S, Krauss J, Soerensen N, Roosen K. *Tethered cord syndrome in adults: special features, outcome, and long-term follow-up in 58 patients*, 418A

Jabre A, Bhatia S, Pigazzi A, Powsner RA, Babikian V, Spatz EL. *Value of single-photon emission computed tomography and transcranial Doppler ultrasonography in cerebral vasospasm*, 423A

Jho HD. *Endoscopic endonasal skull base surgery for midline lesions from olfactory groove to distal clivus*, 423A

_____. *Miniaturized skull base surgery for anterior fossa lesions: "Band-aid" skull base surgery*, 414A

Johnston SC, Wilson CB, Halbach VV, Higashida RT, Dowd CF, Lawton MT, McDermott MW, Applebury CB, Farley TL, Gress DR. *Comparison of surgical clipping and endovascular coil embolization in the treatment of unruptured cerebral aneurysms*, 407A

Kawaguchi S, Sakaki T, Morimoto T, Uranishi R. *Effect of bypass for ischemic retinopathy based on ophthalmic artery Doppler sonography findings*, 412A

Kondo S, Kondo Y, Barnett GH, Silverman RH, Cowell JK. *Treatment of malignant gliomas with 2-5A-anti-telomerase RNA*, 424A

Kondziolka D, Levy E, Niranjan A, Bissonette D, Flickinger JC, Lunsford LD. *Long-term outcomes after meningioma radiosurgery: the physicians' and patients' perspective*, 406A

_____, Patel A, Lunsford LD, Kassam A, Flickinger JC. *Stereotactic radiosurgery plus whole brain radiotherapy versus whole brain radiotherapy alone for patients with multiple brain metastases: a prospective, randomized trial*, 404A

Abstracts (*continued*)

———, Wechsler L, Meltzer C, Thulborn K, Jannetta P, Slagel C, Goldstein S, Rakela J, Elder E. *Phase I safety and effectiveness trial of the cerebral transplantation of LBS neurons in patients with substantial fixed motor deficit following cerebral infarction*, 435A

Kunwar S, Mahapatra G, Huhn S, Lamborn K, Bollen A, Chang S, Prados M, Feuerstein B. *Correlation between radiation response and genetic aberrations in glioblastoma multiforme*, 429A

———, Mohapatra G, Prados M, Feuerstein B. *Genetic markers classify anaplastic astrocytomas into prognostic groups and explain age-related survival*, 420A

Kurpad S, Robbins KT, Vrionis FD, Robertson JH. *A novel strategy intraarterial cisplatin and radiation treatment followed by surgical resection for carcinoma of the anterior and middle skull base: preliminary results of a phase II trial*, 431A

Lacroix M, Abi-Said D, Shi W, DeMonte F, Gokaslan Z, Lang F, McCutcheon I, Hassenbusch S, Sawaya R. *Extent of tumor resection and survival of patients with glioma*, 423A

Lee J, Peacock WJ. *Analysis of 42 patients operated upon for lumbosacral lipoma*, 408A

Lee JH, Kelly DF, Martin NA, Glenn D Nikas TC. *Hemispheric asymmetry of cerebral vasoreactivity after traumatic brain injury: implications for mechanisms*, 429A

Liau LM, Lallone R, Nelson SF, Bronstein JM, Becker DP. *Identification of a putative glioma-specific EGF-like growth factor using "Differential Immunoabsorption" coupled to cDNA microarray hybridization*, 429A

———, Sykes SN, Jensen ER, Miller JF, Becker DP. *Gliomas genetically engineered to express a model antigen are eradicated subcutaneously and protect against lethal intracranial tumor challenge in rats*, 409A

Lieberman D, Matz P, Rosegay H. *A history of the strain gauge for measurement of intracranial pressure: from engineers to physiologists and clinicians*, 441A

Litofsky NS, Anderson F, Laws ER Jr, Outcomes Project Investigators-Glioma. *Depression is an undertreated complication in patients with high-grade glioma: preliminary results of the glioma outcomes project*, 426A

Littlefield TR, Kelly KM, Pomatto JK, Manwaring KH, Beals SP. *Cranial growth unrestricted during treatment of deformational plagiocephaly with the DOC band*, 415A

Lunsford LD, Sekula R, Albright AL, Flickinger JC, Kondziolka D. *Radiosurgery when pilocytic astrocytomas behave badly*, 415A

Marmarou A, Nichols J, Muizelaar P, Pitts L, Brain Injury Consortium Study Group/American. *The AANS guidelines for management of head injury: the first year's experience*, 406A

Maroon J, Lovell MR, Norwig J. *Cerebral concussion in athletes: evaluation and neuropsychological testing*, 419A

Martin C, Alexander E III, Jolesz F, Black PM. *The surgical treatment of low-grade gliomas in the intraoperative MR imaging*, 412A

McCutcheon I, Perez-Cruet MJ, Sawaya R, Steel J. *Concurrent craniotomies for multifocal intracranial tumors*, 417A

Mitchell W, Samuelson S, Przybylski GJ. *Management of occipital condyle fractures*, 420A

Morrison G, Jayakar P, Duchowny M, Dean P, Peñate M. *Multiple subpial transections in the treatment of childhood epilepsy arising from eloquent neocortex*, 421A

Muizelaar JP, Zwienenberg M, Mini NA, Hecht ST. *The safety and efficacy of transluminal balloon angioplasty for the prevention of vasospasm in patients with Fisher Grade III subarachnoid hemorrhage: a pilot study*, 407A

Nakagawa Y, Pooh K, Kitamura K, Kageji T. *Long-term follow up in patients after boron neutron capture therapy in Japan*, 431A

Nakagomi T, Ntakagi K, Tamura K, Sano K. *Cisternal irrigation using urokinase with head-shaking effective in preventing cerebral vasospasm following SAH: results of analysis of 200 consecutive cases*, 404A

Neuwelt EA, Remsen L, McAllister L, Kraemer D. *Direct correlation in CNS malignancy of dose intensity to response rate and duration of survival in preclinical and clinical trials*, 430A

Nimsky C, Ganslandt O, Huk W, Fahlbusch R. *Evaluation of glioma resection by intraoperative MR imaging*, 426A

Niranjan A, Lunsford LD, Kondziolka D, Flickinger JC. *Radiosurgery can preserve hearing in patients with intracanalicular acoustic tumors*, 418A

Abstracts (*continued*)

Obrist WD, Marion DW, Aggarwal S, Kerr ME. *Time course of cerebral blood flow and metabolism in acute head injury: influence of hypothermia*, 421A

Oh M, Whiting D, Sherman A. *Minimally invasive peripheral nerve stimulation for the treatment of occipital neuralgia*, 433A

Pahapill P, Lozano AM, Levy R, Rezai A, Davis K, Tasker RR, Dostrovsky J. *Thalamic microinjections of muscimol arrest tremor*, 408A

———, Tasker R. *Spinal cord stimulation for refractory angina pectoris*, 432A

Park H, Diaz FG. *Pain patterns in chronic low back pain compared to PD assessment*, 432A

Piepmeier J, Spencer DD, D'Andrea B. *Low-grade gliomas of chronic epilepsy: Time for a new WHO classification*, 411A

Polin R, Hansen CA, Coenen VA, Kassell NF. *Transluminal angioplasty for the management of cerebral vasospasm*, 405A

Pollock BE, Huston J III. *The natural history of asymptomatic, untreated colloid cysts*, 418A

Polsky D, Willke R, Schulman K, Glick H. *Return to previous activity following severe subarachnoid hemorrhage: effects of tirilazad mesylate observed in four clinical trials*, 410A

Popp AJ. *The neurosurgery of Theodoric*, 441A

Prabhu S, Helmick KM, Young HF. *Early experience with threaded lumbar interbody fusion device*, 413A

Price R, Munz M, Gaughan J. *The effect of pallidotomy on quality of life in advanced Parkinson's disease*, 424A

Przybylski G, Clyde B, Fitz C, Maiman D, Larson S. *Atlanto-occipital dislocation: diagnosis and management in 27 patients*, 416A

Richardson D, Heath R, Clark S. *Treatment of Parkinson's disease by injection of norepinephrine into the corpus striatum*, 424A

———, Osterdock RJ. *Brainstem stimulation for intractable paraplegic pain*, 431A

Robinson S, Levine J, Cohen M, Miller RH. *Growth-regulated oncogene in oligodendrogliomas: constitutive activation of a proliferative pathway*, 425A

Roessler K, Bertalanffy A, Jezan H, Ba-Ssalamah A, Czech T. *Cerebellar juvenile pilocytic astrocytomas: relevance of proliferation activity and pathological and radiological findings*, 437A

Ruge M, Kim KHS, Correa DD, Souweidane MM, Bilsky M, Gutin PH, Hirsch J. *Functional magnetic resonance imaging for neurosurgical planning: experience in 108 cases*, 422A

Samson D, Batjer H, Kopitnik T, Horowitz M. *Operation or reoperation for retained/residual arteriovenous malformation*, 427A

———, Kopitnik T, Horowitz M, Batjer H. *Large and giant aneurysms of the vertebrobasilar system*, 416A

Schroeder HWS, Niendorf WR, Gaab MR. *Endoscopic third ventriculostomy: complications and results*, 405A

Schuster J, Girouard A, Grady S, Newell D, Winn HR, Chapman J, Mirza S. *The use of structural allografts in spinal osteomyelitis: a review of 47 cases*, 427A

Semple P, Vance ML, Findling F, Laws ER Jr. *Transsphenoidal surgery for Cushing's disease: outcome in patients with normal magnetic resonance imaging*, 430A

Sergey S, Agus S, Merkin V, Constantini S. *Aspirin prophylaxis in minor and moderate head injury in elderly population*, 428A

Shanno G, Armonda RA, Thomas JE, Morrison S, Rosenwasser RH. *Assessment of unsuccessful GDC coiling of intracranial aneurysms*, 425A

Shields C. *Glen Spurling: neurosurgical pioneer*, 421A

Simeone F, Freese A. *The devaluation of neurosurgical procedures by managed care and the relevance of the consumer price index over the past decade*, 419A

Singer R, Putnam C, Budzick R, Choi IS, Huang-Hellinger F, Ogilvy CS. *Risks and efficacy of combined endovascular and surgical management of intracranial dural arteriovenous malformations*, 439A

Slavin K, Louw D, Burchiel KJ. *Treatment of bilateral tremor with thalamotomy and contralateral thalamic stimulation*, 436A

Smith M, Foley KT. *Microendoscopic discectomy: the first one hundred cases*, 416A

Abstracts (*continued*)
Steinmeier R, Hofmann R, Bauhuf C, Hübner U. *Continuous autoregulation monitoring in comatose patients*, 427A
Stummer W, Stocker S, Winkler PA, Reulen HJ. *Intraoperative detection of malignant gliomas by 5-ALA-induced protoporphyrin-IX fluorescence*, 412A
Subach BR, Kondziolka D, Lunsford LD. *Stereotactic radiosurgery in the management of acoustic neuromas associated with neurofibromatosis type 2*, 411A
Sutherland M, Rubi AM, Cohen SD, Green BA. *The family handgun: safety and child access*, 428A
Sutterlin C III, Traynelis V, Papadopoulos S. *A multi-center clinical experience with the use of the axis fixation system in the posterior cervical spine*, 434A
Takagi K, Tamura A, Nakagomi T, Yasui N, Taneda M. *Gender difference in the occurrence of the cerebral vasospasm with infarction*, 439A
Talacchi A, Bricolo A. *Surgical management of syringomyelia associated with arachnoiditis: a critical review*, 435A
Taub E, Kuenig G, Leenders KL, Siegfried J. *Changes in cerebral activity induced by thalamic and pallidal stimulation for Parkinson's disease*, 425A
Telfeian A, Tseng H, Baybis M, Crino P, Baltuch G, Dichter M. *RNA phototyping and investigating new targets in the GABA system for human epilepsy pharmacotherapy*, 436A
Thomas J. *Observations on the safety and efficacy of intrathecal sodium nitroprusside for the treatment of cerebral vasospasm and ischemia in humans: experience with 15 treatments*, 417A
Tuli S, Muntwyler J, Drake J, Lamberti-Pasculi M. *Patient characteristics as risk factors for repeat CSF shunt failures in pediatric hydrocephalus*, 417A
Villavicencio A, Bulsara K, Kureshi S, Gorecki J. *Results following laminectomy versus percutaneous lead placement in 48 patients undergoing spinal cord stimulation for intractable pain*, 432A
Vince GH, Woydt M, Witte J, Horowski A, Roosen K, Krone A. *Real-time ultrasound integration in optical tracking CT/MR image-guided surgery*, 422A
Vitaz T, McIlvoy L, Raque G, Fix S, Shields C. *Utility of a clinical care pathway for severe closed head injuries*, 406A
Voges J, Volkmann J, Koulousakis A, Freund HJ, Sturm V. *Chronic high-frequency stimulation of the internal globus pallidus or subthalamic nucleus as an effective therapy in advanced Parkinson's disease*, 435A
Warnke PC, Kopitzki K, Baumer B, Fritzsche D, Ostertag CB. *Radiobiology of stereotactic radiosurgery in metastases and glioblastomas. A quantitative longitudinal analysis of its effects on rCBF, capillary permeability, vascular volume, extracellular space, glucose utilization and thallium uptake*, 414A
Watson J, Gorbach A, Pluta R, Oldfield EH. *Real-time detection of vascular occlusion and reperfusion of the brain during surgery with infrared imaging*, 411A
Weiner HL, Pietanza MC, Balmaceda C, Finlay JL. *Chemotherapy without irradiation for newly diagnosed CNS germ cell tumors: long-term follow-up and quality of life on an international cooperative trial*, 421A
Whitworth L, Kanos C, Montouris GD, Davies KG. *Vagal nerve stimulators for intractable epilepsy: a series of 45 patients*, 436A
Winkler PA, Ilmberger J, Reulen HJ. *Neuropsychological results after treatment of lesions in the anterior part of the third ventricle: a prospective study*, 436A
Woydt M, Horowski A, Krone A, Becker G, Hoffmann E, Roosen K. *Use of intraoperative ultrasound to control the extent of tumor resection in supratentorial gliomas: comparison with postoperative MR imaging and histopathological findings*, 422A
———, ———, ———, Roosen K. *Guiding and hemodynamic monitoring in aneurysm surgery with intraoperative color-duplex-sonography*, 411A
York JE, Brockmeyer DL, Apfelbaum RI. *The anatomical suitability of C1-2 transarticular screw placement in pediatric patients*, 433A
Young B, Hatton J, Tibbs P, Blades D, McClain CJ. *Neurological outcome of patients treated with IGF-1/GH following traumatic brain injury*, 428A

Abstracts (*continued*)
Yu J, Samoto K, Liu Y, Lee O, Wechsler S, Nesburn A, Black K. *A novel herpes simplex virus mutant is safe and human glioma-specific*, 413A
Zamorano L, Matter A, Chuba P, Benedetti JC, Shamsa F, Diaz F. *Permanent Iodine-125 implants in the treatment of pediatric brain tumors*, 438A

Acoustic nerve tumor
Report of 190 consecutive cases of large acoustic tumors (vestibular schwannoma) removed via the translabyrinthine approach, 617

Acoustic neuroma
New technique of side-to-end hypoglossal–facial nerve attachment with translocation of the infratemporal facial nerve, 27
Stereotactic radiosurgery in the management of acoustic neuromas associated with neurofibromatosis Type 2, 815

Acromegaly
Differential effects of octreotide treatment and transsphenoidal surgery on growth hormone–binding protein levels in patients with acromegaly, 647
Surgery for acromegaly. Letters, 809

Adenoma
Middle ear adenocarcinoma with intracranial extension. Case report, 555

Adrenal medulla
Clinical outcome of cotransplantation of peripheral nerve and adrenal medulla in patients with Parkinson's disease, 875

Amnesia
The acute period of recovery from traumatic brain injury: posttraumatic amnesia or posttraumatic confusional state? 635

Anatomical study
Magnetic resonance cisternography used to determine precise topography of the facial nerve and three components of the eighth cranial nerve in the internal auditory canal and cerebellopontine cistern, 624
Topographic anatomy of the insular region, 720

Anatomy
Direct brainstem surgery. Letters, 174

Aneurysm
Antisense preproendothelin-oligoDNA therapy for vasospasm in a canine model of subarachnoid hemorrhage, 1105
A comparison between endovascular and surgical management of basilar artery apex aneurysms, 868
Delayed aneurysm regrowth. Letters, 807, 808
Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part I. A cooperative study in Europe, Australia, New Zealand, and South Africa, 1011
Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part II. A cooperative study in North America, 1018
Endovascular coil placement compared with surgical clipping for the treatment of unruptured middle cerebral artery aneurysms: a consecutive series, 1025
Endovascular treatment of multiple intracranial aneurysms by using Guglielmi detachable coils, 857
Five-year experience in using coil embolization for ruptured intracranial aneurysms: outcome and incidence of late rebleeding, 656
How should a subarachnoid hemorrhage grading scale be determined? A combinatorial approach based solely on the Glasgow Coma Scale, 680
Intracerebral hemorrhage caused by the rupture of a nontraumatic middle meningeal artery aneurysm. Case report and review of the literature, 951
Polycystic kidneys and aneurysms. Letters, 985, 986
Polymorphism of the *endoglin* gene in patients with intracranial saccular aneurysms, 935
Resumption of work after aneurysmal subarachnoid hemorrhage in middle-aged Japanese patients, 59
Treatment of basilar artery bifurcation aneurysms by using Guglielmi detachable coils: a 6-year experience, 843

Angiography
Malignant intravascular lymphomatosis associated with venous stenosis. Case report, 355
A simple relationship between radiological arteriovenous malformation hemodynamics and clinical presentation: a prospective, blinded analysis of 31 cases, 673

Angiography (*continued*)
Transumbilical embolization of a congenital dural arteriovenous fistula at the torcular herophili in a neonate. Case report, 964
Angioplasty
Carotid artery angioplasty and use of stents in high-risk patients with contralateral occlusions, 1031
Percutaneous transluminal angioplasty and stent placement for recurrent carotid artery stenosis, 688
Successful cerebral artery stent placement for total occlusion of the vertebrobasilar artery in a patient suffering from acute stroke. Case report, 955
Anisotropy
Clinical application of three-dimensional anisotropy contrast magnetic resonance axonography. Technical note, 791
Antigen
Treatment of intracranial gliomas with bone marrow–derived dendritic cells pulsed with tumor antigens, 1115
Apert's syndrome
Clinical variability in patients with Apert's syndrome, 443
Apnea
Scanning electron microscopy of the floor of the fourth ventricle in rats subjected to graded impact injury to the sensorimotor cortex, 734
Aqueductal stenosis
Failure of third ventriculostomy in the treatment of aqueductal stenosis in children, 448
Sylvian aqueduct syndrome and global rostral midbrain dysfunction associated with shunt malfunction, 227
Arachnoid cyst
Endoscopic ventriculocystocisternostomy of a quadrigeminal cistern arachnoid cyst. Case report, 1125
Arteriovenous malformation
Arteriovenous malformations and endothelin-1. Letters, 605
Delayed neurological deterioration following resection of arteriovenous malformations of the brain, 695
Hyperactive rhizopathy of the vagus nerve and microvascular decompression. Case report, 580
Resolution of central pain after embolization of an arteriovenous malformation. Case report, 575
A simple relationship between radiological arteriovenous malformation hemodynamics and clinical presentation: a prospective, blinded analysis of 31 cases, 673
Theoretical comparison of surgery and radiosurgery in cerebral arteriovenous malformations, 709
Artery
Use of the radial forearm microvascular free-flap graft for cranial base reconstruction, 651
Aseptic meningitis
Aseptic meningitis caused by Teflon implantation for microvascular decompression. Case report, 145
Astrocytoma
Benign cerebellar astrocytomas in children, 265
Autoradiography
Influence of early posttraumatic hypothermia therapy on cerebral blood flow and glucose metabolism after fluid-percussion brain injury, 510
Autosomal-dominant polycystic kidney disease
Polycystic kidneys and aneurysms. Letters, 985, 986
Axon
Clinical application of three-dimensional anisotropy contrast magnetic resonance axonography. Technical note, 791
Axonal injury
Diabetes insipidus from hypothalamic diffuse axonal injury. Case illustration, 1141

Basal ganglion
Prefrontal dysfunction following unilateral posteroventral pallidotomy in Parkinson's disease, 1005
Basilar artery
A comparison between endovascular and surgical management of basilar artery apex aneurysms, 868
Fatal subarachnoid hemorrhage after endoscopic third ventriculostomy. Case report, 153
Mitogen-activated protein kinase mediation of hemolysate-induced contraction in rabbit basilar artery, 1091
Basilar artery (*continued*)
Successful cerebral artery stent placement for total occlusion of the vertebrobasilar artery in a patient suffering from acute stroke. Case report, 955
Treatment of basilar artery bifurcation aneurysms by using Guglielmi detachable coils: a 6-year experience, 843
Use of microvascular Doppler probe to avoid basilar artery injury during endoscopic third ventriculostomy. Technical note, 156
Biopsy
Accuracy of true frameless stereotaxy: in vivo measurement and laboratory phantom studies. Technical note, 160
Stereotactic biopsy and hemorrhage. Letters, 180–182
Blood-brain barrier
Comparison of ^{14}C-sucrose delivery to the brain by intravenous, intraventricular, and convection-enhanced intracerebral infusion, 321
Ultra-early clot aspiration after lysis with tissue plasminogen activator in a porcine model of intracerebral hemorrhage: edema reduction and blood-brain barrier protection, 491
Book review
Al-Mefty O, *Operative Atlas of Meningiomas*, 372
Anson AA , Benzel EC, Awad IA (eds). *Syringomyelia and the Chiari Malformations*, 982
Browne TR, Holmes GL. *Handbook of Epilepsy*, 371
Clark CR, Ducker TB, Dvořák J, et al (eds). *The Cervical Spine, ed 3*, 603
Conley FK. *Walking Out on the Boys*, 802
Corey-Bloom J (ed). *Adult Neurology. Mosby's Neurology/Psychiatry Access Series*, 173
Ko K. *The Survival Bible for Women in Medicine*, 604
McCullough LB, Jones JW, Brody BA. *Surgical Ethics*, 1146
Netter FH. *Atlas of Human Anatomy, ed 2*, 172
Wijdicks EFM. *The Clinical Practice of Critical Care Neurology*, 982
Brachial plexus
Anatomical and functional connectivity of the transected ulnar nerve after intercostal neurotization in cats, 1057
Selective motor hyperreinnervation by using contralateral C-7 motor rootlets in the reconstruction of an avulsion injury of the brachial plexus. Case report, 1133
Brain
Delayed neurological deterioration following resection of arteriovenous malformations of the brain, 695
Brain edema
Surgical decompression for traumatic brain swelling: indications and results, 187
Use of magnetic resonance imaging for in vivo measurements of water content in human brain: method and normal values, 109
Brain hemorrhage
A simple relationship between radiological arteriovenous malformation hemodynamics and clinical presentation: a prospective, blinded analysis of 31 cases, 673
Brain injury
The acute period of recovery from traumatic brain injury: posttraumatic amnesia or posttraumatic confusional state? 635
Improved motor outcome in response to magnesium therapy received up to 24 hours after traumatic diffuse axonal brain injury in rats, 504
Propofol in the treatment of moderate and severe head injury: a randomized, prospective double-blinded pilot trial, 1042
Scanning electron microscopy of the floor of the fourth ventricle in rats subjected to graded impact injury to the sensorimotor cortex, 734
Surgical decompression for traumatic brain swelling: indications and results, 187
Survival and integration of transplanted postmitotic human neurons following experimental brain injury in immunocompetent rats, 116
Brain mapping
Awake craniotomy with brain mapping as the routine surgical approach to treating patients with supratentorial intraaxial tumors: a prospective trial of 200 cases, 35
Integration of preoperative and intraoperative functional brain mapping in a frameless stereotactic environment for lesions near eloquent cortex. Technical note, 591
Magnetoencephalographic mapping of the language-specific cortex, 85
Brain neoplasm
Awake craniotomy with brain mapping as the routine surgical approach

Brain neoplasm (*continued*)
to treating patients with supratentorial intraaxial tumors: a prospective trial of 200 cases, 35
Central neurocytoma: morphological, flow cytometric, polymerase chain reaction, fluorescence in situ hybridization, and karyotypic analyses. Case report, 348
Hemangiopericytoma of the third ventricle. Case report, 359
Integration of preoperative and intraoperative functional brain mapping in a frameless stereotactic environment for lesions near eloquent cortex. Technical note, 591
Movement disorders following nonfunctional neurosurgery, 883
Peripheral-type primitive neuroectodermal tumor arising in the tentorium. Case report, 141
Treatment of intracranial gliomas with bone marrow–derived dendritic cells pulsed with tumor antigens, 1115
Brain shift
Computer-generated surgical simulation of morphological changes in microstructures: concepts of "virtual retractor". Technical note, 780
Brainstem
A brainstem stereotactic atlas in a three-dimensional magnetic resonance imaging navigation system: first experiences with atlas-to-patient registration, 891
Direct brainstem surgery. Letters, 174
Brainstem hemorrhage
Cavernous malformations of the brainstem: experience with 100 patients, 50
Brain stimulation
Thalamic stimulation and functional magnetic resonance imaging: localization of cortical and subcortical activation with implanted electrodes. Technical note 583
Brain temperature
Influence of early posttraumatic hypothermia therapy on cerebral blood flow and glucose metabolism after fluid-percussion brain injury, 510
Brain tumor
Early changes measured by magnetic resonance imaging in cerebral blood flow, blood volume, and blood-brain barrier permeability following dexamethasone treatment in patients with brain tumors, 300
Brain water
Use of magnetic resonance imaging for in vivo measurements of water content in human brain: method and normal values, 109
B-waves
Surgical decompression for traumatic brain swelling: indications and results, 187

Calcium
Role of protein tyrosine phosphorylation in erythrocyte lysate–induced intracellular free calcium concentration elevation in cerebral smooth-muscle cells, 743
Calcium channel blocker
Nimodipine-induced survival rate of facial motor neurons following intracranial transection of the facial nerve in the adult rat, 760
Carcinoma
Middle ear adenocarcinoma with intracranial extension. Case report, 555
Preliminary observations for a new treatment in children with primary intracranial yolk sac tumor or embryonal carcinoma. Report of five cases, 133
Carotid artery
Changes in hemodynamics of the carotid and middle cerebral arteries before and after endoscopic sympathectomy in patients with palmar hyperhidrosis: preliminary results, 463
Saphenous vein interposition graft for recurrent carotid stenosis after prior endarterectomy and stent placement. Case report, 567
Carotid artery occlusion
Carotid artery angioplasty and use of stents in high-risk patients with contralateral occlusions, 1031
Carotid artery stenosis
Carotid artery angioplasty and use of stents in high-risk patients with contralateral occlusions, 1031
Carotid–cavernous fistula
Percutaneous transfemoral embolization of an indirect carotid–cavernous fistula with cortical venous access to the cavernous sinus. Case report, 959
Carotid endarterectomy
Percutaneous transluminal angioplasty and stent placement for recurrent carotid artery stenosis, 688
Saphenous vein interposition graft for recurrent carotid stenosis after prior endarterectomy and stent placement. Case report, 567
Castleman's disease
Intracranial Castleman's disease of solitary form. Case report, 563
Catamenial mononeuropathy
Catamenial mononeuropathy and radiculopathy. Letters, 374
Cavernoma
Efficacy of induced hypotension in the surgical treatment of large cavernous sinus cavernomas, 702
Cavernous malformation
Cavernous malformations of the brainstem: experience with 100 patients, 50
Cavernous sinus
Efficacy of induced hypotension in the surgical treatment of large cavernous sinus cavernomas, 702
The parasellar region of human infants: cavernous sinus topography and surgical approaches, 484
Central nervous system
Primary melanoma. Letters, 609
Central nervous system tumor
Effects of continuous localized infusion of granulocyte–macrophage colony stimulating factor and inoculations of irradiated glioma cells on tumor regression, 1064
Cephalocele
Anatomical and embryological considerations in the repair of a large vertex cephalocele. Case report, 537
Cerebellopontine angle
Trigeminocardiac reflex during surgery in the cerebellopontine angle, 215
Triton tumor. Letters, 987, 989
Cerebellum
Benign cerebellar astrocytomas in children, 265
Primary cerebellar glioblastomas multiforme in children. Report of four cases, 546
Cerebral aneurysm
Embolization of incidental cerebral aneurysms by using the Guglielmi detachable coil system, 207
Prevalence of cerebral aneurysms in patients with persistent primitive trigeminal artery, 865
Cerebral artery
Endovascular coil placement compared with surgical clipping for the treatment of unruptured middle cerebral artery aneurysms: a consecutive series, 1025
Cerebral blood flow
Bilateral decrease in interictal hippocampal blood flow in unilateral mesiotemporal epilepsy, 282
Early changes measured by magnetic resonance imaging in cerebral blood flow, blood volume, and blood-brain barrier permeability following dexamethasone treatment in patients with brain tumors, 300
Elevated jugular venous oxygen saturation after severe head injury, 9
Cerebral blood volume
Early changes measured by magnetic resonance imaging in cerebral blood flow, blood volume, and blood-brain barrier permeability following dexamethasone treatment in patients with brain tumors, 300
Cerebral hemorrhage
Ultra-early clot aspiration after lysis with tissue plasminogen activator in a porcine model of intracerebral hemorrhage: edema reduction and blood-brain barrier protection, 491
Cerebral ischemia
Contribution of polyamine oxidase to brain injury after trauma, 1078
Cerebral palsy
Benefit of bilateral pallidotomy in the treatment of generalized dystonia. Case report, 974
Cerebral perfusion pressure
Effect of cerebral perfusion pressure on contusion volume following impact injury, 520
Elevated jugular venous oxygen saturation after severe head injury, 9
Cerebral vasospasm
Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage.

Cerebral vasospasm (*continued*)
Part I. A cooperative study in Europe, Australia, New Zealand, and South Africa, 1011
Immediate early gene expression in vascular smooth-muscle cells synergistically induced by hemolysate components, 1083
Inducible nitric oxide synthase: a possible key factor in the pathogenesis of chronic vasospasm after experimental subarachnoid hemorrhage, 1098
Mitogen-activated protein kinase mediation of hemolysate-induced contraction in rabbit basilar artery, 1091
Cerebral veins
Endovascular thrombolysis for symptomatic cerebral venous thrombosis, 65
Cerebrospinal fluid
Persistent bilateral hearing loss after shunt placement for hydrocephalus. Case report, 773
Treatment of postoperative subgaleal cerebrospinal fluid fistulas by using fibrin sealant. Technical note, 1143
Vascular components of cerebrospinal fluid compensation, 752
Cerebrovascular disease
Dutch Normal-Pressure Hydrocephalus Study: the role of cerebrovascular disease, 221
Recurrent stenosis of common carotid–intracranial internal carotid interposition saphenous vein bypass graft caused by intimal hyperplasia and treated with endovascular stent placement. Case report and review of the literature, 571
Chemotherapy
Preliminary observations for a new treatment in children with primary intracranial yolk sac tumor or embryonal carcinoma. Report of five cases, 133
Chiari malformation
Syringomyelia, hemangioblastoma, and Chiari I malformation. Case illustration, 169
Children
Benign cerebellar astrocytomas in children, 265
The parasellar region of human infants: cavernous sinus topography and surgical approaches, 484
Surgery of epilepsy associated with focal lesions in childhood, 833
Cisplatin
Effects of clotrimazole on the growth, morphological characteristics, and cisplatin sensitivity of human glioblastoma cells in vitro, 918
Cisternography
Magnetic resonance cisternography used to determine precise topography of the facial nerve and three components of the eighth cranial nerve in the internal auditory canal and cerebellopontine cistern, 624
Clipping
Endovascular coil placement compared with surgical clipping for the treatment of unruptured middle cerebral artery aneurysms: a consecutive series, 1025
Cognitive impairment
Prefrontal dysfunction following unilateral posteroventral pallidotomy in Parkinson's disease, 1005
Complication
Aseptic meningitis caused by Teflon implantation for microvascular decompression. Case report, 145
Awake craniotomy with brain mapping as the routine surgical approach to treating patients with supratentorial intraaxial tumors: a prospective trial of 200 cases, 35
Late complications of Silastic duraplasty: low-virulence infections. Case report, 559
Congenital disease
Sporadic unifocal infantile myofibromatosis involving the skull. Case report, 1129
Convection enhanced delivery
Direct convective macromolecule delivery. Letters, 610, 611
Cortex
Lack of correlation between neuronal hyperexcitability and electrocorticographic responsiveness in epileptogenic human neocortex, 939
Cortical impact injury
Effect of cerebral perfusion pressure on contusion volume following impact injury, 520
Craniofacial surgery
Biodegradable semirigid plate and miniscrew fixation compared with rigid titanium fixation in experimental calvarial osteotomy, 910
Craniopharyngioma
Craniopharyngioma. Letters, 984
Postoperative ectopic seeding of a craniopharyngioma. Case illustration, 796
Surgical treatment of craniopharyngiomas: endocrinological results, 251
Surgical treatment of craniopharyngiomas: experience with 168 patients, 237
Craniotomy
Awake craniotomy with brain mapping as the routine surgical approach to treating patients with supratentorial intraaxial tumors: a prospective trial of 200 cases, 35
Crystal deposition
Destructive tophaceous calcium hydroxyapatite tumor of the infratemporal fossa. Case report and review of the literature, 148
Cystic brain tumor
Cerebral heterotopia of the temporofacial region. Case report, 770

Dendritic cell
Treatment of intracranial gliomas with bone marrow–derived dendritic cells pulsed with tumor antigens, 1115
Developmental anomaly
Complex right hemisphere developmental venous anomaly associated with multiple facial hemangiomas. Case report, 766
Dexamethasone
Early changes measured by magnetic resonance imaging in cerebral blood flow, blood volume, and blood-brain barrier permeability following dexamethasone treatment in patients with brain tumors, 300
Diabetes insipidus
Diabetes insipidus from hypothalamic diffuse axonal injury. Case illustration, 1141
Surgical treatment of craniopharyngiomas: endocrinological results, 251
Diffuse lesions
Interhemispheric supratentorial intracranial pressure gradients in head-injured patients: are they clinically important? 16
Dissecting aneurysm
Endovascular treatment of ruptured dissecting aneurysms aimed at occlusion of the dissected site by using Guglielmi detachable coils, 853
Donor tissue
Graft survival. Letters, 804, 805
Dopamine
Clinical outcome of cotransplantation of peripheral nerve and adrenal medulla in patients with Parkinson's disease, 875
Drug delivery
Comparison of ^{14}C-sucrose delivery to the brain by intravenous, intraventricular, and convection-enhanced intracerebral infusion, 321
Variables affecting convection-enhanced delivery to the striatum: a systematic examination of rate of infusion, cannula size, infusate concentration, and tissue–cannula sealing time, 315
Dural arteriovenous fistula
Combining endovascular and neurosurgical treatments of high-risk dural arteriovenous fistulas in the lateral sinus and the confluence of the sinuses, 289
Early rebleeding from intracranial dural arteriovenous fistulas: report of 20 cases and review of the literature, 78
Transumbilical embolization of a congenital dural arteriovenous fistula at the torcular herophili in a neonate. Case report, 964
Dural graft
Late complications of Silastic duraplasty: low-virulence infections. Case report, 559
Dystonia
Benefit of bilateral pallidotomy in the treatment of generalized dystonia. Case report, 974

Edema
Contribution of polyamine oxidase to brain injury after trauma, 1078
Ultra-early clot aspiration after lysis with tissue plasminogen activator in a porcine model of intracerebral hemorrhage: edema reduction and blood-brain barrier protection, 491

Eighth cranial nerve
Magnetic resonance cisternography used to determine precise topography of the facial nerve and three components of the eighth cranial nerve in the internal auditory canal and cerebellopontine cistern, 624
Electrocorticography
Lack of correlation between neuronal hyperexcitability and electrocorticographic responsiveness in epileptogenic human neocortex, 939
Embolization
Combining endovascular and neurosurgical treatments of high-risk dural arteriovenous fistulas in the lateral sinus and the confluence of the sinuses, 289
Embolization of incidental cerebral aneurysms by using the Guglielmi detachable coil system, 207
Erratum. Letter, 810
Five-year experience in using coil embolization for ruptured intracranial aneurysms: outcome and incidence of late rebleeding, 656
Hyperactive rhizopathy of the vagus nerve and microvascular decompression. Case report, 580
Resolution of central pain after embolization of an arteriovenous malformation. Case report, 575
Transumbilical embolization of a congenital dural arteriovenous fistula at the torcular herophili in a neonate. Case report, 964
Treatment of basilar artery bifurcation aneurysms by using Guglielmi detachable coils: a 6-year experience, 843
Embryogenesis
Pathogenesis of intracranial germ cell tumors reconsidered, 258
Endoscopy
Endoscopic ventriculocystocisternostomy of a quadrigeminal cistern arachnoid cyst. Case report, 1125
Pituitary abscess secondary to neurobrucellosis. Case illustration, 1142
Use of microvascular Doppler probe to avoid basilar artery injury during endoscopic third ventriculostomy. Technical note, 156
Endothelial cell
Polymorphism of the *endoglin* gene in patients with intracranial saccular aneurysms, 935
Endothelin
Antisense preproendothelin-oligoDNA therapy for vasospasm in a canine model of subarachnoid hemorrhage, 1105
Arteriovenous malformations and endothelin-1. Letters, 605
Endovascular placement
Endovascular coil placement compared with surgical clipping for the treatment of unruptured middle cerebral artery aneurysms: a consecutive series, 1025
Endovascular therapy
Carotid artery angioplasty and use of stents in high-risk patients with contralateral occlusions, 1031
A comparison between endovascular and surgical management of basilar artery apex aneurysms, 868
Embolization of incidental cerebral aneurysms by using the Guglielmi detachable coil system, 207
Endovascular coil placement compared with surgical clipping for the treatment of unruptured middle cerebral artery aneurysms: a consecutive series, 1025
Endovascular treatment of multiple intracranial aneurysms by using Guglielmi detachable coils, 857
Endovascular treatment of ruptured dissecting aneurysms aimed at occlusion of the dissected site by using Guglielmi detachable coils, 853
Percutaneous transfemoral embolization of an indirect carotid–cavernous fistula with cortical venous access to the cavernous sinus. Case report, 959
Treatment of basilar artery bifurcation aneurysms by using Guglielmi detachable coils: a 6-year experience, 843
Eosinophilic granuloma
Sporadic unifocal infantile myofibromatosis involving the skull. Case report, 1129
Ependyma
Scanning electron microscopy of the floor of the fourth ventricle in rats subjected to graded impact injury to the sensorimotor cortex, 734
Ependymoma
Ependymomas in children. Letters, 605
Epidemiology
Craniopharyngioma. Letters, 984
Epidemiology (*continued*)
Epilepsy
Bilateral decrease in interictal hippocampal blood flow in unilateral mesiotemporal epilepsy, 282
Epilepsy in children with shunted hydrocephalus, 274
Lack of correlation between neuronal hyperexcitability and electrocorticographic responsiveness in epileptogenic human neocortex, 939
Localization of somatosensory function by using positron emission tomography scanning: a comparison with intraoperative cortical stimulation, 478
Neural network analysis of preoperative variables and outcome in epilepsy surgery, 998
Epilepsy surgery
Surgery of epilepsy associated with focal lesions in childhood, 833
Erythrocyte
Immediate early gene expression in vascular smooth-muscle cells synergistically induced by hemolysate components, 1083
Estrogen
Hormonal effects on glioblastoma multiforme in the nude rat model, 1072
Evoked potentials
Evoked potentials. Letters, 376
Ewing's sarcoma
Peripheral-type primitive neuroectodermal tumor arising in the tentorium. Case report, 141

Facial nerve
Magnetic resonance cisternography used to determine precise topography of the facial nerve and three components of the eighth cranial nerve in the internal auditory canal and cerebellopontine cistern, 624
New technique of side-to-end hypoglossal–facial nerve attachment with translocation of the infratemporal facial nerve, 27
Facial pain
Historical Vignette: Mercury water and cauterizing stones: Nicolas André and tic douloureux, 977
Fetal allograft
Fatal transplant cyst. Letters, 1148, 1150
FGFR2 mutations
Clinical variability in patients with Apert's syndrome, 443
Fibrin glue
Treatment of postoperative subgaleal cerebrospinal fluid fistulas by using fibrin sealant. Technical note, 1143
Fibrinogen
Presence of vitronectin and activated complement factor C9 on ventriculoperitoneal shunts and temporary ventricular drainage catheters, 101
Fibrinolysis
Ultra-early clot aspiration after lysis with tissue plasminogen activator in a porcine model of intracerebral hemorrhage: edema reduction and blood-brain barrier protection, 491
Fistula
Treatment of postoperative subgaleal cerebrospinal fluid fistulas by using fibrin sealant. Technical note, 1143
Fluorescence in situ hybridization
Central neurocytoma: morphological, flow cytometric, polymerase chain reaction, fluorescence in situ hybridization, and karyotypic analyses. Case report, 348
Focal lesions
Interhemispheric supratentorial intracranial pressure gradients in head-injured patients: are they clinically important? 16
Foundation for International Education in Neurological Surgery
Report of FIENS activities. Letter, 986
Fourth ventricle
Scanning electron microscopy of the floor of the fourth ventricle in rats subjected to graded impact injury to the sensorimotor cortex, 734

Genetic aberration
Multiple genetic aberrations including evidence of chromosome 11q13 rearrangement detected in pituitary adenomas by comparative genomic hybridization, 306
Germ cell tumor
Pathogenesis of intracranial germ cell tumors reconsidered, 258
Preliminary observations for a new treatment in children with primary

Germ cell tumor (*continued*)
intracranial yolk sac tumor or embryonal carcinoma. Report of five cases, 133
Germinoma
Neurohypophyseal germinoma with prolactinoma. Case illustration, 170
Pathogenesis of intracranial germ cell tumors reconsidered, 258
Giant aneurysm
Long-term patency of radial artery graft bypass for reconstruction of the internal carotid artery. Technical note, 786
Glasgow Coma Scale
How should a subarachnoid hemorrhage grading scale be determined? A combinatorial approach based solely on the Glasgow Coma Scale, 680
Glasgow Outcome Scale
Improved survival after aneurysmal subarachnoid hemorrhage: review of management during a 12-year period, 664
Glial cell
Graft survival. Letters, 804, 805
Glial cell line–neurotropic factor
Graft survival. Letters, 804, 805
Glial fibrillary acidic protein
Effects of clotrimazole on the growth, morphological characteristics, and cisplatin sensitivity of human glioblastoma cells in vitro, 918
Glioblastoma multiforme
Effects of clotrimazole on the growth, morphological characteristics, and cisplatin sensitivity of human glioblastoma cells in vitro, 918
Effects of continuous localized infusion of granulocyte–macrophage colony–stimulating factor and inoculations of irradiated glioma cells on tumor regression, 1064
The *hPMS2* exon 5 mutation and malignant glioma. Case report, 946
Primary cerebellar glioblastomas multiforme in children. Report of four cases, 546
Tamoxifen radiosensitization in human glioblastoma cell lines, 533
Treatment of patients with primary glioblastoma multiforme with standard postoperative radiotherapy and radiosurgical boost: prognostic factors and long-term outcome, 72
Glioma
Growth of precultured human glioma biopsy specimens in nude rat brain, 125
Hormonal effects on glioblastoma multiforme in the nude rat model, 1072
Resection of malignant gliomas of childhood. Letters, 1147
Globus pallidus
Reversal of experimental parkinsonism by using selective chemical ablation of the medial globus pallidus, 928
Glossopharyngeal nerve
Microvascular decompression of cranial nerves: lessons learned after 4400 operations, 1
Grading
How should a subarachnoid hemorrhage grading scale be determined? A combinatorial approach based solely on the Glasgow Coma Scale, 680
Graft
Clinical outcome of cotransplantation of peripheral nerve and adrenal medulla in patients with Parkinson's disease, 875
Saphenous vein interposition graft for recurrent carotid stenosis after prior endarterectomy and stent placement. Case report, 567
Growth hormone
Differential effects of octreotide treatment and transsphenoidal surgery on growth hormone–binding protein levels in patients with acromegaly, 647
Guglielmi detachable coil
Delayed aneurysm regrowth. Letters, 807, 808
Embolization of incidental cerebral aneurysms by using the Guglielmi detachable coil system, 207
Endovascular treatment of multiple intracranial aneurysms by using Guglielmi detachable coils, 857
Endovascular treatment of ruptured dissecting aneurysms aimed at occlusion of the dissected site by using Guglielmi detachable coils, 853
Erratum. Letter, 810
Percutaneous transfemoral embolization of an indirect carotid–cavernous fistula with cortical venous access to the cavernous sinus. Case report, 959
Guglielmi detachable coil (*continued*)
Treatment of basilar artery bifurcation aneurysms by using Guglielmi detachable coils: a 6-year experience, 843

Hamartoma
Intracranial Castleman's disease of solitary form. Case report, 563
Head injury
Elevated jugular venous oxygen saturation after severe head injury, 9
Hypothermia and head injury. Letter, 607
Influence of early posttraumatic hypothermia therapy on cerebral blood flow and glucose metabolism after fluid-percussion brain injury, 510
Interhemispheric supratentorial intracranial pressure gradients in head-injured patients: are they clinically important? 16
Hearing
Hearing preservation in vestibular schwannoma surgery. Letters, 374, 375
Persistent bilateral hearing loss after shunt placement for hydrocephalus. Case report, 773
Hemangioblastoma
Syringomyelia, hemangioblastoma, and Chiari I malformation. Case illustration, 169
Hemangioma
Complex right hemisphere developmental venous anomaly associated with multiple facial hemangiomas. Case report, 766
Hemangiopericytoma
Hemangiopericytoma of the third ventricle. Case report, 359
Hemifacial spasm
Microvascular decompression of cranial nerves: lessons learned after 4400 operations, 1
Hemodynamics
A simple relationship between radiological arteriovenous malformation hemodynamics and clinical presentation: a prospective, blinded analysis of 31 cases, 673
Hemoglobin
Immediate early gene expression in vascular smooth-muscle cells synergistically induced by hemolysate components, 1083
Hemorrhage
Early rebleeding from intracranial dural arteriovenous fistulas: report of 20 cases and review of the literature, 78
Intracerebral hemorrhage caused by the rupture of a nontraumatic middle meningeal artery aneurysm. Case report and review of the literature, 951
Stereotactic biopsy and hemorrhage. Letters, 180–182
Heterotopia
Cerebral heterotopia of the temporofacial region. Case report, 770
Hippocampus
Bilateral decrease in interictal hippocampal blood flow in unilateral mesiotemporal epilepsy, 282
Historical vignette
Search for the soul. Letters, 807
Hormone
Plurihormonal pituitary tumor. Letters, 608
Hunt and Hess Scale
Improved survival after aneurysmal subarachnoid hemorrhage: review of management during a 12-year period, 664
Hydrocephalus
Epilepsy in children with shunted hydrocephalus, 274
Failure of third ventriculostomy in the treatment of aqueductal stenosis in children, 448
Fatal subarachnoid hemorrhage after endoscopic third ventriculostomy. Case report, 153
Persistent bilateral hearing loss after shunt placement for hydrocephalus. Case report, 773
Sylvian aqueduct syndrome and global rostral midbrain dysfunction associated with shunt malfunction, 227
Use of microvascular Doppler probe to avoid basilar artery injury during endoscopic third ventriculostomy. Technical note, 156
Hydroxyapatite crystals
Destructive tophaceous calcium hydroxyapatite tumor of the infratemporal fossa. Case report and review of the literature, 148
Hyperhidrosis
Changes in hemodynamics of the carotid and middle cerebral arteries

Hyperhidrosis (*continued*)
before and after endoscopic sympathectomy in patients with palmar hyperhidrosis: preliminary results, 463
Hyperostosis
Diffuse calvarial meningioma. Case report and review of the literature, 970
Hyperplasia
Intracranial Castleman's disease of solitary form. Case report, 563
Recurrent stenosis of common carotid–intracranial internal carotid interposition saphenous vein bypass graft caused by intimal hyperplasia and treated with endovascular stent placement. Case report and review of the literature, 571
Hypertension
Effect of cerebral perfusion pressure on contusion volume following impact injury, 520
Hypobaric hypotension
Effect of cerebral perfusion pressure on contusion volume following impact injury, 520
Hypoglossal-facial nerve attachment
New technique of side-to-end hypoglossal–facial nerve attachment with translocation of the infratemporal facial nerve, 27
Hypoperfusion
Influence of early posttraumatic hypothermia therapy on cerebral blood flow and glucose metabolism after fluid-percussion brain injury, 510
Hypopituitarism
Surgical treatment of craniopharyngiomas: endocrinological results, 251
Hypotension
Efficacy of induced hypotension in the surgical treatment of large cavernous sinus cavernomas, 702
Trigeminocardiac reflex during surgery in the cerebellopontine angle, 215
Hypothalamus
Diabetes insipidus from hypothalamic diffuse axonal injury. Case illustration, 1141
Hypothermia
Hypothermia and head injury. Letters, 607
Hypothermia: depression of tricarboxylic acid cycle flux and evidence for pentose phosphate shunt upregulation, 339

ICP gradients
Interhemispheric supratentorial intracranial pressure gradients in head-injured patients: are they clinically important? 16
Image-processing
Influence of early posttraumatic hypothermia therapy on cerebral blood flow and glucose metabolism after fluid-percussion brain injury, 510
Immunotherapy
Effects of continuous localized infusion of granulocyte–macrophage colony–stimulating factor and inoculations of irradiated glioma cells on tumor regression, 1064
Treatment of intracranial gliomas with bone marrow–derived dendritic cells pulsed with tumor antigens, 1115
Impedance
Comparison of tissue impedance measurements with nerve fiber architecture in human telencephalon: value in identification of intact subcortical structures, 902
Incidental aneurysm
Embolization of incidental cerebral aneurysms by using the Guglielmi detachable coil system, 207
Infection
Late complications of Silastic duraplasty: low-virulence infections. Case report, 559
Insula
Topographic anatomy of the insular region, 720
Insulin-like growth factor I
Differential effects of octreotide treatment and transsphenoidal surgery on growth hormone–binding protein levels in patients with acromegaly, 647
Intervertebral disc
Disc pathology. Letters, 804
Intracranial hypertension
Diffuse calvarial meningioma. Case report and review of the literature, 970
Intracranial hypertension (*continued*)
Propofol in the treatment of moderate and severe head injury: a randomized, prospective double-blinded pilot trial, 1042
Intracranial lesion
Intracranial extension of an eccrine porocarcinoma. Case report and review of the literature, 138
Intracranial pressure
Clinical examination and shunt failure. Letters, 373
Effect of cerebral perfusion pressure on contusion volume following impact injury, 520
Surgical decompression for traumatic brain swelling: indications and results, 187
Intracranial pressure monitoring
Interhemispheric supratentorial intracranial pressure gradients in head-injured patients: are they clinically important? 16
Intracranial seeding
Postoperative ectopic seeding of a craniopharyngioma. Case illustration, 796
Ischemia
A comparative study of the effects of two nitric oxide synthase inhibitors and two nitric oxide donors on temporary focal cerebral ischemia in the Wistar rat, 332
Elevated jugular venous oxygen saturation after severe head injury, 9

Journal of Neurosurgery
Obituary: Henry G. Schwartz, M.D. 1909–1998, 599
The peer-review process of the *Journal of Neurosurgery*, 364

Leiomyoma
Primary intracranial leiomyoma. Case illustration, 171
Levodopa
Outcomes after stereotactically guided pallidotomy for advanced Parkinson's disease, 197
Lhermitte-Duclos disease
Lhermitte–Duclos disease as a component of Cowden's syndrome. Case report and review of the literature, 776
Limbic system
Topographic anatomy of the insular region, 720
Lymph node
Intracranial Castleman's disease of solitary form. Case report, 563
Lymphoma
Malignant intravascular lymphomatosis associated with venous stenosis. Case report, 355

Magnesium sulfate
Improved motor outcome in response to magnesium therapy received up to 24 hours after traumatic diffuse axonal brain injury in rats, 504
Magnetic resonance angiography
Long-term patency of radial artery graft bypass for reconstruction of the internal carotid artery. Technical note, 786
Magnetic resonance axonography
Clinical application of three-dimensional anisotropy contrast magnetic resonance axonography. Technical note, 791
Magnetic resonance imaging
A brainstem stereotactic atlas in a three-dimensional magnetic resonance imaging navigation system: first experiences with atlas-to-patient registration, 891
Correlations between the apparent diffusion coefficient, water content, and ultrastructure after induction of vasogenic brain edema in cats, 499
Diabetes insipidus from hypothalamic diffuse axonal injury. Case illustration, 1141
Early changes measured by magnetic resonance imaging in cerebral blood flow, blood volume, and blood-brain barrier permeability following dexamethasone treatment in patients with brain tumors, 300
Failure of third ventriculostomy in the treatment of aqueductal stenosis in children, 448
Integration of preoperative and intraoperative functional brain mapping

Magnetic resonance imaging (*continued*)
in a frameless stereotactic environment for lesions near eloquent cortex. Technical note, 591
Magnetic resonance imaging of cotton. Letters, 179, 180
Thalamic stimulation and functional magnetic resonance imaging: localization of cortical and subcortical activation with implanted electrodes. Technical note, 583
Use of magnetic resonance imaging for in vivo measurements of water content in human brain: method and normal values, 109
Magnetic resonance spectroscopy
Hypothermia: depression of tricarboxylic acid cycle flux and evidence for pentose phosphate shunt upregulation, 339
Magnetoencephalography
Integration of preoperative and intraoperative functional brain mapping in a frameless stereotactic environment for lesions near eloquent cortex. Technical note, 591
Magnetoencephalographic mapping of the language-specific cortex, 85
Medical economics
Workforce demand for neurosurgeons in the United States of America: a 13-year retrospective study, 993
Melanoma
Primary melanoma. Letters, 609
Memory
The acute period of recovery from traumatic brain injury: posttraumatic amnesia or posttraumatic confusional state? 635
Meningioma
Diffuse calvarial meningioma. Case report and review of the literature, 970
Hemangiopericytoma of the third ventricle. Case report, 359
Preoperative identification of meningiomas that are highly likely to recur, 455
Radiotherapy in the treatment of benign meningioma of the skull base, 823
Risk of injury to cranial nerves after gamma knife radiosurgery for skull base meningiomas: experience in 88 patients, 42
Metabolism
Hypothermia: depression of tricarboxylic acid cycle flux and evidence for pentose phosphate shunt upregulation, 339
Metastasis
Primary melanoma. Letters, 609
MIB-1
MIB-1 and schwannomas. Letters, 809, 810
Microglia
Nimodipine-induced survival rate of facial motor neurons following intracranial transection of the facial nerve in the adult rat, 760
Microsurgery anatomy
Computer-generated surgical simulation of morphological changes in microstructures: concepts of "virtual retractor". Technical note, 780
Microvascular decompression
Aseptic meningitis caused by Teflon implantation for microvascular decompression. Case report, 145
Coagulation of the petrosal vein for MVD. Letters, 1148
Microvascular decompression of cranial nerves: lessons learned after 4400 operations, 1
Middle cerebral artery
Changes in hemodynamics of the carotid and middle cerebral arteries before and after endoscopic sympathectomy in patients with palmar hyperhidrosis: preliminary results, 463
Motor cortex
Evoked potentials. Letters, 376
Movement disorder
Optimizing accuracy in magnetic resonance imaging–guided stereotaxis: a technique with validation based on the anterior commissure–posterior commissure line, 94
Myofibromatosis
Sporadic unifocal infantile myofibromatosis involving the skull. Case report, 1129

Neonate
The parasellar region of human infants: cavernous sinus topography and surgical approaches, 484
Transumbilical embolization of a congenital dural arteriovenous fistula at the torcular herophili in a neonate. Case report, 964
Nerve
Anatomical and functional connectivity of the transected ulnar nerve after intercostal neurotization in cats, 1057
Nerve compression
Anterior interosseous nerve compression after supracondylar fracture of the humerus: a metaanalysis, 1053
Nerve graft
Selective motor hyperreinnervation by using contralateral C-7 motor rootlets in the reconstruction of an avulsion injury of the brachial plexus. Case report, 1133
Nerve regeneration
Surgically created fourth–third cranial nerve communication: temporary success in a child with bilateral third nerve hamartomas. Case report, 542
Neural network
Neural network analysis of preoperative variables and outcome in epilepsy surgery, 998
Neural transplantation
Survival and integration of transplanted postmitotic human neurons following experimental brain injury in immunocompetent rats, 116
Neurobrucellosis
Pituitary abscess secondary to neurobrucellosis. Case illustration, 1142
Neurocytoma
Central neurocytoma: morphological, flow cytometric, polymerase chain reaction, fluorescence in situ hybridization, and karyotypic analyses. Case report, 348
Neuroectodermal tumor
Peripheral-type primitive neuroectodermal tumor arising in the tentorium. Case report, 141
Neurofibroma
Surgical treatment of multiple neurofibromas of the ulnar nerve in segmental neurofibromatosis. Case report, 1137
Neurofibromatosis
Stereotactic radiosurgery in the management of acoustic neuromas associated with neurofibromatosis Type 2, 815
Surgical treatment of multiple neurofibromas of the ulnar nerve in segmental neurofibromatosis. Case report, 1137
Neurointensive care
Improved survival after aneurysmal subarachnoid hemorrhage: review of management during a 12-year period, 664
Neurological history
Obituary: Henry G. Schwartz, M.D. 1909–1998, 599
Neuronavigation
Accuracy of true frameless stereotaxy: in vivo measurement and laboratory phantom studies. Technical note, 160
Neuroprotection
Influence of early posttraumatic hypothermia therapy on cerebral blood flow and glucose metabolism after fluid-percussion brain injury, 510
Neurosurgery
Treatment of postoperative subgaleal cerebrospinal fluid fistulas by using fibrin sealant. Technical note, 1143
An ultrarapid prognostic index in microprolactinoma surgery, 1037
Workforce demand for neurosurgeons in the United States of America: a 13-year retrospective study, 993
Neurosurgical history
A neurosurgical way of life. Letter, 986
Obituary: Charles George Drake, M.D. 1920–1998, 797
The peer-review process of the *Journal of Neurosurgery*, 364
Search for the soul. Letters, 807
Neurotrauma
Improved motor outcome in response to magnesium therapy received up to 24 hours after traumatic diffuse axonal brain injury in rats, 504
Nimodipine
The efficacy of an abbreviated course of nimodipine in patients with good-grade aneurysmal subarachnoid hemorrhage, 203
Nimodipine-induced survival rate of facial motor neurons following intracranial transection of the facial nerve in the adult rat, 760
Nitrous oxide
Reversal of vasospasm. Letters, 373
Normal-pressure hydrocephalus
Dutch Normal-Pressure Hydrocephalus Study: the role of cerebrovascular disease, 221

Octreotide
Differential effects of octreotide treatment and transsphenoidal surgery on growth hormone–binding protein levels in patients with acromegaly, 647
Oculomotor nerve
Surgically created fourth–third cranial nerve communication: temporary success in a child with bilateral third nerve hamartomas. Case report, 542
Oligodendroglioma
The *hPMS2* exon 5 mutation and malignant glioma. Case report, 946
Omental tissue transplantation
Tethered cord. Letter, 175
Open neurosurgery
Computer-generated surgical simulation of morphological changes in microstructures: concepts of "virtual retractor". Technical note, 780
Optic chiasm
Optic chiasm diastasis in a pituitary tumor. Case illustration, 363
Optic nerve
Risk of injury to cranial nerves after gamma knife radiosurgery for skull base meningiomas: experience in 88 patients, 42
Outcome
Dutch Normal-Pressure Hydrocephalus Study: the role of cerebrovascular disease, 221
Failure of third ventriculostomy in the treatment of aqueductal stenosis in children, 448
Five-year experience in using coil embolization for ruptured intracranial aneurysms: outcome and incidence of late rebleeding, 656
Surgery of epilepsy associated with focal lesions in childhood, 833
Surgical treatment of craniopharyngiomas: experience with 168 patients, 237
Variability in lesion location after microelectrode-guided pallidotomy for Parkinson's disease: anatomical, physiological, and technical factors that determine lesion distribution, 468

Pain
Hyperactive rhizopathy of the vagus nerve and microvascular decompression. Case report, 580
Resolution of central pain after embolization of an arteriovenous malformation. Case report, 575
Thalamic stimulation and functional magnetic resonance imaging: localization of cortical and subcortical activation with implanted electrodes. Technical note, 583
Pallidotomy
Benefit of bilateral pallidotomy in the treatment of generalized dystonia. Case report, 974
Crusade for microelectrode guidance in pallidotomy. Letters, 175, 177
Optimizing accuracy in magnetic resonance imaging–guided stereotaxis: a technique with validation based on the anterior commissure–posterior commissure line, 94
Outcomes after stereotactically guided pallidotomy for advanced Parkinson's disease, 197
Prefrontal dysfunction following unilateral posteroventral pallidotomy in Parkinson's disease, 1005
Reversal of experimental parkinsonism by using selective chemical ablation of the medial globus pallidus, 928
Stereotactic pallidotomy in a child with Hallervorden–Spatz disease. Case report, 551
Variability in lesion location after microelectrode-guided pallidotomy for Parkinson's disease: anatomical, physiological, and technical factors that determine lesion distribution, 468
Parkinson's disease
Clinical outcome of cotransplantation of peripheral nerve and adrenal medulla in patients with Parkinson's disease, 875
Crusade for microelectrode guidance in pallidotomy. Letters, 175, 177
Fatal transplant cyst. Letters, 1148, 1150
Optimizing accuracy in magnetic resonance imaging–guided stereotaxis: a technique with validation based on the anterior commissure–posterior commissure line, 94
Outcomes after stereotactically guided pallidotomy for advanced Parkinson's disease, 197
Prefrontal dysfunction following unilateral posteroventral pallidotomy in Parkinson's disease, 1005
Parkinson's disease (*continued*)
Reversal of experimental parkinsonism by using selective chemical ablation of the medial globus pallidus, 928
Variability in lesion location after microelectrode-guided pallidotomy for Parkinson's disease: anatomical, physiological, and technical factors that determine lesion distribution, 468
Pediatric neurosurgery
Anatomical and embryological considerations in the repair of a large vertex cephalocele. Case report, 537
Pediatric tumor
Primary cerebellar glioblastomas multiforme in children. Report of four cases, 546
Pentobarbital coma
The ciliospinal reflex in pentobarbital coma, 644
Peripheral nerve
Direct convective macromolecule delivery. Letters, 610, 611
Pituitary
Surgical treatment of craniopharyngiomas: endocrinological results, 251
Pituitary adenoma
Multiple genetic aberrations including evidence of chromosome 11q13 rearrangement detected in pituitary adenomas by comparative genomic hybridization, 306
Neurohypophyseal germinoma with prolactinoma. Case illustration, 170
Plurihormonal pituitary tumor. Letters, 608
Pituitary gland
Pituitary abscess secondary to neurobrucellosis. Case illustration, 1142
Pituitary tumor
Optic chiasm diastasis in a pituitary tumor. Case illustration, 363
Polymerase chain reaction
Central neurocytoma: morphological, flow cytometric, polymerase chain reaction, fluorescence in situ hybridization, and karyotypic analyses. Case report, 348
Positron emission tomography
Localization of somatosensory function by using positron emission tomography scanning: a comparison with intraoperative cortical stimulation, 478
Posterior circulation
Endovascular treatment of ruptured dissecting aneurysms aimed at occlusion of the dissected site by using Guglielmi detachable coils, 853
Postoperative
Postoperative ectopic seeding of a craniopharyngioma. Case illustration, 796
Postoperative complication
Movement disorders following nonfunctional neurosurgery, 883
Presidential address
A neurosurgical way of life. Letter, 986
Procaine
Glutathione monoethyl ester and inhibition of the oxyhemoglobin-induced increase in cytosolic calcium in cultured smooth-muscle cells, 527
Prognosis
Benign cerebellar astrocytomas in children, 265
Treatment of patients with primary glioblastoma multiforme with standard postoperative radiotherapy and radiosurgical boost: prognostic factors and long-term outcome, 72
Prolactinoma
Neurohypophyseal germinoma with prolactinoma. Case illustration, 170
An ultrarapid prognostic index in microprolactinoma surgery, 1037
Protein kinase
Mitogen-activated protein kinase mediation of hemolysate-induced contraction in rabbit basilar artery, 1091

Quadrigeminal cistern
Endoscopic ventriculocystocisternostomy of a quadrigeminal cistern arachnoid cyst. Case report, 1125

Radiation therapy
Tamoxifen radiosensitization in human glioblastoma cell lines, 533
Treatment of patients with primary glioblastoma multiforme with standard postoperative radiotherapy and radiosurgical boost: prognostic factors and long-term outcome, 72

Radical resection
Resection of malignant gliomas of childhood. Letters, 1147
Radiculopathy
Catamenial mononeuropathy and radiculopathy. Letters, 374
Radiosurgery
Radiotherapy in the treatment of benign meningioma of the skull base, 823
Risk of injury to cranial nerves after gamma knife radiosurgery for skull base meningiomas: experience in 88 patients, 42
Stereotactic radiosurgery in the management of acoustic neuromas associated with neurofibromatosis Type 2, 815
Theoretical comparison of surgery and radiosurgery in cerebral arteriovenous malformations, 709
Treatment of patients with primary glioblastoma multiforme with standard postoperative radiotherapy and radiosurgical boost: prognostic factors and long-term outcome, 72
Radiotherapy
Triton tumor. Letters, 987, 989
Rebleeding
Early rebleeding from intracranial dural arteriovenous fistulas: report of 20 cases and review of the literature, 78
Five-year experience in using coil embolization for ruptured intracranial aneurysms: outcome and incidence of late rebleeding, 656
Reconstructive surgery
Use of the radial forearm microvascular free-flap graft for cranial base reconstruction, 651
Recurrent tumor
Postoperative ectopic seeding of a craniopharyngioma. Case illustration, 796
Rehabilitation
Resumption of work after aneurysmal subarachnoid hemorrhage in middle-aged Japanese patients, 59

Sagittal sinus
Anatomical and embryological considerations in the repair of a large vertex cephalocele. Case report, 537
Saphenous vein graft
Long-term patency of radial artery graft bypass for reconstruction of the internal carotid artery. Technical note, 786
Scanning electron microscopy
Scanning electron microscopy of the floor of the fourth ventricle in rats subjected to graded impact injury to the sensorimotor cortex, 734
Schwannoma
Hearing preservation in vestibular schwannoma surgery. Letters, 374, 375
MIB-1 and schwannomas. Letters, 809, 810
Report of 190 consecutive cases of large acoustic tumors (vestibular schwannoma) removed via the translabyrinthine approach, 617
Stereotactic radiosurgery in the management of acoustic neuromas associated with neurofibromatosis Type 2, 815
Sciatic nerve
Sciatic nerve injury. Letters, 806
Screw fixation
Vertebral artery injury with transarticular screws. Letters, 376, 377
Seizure
Neural network analysis of preoperative variables and outcome in epilepsy surgery, 998
Sensorimotor cortex
Scanning electron microscopy of the floor of the fourth ventricle in rats subjected to graded impact injury to the sensorimotor cortex, 734
Shunt
Clinical examination and shunt failure. Letters, 373
Persistent bilateral hearing loss after shunt placement for hydrocephalus. Case report, 773
Shunt complication
Sylvian aqueduct syndrome and global rostral midbrain dysfunction associated with shunt malfunction, 227
Sigmoid sinus
Combining endovascular and neurosurgical treatments of high-risk dural arteriovenous fistulas in the lateral sinus and the confluence of the sinuses, 289
Simpson Grade 0
Preoperative identification of meningiomas that are highly likely to recur, 455
Skull
Sporadic unifocal infantile myofibromatosis involving the skull. Case report, 1129
Skull base
Radiotherapy in the treatment of benign meningioma of the skull base, 823
Risk of injury to cranial nerves after gamma knife radiosurgery for skull base meningiomas: experience in 88 patients, 42
Treatment of postoperative subgaleal cerebrospinal fluid fistulas by using fibrin sealant. Technical note, 1143
Use of the radial forearm microvascular free-flap graft for cranial base reconstruction, 651
Smooth muscle
Role of protein tyrosine phosphorylation in erythrocyte lysate–induced intracellular free calcium concentration elevation in cerebral smooth-muscle cells, 743
Smooth-muscle cell
Glutathione monoethyl ester and inhibition of the oxyhemoglobin-induced increase in cytosolic calcium in cultured smooth-muscle cells, 527
Immediate early gene expression in vascular smooth-muscle cells synergistically induced by hemolysate components, 1083
Somatosensory cortex
Localization of somatosensory function by using positron emission tomography scanning: a comparison with intraoperative cortical stimulation, 478
Thalamic stimulation and functional magnetic resonance imaging: localization of cortical and subcortical activation with implanted electrodes. Technical note, 583
Speech
Magnetoencephalographic mapping of the language-specific cortex, 85
Spinal cord
Direct convective macromolecule delivery. Letters, 610, 611
Selective motor hyperreinnervation by using contralateral C-7 motor rootlets in the reconstruction of an avulsion injury of the brachial plexus. Case report, 1133
Spline function
Computer-generated surgical simulation of morphological changes in microstructures: concepts of "virtual retractor". Technical note, 780
Stenosis
Malignant intravascular lymphomatosis associated with venous stenosis. Case report, 355
Stent
Successful cerebral artery stent placement for total occlusion of the vertebrobasilar artery in a patient suffering from acute stroke. Case report, 955
Stereotaxis
Accuracy of true frameless stereotaxy: in vivo measurement and laboratory phantom studies. Technical note, 160
A brainstem stereotactic atlas in a three-dimensional magnetic resonance imaging navigation system: first experiences with atlas-to-patient registration, 891
Comparison of tissue impedance measurements with nerve fiber architecture in human telencephalon: value in identification of intact subcortical structures, 902
Optimizing accuracy in magnetic resonance imaging–guided stereotaxis: a technique with validation based on the anterior commissure–posterior commissure line, 94
Stereotactic biopsy and hemorrhage. Letters, 180–182
Subarachnoid hemorrhage
Antisense preproendothelin-oligoDNA therapy for vasospasm in a canine model of subarachnoid hemorrhage, 1105
Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part I. A cooperative study in Europe, Australia, New Zealand, and South Africa, 1011
Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part II. A cooperative study in North America, 1018

Subarachnoid hemorrhage (*continued*)
The efficacy of an abbreviated course of nimodipine in patients with good-grade aneurysmal subarachnoid hemorrhage, 203
Fatal subarachnoid hemorrhage after endoscopic third ventriculostomy. Case report, 153
Five-year experience in using coil embolization for ruptured intracranial aneurysms: outcome and incidence of late rebleeding, 656
How should a subarachnoid hemorrhage grading scale be determined? A combinatorial approach based solely on the Glasgow Coma Scale, 680
Immediate early gene expression in vascular smooth-muscle cells synergistically induced by hemolysate components, 1083
Improved survival after aneurysmal subarachnoid hemorrhage: review of management during a 12-year period, 664
Inducible nitric oxide synthase: a possible key factor in the pathogenesis of chronic vasospasm after experimental subarachnoid hemorrhage, 1098
Polymorphism of the *endoglin* gene in patients with intracranial saccular aneurysms, 935
Resumption of work after aneurysmal subarachnoid hemorrhage in middle-aged Japanese patients, 59
Surgery
Benign cerebellar astrocytomas in children, 265
Surgical anatomy
Trochlear nerve. Letters, 1150, 1151
Surgical approach
The parasellar region of human infants: cavernous sinus topography and surgical approaches, 484
Surgical treatment of craniopharyngiomas: endocrinological results, 251
Surgical treatment of craniopharyngiomas: experience with 168 patients, 237
Sylvian fissure
Topographic anatomy of the insular region, 720
Sympathectomy
Changes in hemodynamics of the carotid and middle cerebral arteries before and after endoscopic sympathectomy in patients with palmar hyperhidrosis: preliminary results, 463
Syringomyelia
Syringomyelia, hemangioblastoma, and Chiari I malformation. Case illustration, 169

Tamoxifen
Tamoxifen radiosensitization in human glioblastoma cell lines, 533
Teflon
Aseptic meningitis caused by Teflon implantation for microvascular decompression. Case report, 145
Temporal bone
Middle ear adenocarcinoma with intracranial extension. Case report, 555
Temporal lobe
Neural network analysis of preoperative variables and outcome in epilepsy surgery, 998
Tentorium
Peripheral-type primitive neuroectodermal tumor arising in the tentorium. Case report, 141
Tethered cord syndrome
Tethered cord. Letter, 175
Thalamotomy
Optimizing accuracy in magnetic resonance imaging–guided stereotaxis: a technique with validation based on the anterior commissure–posterior commissure line, 94
Thalamus
Thalamic stimulation and functional magnetic resonance imaging: localization of cortical and subcortical activation with implanted electrodes. Technical note, 583
Thapsigargin
Glutathione monoethyl ester and inhibition of the oxyhemoglobin-induced increase in cytosolic calcium in cultured smooth-muscle cells, 527
Therapeutic window
Improved motor outcome in response to magnesium therapy received up to 24 hours after traumatic diffuse axonal brain injury in rats, 504
Three-dimensional anisotropy contrast
Clinical application of three-dimensional anisotropy contrast magnetic resonance axonography. Technical note, 791
Three-dimensional imaging
Computer-generated surgical simulation of morphological changes in microstructures: concepts of "virtual retractor". Technical note, 780
Three-dimensional reconstruction
The parasellar region of human infants: cavernous sinus topography and surgical approaches, 484
Thrombosis
Endovascular thrombolysis for symptomatic cerebral venous thrombosis, 65
Tic douloureux
Historical Vignette: Mercury water and cauterizing stones: Nicolas André and tic douloureux, 977
Trigeminal nerve peripheral branch phenol/glycerol injections for tic douloureux, 828
Tirilazad mesylate
Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part I. A cooperative study in Europe, Australia, New Zealand, and South Africa, 1011
Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part II. A cooperative study in North America, 1018
Tissue plasminogen activator
Antisense preproendothelin-oligoDNA therapy for vasospasm in a canine model of subarachnoid hemorrhage, 1105
Tophaceous pseudogout
Destructive tophaceous calcium hydroxyapatite tumor of the infratemporal fossa. Case report and review of the literature, 148
Training program
Workforce demand for neurosurgeons in the United States of America: a 13-year retrospective study, 993
Transcranial stimulation
Evoked potentials. Letters, 376
Transsphenoidal surgery
Surgery for acromegaly. Letters, 809
Transplantation
Clinical outcome of cotransplantation of peripheral nerve and adrenal medulla in patients with Parkinson's disease, 875
Transverse sinus
Combining endovascular and neurosurgical treatments of high-risk dural arteriovenous fistulas in the lateral sinus and the confluence of the sinuses, 289
Treatment
Improved motor outcome in response to magnesium therapy received up to 24 hours after traumatic diffuse axonal brain injury in rats, 504
Tremor
Movement disorders following nonfunctional neurosurgery, 883
Outcomes after stereotactically guided pallidotomy for advanced Parkinson's disease, 197
Trigeminal artery
Prevalence of cerebral aneurysms in patients with persistent primitive trigeminal artery, 865
Trigeminal nerve
Trigeminocardiac reflex during surgery in the cerebellopontine angle, 215
Trigeminal neuralgia
Coagulation of the petrosal vein for MVD. Letters, 1148
Historical Vignette: Mercury water and cauterizing stones: Nicolas André and tic douloureux, 977
Microvascular decompression of cranial nerves: lessons learned after 4400 operations, 1
Trigeminal nerve peripheral branch phenol/glycerol injections for tic douloureux, 828
Trochlear nerve
Surgically created fourth–third cranial nerve communication: temporary success in a child with bilateral third nerve hamartomas. Case report, 542
Trochlear nerve. Letters, 1150, 1151
Tumor
Intracranial Castleman's disease of solitary form. Case report, 563
Localization of somatosensory function by using positron emission to-

Tumor (*continued*)
mography scanning: a comparison with intraoperative cortical stimulation, 478
Triton tumor. Letters, 987, 989
Tumor recurrence
Preoperative identification of meningiomas that are highly likely to recur, 455
Tumor suppressor gene
Lhermitte–Duclos disease as a component of Cowden's syndrome. Case report and review of the literature, 776
Turcot syndrome
The *hPMS2* exon 5 mutation and malignant glioma. Case report, 946
Tyrosine kinase
Role of protein tyrosine phosphorylation in erythrocyte lysate–induced intracellular free calcium concentration elevation in cerebral smooth-muscle cells, 743

Ulnar nerve
Surgical treatment of multiple neurofibromas of the ulnar nerve in segmental neurofibromatosis. Case report, 1137
Ultrasound
Changes in hemodynamics of the carotid and middle cerebral arteries before and after endoscopic sympathectomy in patients with palmar hyperhidrosis: preliminary results, 463
Ultrastructure
Correlations between the apparent diffusion coefficient, water content, and ultrastructure after induction of vasogenic brain edema in cats, 499
Urokinase
Endovascular thrombolysis for symptomatic cerebral venous thrombosis, 65

Vasogenic
Correlations between the apparent diffusion coefficient, water content, and ultrastructure after induction of vasogenic brain edema in cats, 499
Vasospasm
Antisense preproendothelin-oligoDNA therapy for vasospasm in a canine model of subarachnoid hemorrhage, 1105
Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part II. A cooperative study in North America, 1018
The efficacy of an abbreviated course of nimodipine in patients with good-grade aneurysmal subarachnoid hemorrhage, 203
Reversal of vasospasm. Letters, 373
Role of protein tyrosine phosphorylation in erythrocyte lysate–induced intracellular free calcium concentration elevation in cerebral smooth-muscle cells, 743
Vein graft
Recurrent stenosis of common carotid–intracranial internal carotid interposition saphenous vein bypass graft caused by intimal hyperplasia and treated with endovascular stent placement. Case report and review of the literature, 571
Vein graft (*continued*)
Venous malformation
Cavernous malformations of the brainstem: experience with 100 patients, 50
Complex right hemisphere developmental venous anomaly associated with multiple facial hemangiomas. Case report, 766
Ventricular catheter
Presence of vitronectin and activated complement factor C9 on ventriculoperitoneal shunts and temporary ventricular drainage catheters, 101
Ventricular drainage
Improved survival after aneurysmal subarachnoid hemorrhage: review of management during a 12-year period, 664
Ventriculocystocisternostomy
Endoscopic ventriculocystocisternostomy of a quadrigeminal cistern arachnoid cyst. Case report, 1125
Ventriculoperitoneal shunt
Dutch Normal-Pressure Hydrocephalus Study: the role of cerebrovascular disease, 221
Epilepsy in children with shunted hydrocephalus, 274
Ventriculostomy
Failure of third ventriculostomy in the treatment of aqueductal stenosis in children, 448
Fatal subarachnoid hemorrhage after endoscopic third ventriculostomy. Case report, 153
Use of microvascular Doppler probe to avoid basilar artery injury during endoscopic third ventriculostomy. Technical note, 156
Vertebral artery
Successful cerebral artery stent placement for total occlusion of the vertebrobasilar artery in a patient suffering from acute stroke. Case report, 955
Vertebral artery injury with transarticular screws. Letters, 376, 377
Virtual reality
Computer-generated surgical simulation of morphological changes in microstructures: concepts of "virtual retractor". Technical note, 780
von Hippel–Lindau disease
Syringomyelia, hemangioblastoma, and Chiari I malformation. Case illustration, 169

Water content
Correlations between the apparent diffusion coefficient, water content, and ultrastructure after induction of vasogenic brain edema in cats, 499
White matter
Dutch Normal-Pressure Hydrocephalus Study: the role of cerebrovascular disease, 221
Ultra-early clot aspiration after lysis with tissue plasminogen activator in a porcine model of intracerebral hemorrhage: edema reduction and blood-brain barrier protection, 491

Xenograft
Growth of precultured human glioma biopsy specimens in nude rat brain, 125

Journal of Neurosurgery : Spine

January 1999, Volume 90, Number 1

CLINICAL ARTICLES:

Inside–outside technique for posterior occipitocervical spine instrumentation and stabilization: preliminary results. T. GLENN PAIT, OSSAMA AL-MEFTY, FREDERICK A. BOOP, KENAN I. ARNAUTOVIC, SALIM RAHMAN, AND WADE CEOLA . . 1

Anterior cervical discectomy: is fusion necessary? GREGORY C. DOWD AND FREMONT P. WIRTH 8

Risk of early closed reduction in cervical spine subluxation injuries. GERALD A. GRANT, SOHAIL K. MIRZA, JENS R. CHAPMAN, H. RICHARD WINN, DAVID W. NEWELL, DOLORS T. JONES, AND M. SEAN GRADY 13

One-stage posterior decompression and reconstruction of the cervical spine by using pedicle screw fixation systems. KUNIYOSHI ABUMI, KIYOSHI KANEDA, YASUHIRO SHONO, AND MASANORI FUJIYA 19

Anterior cervical plating for the treatment of neoplasms in the cervical vertebrae. WOLFHARD CASPAR, TOBIAS PITZEN, LUCA PAPAVERO, FRED H. GEISLER, AND TODD A. JOHNSON 27

Cervical corpectomy: report of 185 cases and review of the literature. MOHAMMED A. ELERAKY, CARLOS LLANOS, AND VOLKER K. H. SONNTAG 35

Palliative subtotal vertebrectomy with anterior and posterior reconstruction via a single posterior approach. DAVID W. CAHILL AND RAKESH KUMAR 42

Intraoperative spinal angiography. WOUTER I. SCHIEVINK, A. GIANCARLO VISHTEH, CAMERON G. MCDOUGALL, AND ROBERT F. SPETZLER 48

Lateral exit-zone stenosis and lumbar radiculopathy. CORMAC O. MAHER AND FRASER C. HENDERSON 52

Long-term follow up of patients surgically treated by the far-lateral approach for foraminal and extraforaminal lumbar disc herniations. FRANÇOIS PORCHET, ANNE CHOLLET-BORNAND, AND NICOLAS DE TRIBOLET 59

The role of bupivacaine in early postoperative pain control after lumbar decompression. JAMES B. CHADDUCK, J. ROBERT SNEYD, AND LOUIS H. POBERESKIN 67

Chondrosarcoma of the spine: 1954 to 1997. JULIE E. YORK, RASIM H. BERK, GREGORY N. FULLER, JASTI S. RAO, DIMA ABI-SAID, DAVID M. WILDRICK, AND ZIYA L. GOKASLAN 73

Electrical spinal cord stimulation in reflex sympathetic dystrophy: retrospective analysis of 23 patients. MARIUS A. KEMLER, GERARD A. M. BARENDSE, MAARTEN VAN KLEEF, FRANS A. J. M. VAN DEN WILDENBERG, AND WILHELM E. J. WEBER . 79

LABORATORY INVESTIGATIONS:

A biomechanical evaluation of occipitocervical instrumentation: screw compared with wire fixation. R. JOHN HURLBERT, NEIL R. CRAWFORD, WON GYU CHOI, AND CURTIS A. DICKMAN 84

Stability of the craniovertebral junction after unilateral occipital condyle resection: a biomechanical study. A. GIANCARLO VISHTEH, NEIL R. CRAWFORD, M. STEPHEN MELTON,. ROBERT F. SPETZLER, VOLKER K. H. SONNTAG, AND CURTIS A. DICKMAN . 91

Adenoviral nerve growth factor and ß-galactosidase transfer to spinal cord: a behavioral and histological analysis. NICHOLAS M. BOULIS, VIKAS BHATIA, THEODORE I. BRINDLE, HARLAND T. HOLMAN, DANIEL J. KRAUSS, MILA BLAIVAS, AND JULIAN T. HOFF 99

Percutaneous spinal fusion using bone morphogenetic protein-2 gene therapy. TORD D. ALDEN, DEBRA D. PITTMAN, ELISA J. BERES, GERALD R. HANKINS, DAVID F. KALLMES, BENJAMIN M. WISOTSKY, KELVIN KERNS, AND GREGORY A. HELM . 109

Convective delivery of macromolecules into the naive and traumatized spinal cords of rats. J. DAVID WOOD, RUSSELL R. LONSER, NITIN GOGATE, PAUL F. MORRISON, AND EDWARD H. OLDFIELD 115

CASE REPORTS AND TECHNICAL NOTES:

Development of postoperative fibromatosis after resection of an intraspinal meningioma. Case report. JAMES J. LYNCH, JAVAD PARVIZI, BERND W. SCHEITHAUER, AND WILLIAM E. KRAUSS 121

Intramedullary tuberculoma of the spinal cord. Case report and review of the literature. JOHN K. RATLIFF AND EDWARD S. CONNOLLY 125

Renal cell carcinoma: a rare source of cauda equina metastasis. MARIUS MAXWELL, LAWRENCE F. BORGES, AND NICHOLAS T. ZERVAS 129

Complex cervical spine neoplastic disease: reconstruction after surgery by using a vascularized fibular strut graft. Case report. NEILL M. WRIGHT, BRUCE A. KAUFMAN, BRUCE H. HAUGHEY, AND CARL LAURYSSEN 133

Spontaneous regression of a herniated cervical disc in a patient with myelopathy. Case report. JUN-HYEOK SONG, HYANG-KWON PARK, AND KYU-MAN SHIN 138

Subaxial cervical synovial cyst presenting with myelopathy. Report of three cases. SIMON CUDLIP, FRANCIS JOHNSTON, AND HENRY MARSH 141

Cervical cord compression caused by a pillow in a postlaminectomy patient undergoing magnetic resonance imaging. Case report. FUMIO SUZUKI, MASAYUKI NAKAJIMA, AND MASAYUKI MATSUDA 145

Transarterial embolization of aneurysms associated with spinal cord arteriovenous malformations. ALEXIS VICTORIEN KONAN, JEAN RAYMOND, AND DANIEL ROY 148

Vascular pedicle rib graft in anterior transthoracic fusion procedures. Technical note. HUGH GORDON DEEN, RICHARD SCOTT ZIMMERMAN AND LOUIS ANGEL LANZA 155

CASE ILLUSTRATIONS:

Screw fixation of fibular graft in the axis. Case illustration. J. BOB BLACKLOCK 159

Hemangioblastoma of the L-5 nerve root. Case illustration. MASAAKI CHAZONO, RITSU SHIBA, HIROKI FUNASAKI, SHIGERU SOSHI, AKIRA HATTORI, AND KATSUYUKI FUJII 160

Intramedullary epidermoid cyst in cervicodorsal spinal cord. RUTURAJ NARENDRAKUMAR JADHAV, GHULAM MUQTADA KHAN, AND DEEPAK AMRIT PALANDE 161

Osteomyelitis and pathological fracture of the axis. Case illustration. KATHREIN ANTON, RANGGER CHRISTOPH, AND FREUND MARTIN CORNELIUS 162

Journal of Neurosurgery: Spine

April 1999, Volume 90, Number 2

CLINICAL ARTICLES:

Risk factors for adjacent-segment failure following lumbar fixation with rigid instrumentation for degenerative instability. SHAHIN ETEBAR AND DAVID W. CAHILL 163

Modified open-door laminoplasty for treatment of neurological deficits in younger patients with congenital spinal stenosis: analysis of clinical and radiographic data. CHRISTOPHER I. SHAFFREY, GREGORY C. WIGGINS, CYNTHIA B. PICCIRILLI, JACOB N. YOUNG, AND LAVERNE R. LOVELL 170

Treatment of cervical compressive myelopathy wtih a new dorsolateral decompressive procedure. YOHEI HIDAI, SOHEI EBARA, MIKIO KAMIMURA, YUTAKA TATEIWA, HIDEHIRO ITOH, TETSUYA KINOSHITA, KUNIO TAKAOKA, AND KUNIYOSHI OHTSUKA 178

Cervical laminectomy without fusion in patients with rheumatoid arthritis. DAN CHRISTENSSON, HANS SÄVELAND, STEFAN ZYGMUNT, KJELL JONSSON, AND URBAN RYDHOLM 186

A prospective randomized double-blind controlled trial to evaluate the efficacy of an analgesic epidural paste following lumbar decompressive surgery. R. JOHN HURLBERT, NICHOLAS THEODORE, JANINE B. DRABIER, ANDREA M. MAGWOOD, AND VOLKER K. H. SONNTAG 191

Results of the surgical treatment of perimedullary arteriovenous fistulas with special reference to embolization. KAZUTOSHI HIDA, YOSHINOBU IWASAKI, KATSUYA GOTO, KAZUO MIYASAKA, AND HIROSHI ABE 198

Variations of the extreme-lateral craniocervical approach: anatomical study and clinical analysis of 69 patients. EDUARDO SALAS, LALIGAM N. SEKHAR, IBRAHIM M. ZIYAL, ANTHONY J. CAPUTY, AND DONALD C. WRIGHT 206

LABORATORY INVESTIGATIONS:

Vascular endothelial growth/permeability factor in spinal cord injury. JESÚS VAQUERO, MERCEDES ZURITA, SANTIAGO DE OYA, AND SANTIAGO COCA 220

Use of porous hydroxyapatite graft containing recombinant human bone morphogenetic protein-2 for cervical fusion in a caprine model. TOSHIYUKI TAKAHASHI, TEIJI TOMINAGA, NORIAKI WATABE, A. TOSHIMITU YOKOBORI, JR., HIROSHI SASADA, AND TAKASHI YOSHIMOTO 224

CASE REPORTS AND TECHNICAL NOTES:

Spinal cord ganglioglioma in a child with neurofibromatosis Type 2. Case report and literature review. PAUL D. SAWIN, NICHOLAS THEODORE, AND HAROLD L. REKATE 231

De novo development of cavernous malformation of spinal cord following spinal axis radiation. Case report. J. NOZIPO MARAIRE, SALEEM I. ABDULRAUF, SCOTT BERGER, JONATHAN KNISELY, AND ISSAM A. AWAD 234

Lobular capillary hemangioma of the cauda equina. Case report. ROBERT N. N. HOLTZMAN, PAUL M. BRISSON, RICHARD E. PEARL, AND MICHAEL L. GRUBER 239

Chronic renal failure causing brown tumors and myelopathy. Case report and review of pathophysiology and treatment. IGOR FINEMAN, J. PATRICK JOHNSON, PIER-LUIGI DI-PATRE, AND HARVINDER SANDHU 242

Neurocytoma of the cauda equina. Case report. CHRISTINA L. STEPHAN, JOHN J. KEPES, PAUL ARNOLD, K. DOUGLAS GREEN, AND FRAN CHAMBERLIN 247

Intraspinal epidermoid occurring 15 years after lipomyelomeningocele repair. Case report. JUN-HYEOK SONG, MYUNG-HYUN KIM, AND KYU-MAN SHIN 252

Subdural hematoma from a Type I spinal arteriovenous malformation. Case report. PATRICK P. HAN, NICHOLAS THEODORE, RANDALL W. PORTER, PAUL W. DETWILER, MICHAEL T. LAWTON, AND ROBERT F. SPETZLER 255

Imaging features in combined atlantoaxial and occipitoatlantal rotatory subluxation: a rare entity. Case report. PABLO BOUILLOT, STEPHANE FUENTES, HENRY DUFOUR, LUIS MANERA, AND FRANÇOIS GRISOLI 258

Ossification of the cervical anterior longitudinal ligament contributing to dysphagia. Case report. NANCY E. EPSTEIN AND RENEE HOLLINGSWORTH 261

Posterior epidural migration of sequestered lumbar disc fragments. Report of two cases. PIERRE ROBE, DIDIER MARTIN, JACQUES LENELLE, AND ACHILLE STEVENAERT 264

Bilateral sagittal split mandibular osteotomies as an adjunct to the transoral approach to the anterior cranio-vertebral junction. Technical note. A. GIANCARLO VISHTEH, STEPHEN P. BEALS, EDWARD F. JOGANIC, JACQUE L. REIFF, CURTIS A. DICKMAN, VOLKER K. H. SONNTAG, AND ROBERT F. SPETZLER 267

A new occipitocervical fusion construct in pediatric patients with occipitocervical instability. Technical note. DOUGLAS L. BROCKMEYER AND RONALD I. APFELBAUM 271

CASE ILLUSTRATIONS:

Tuberculosis causing secondary basilar impression. Case illustration. ROY THOMAS DANIEL AND VEDANTAM RAJSHEKHAR 276

Acute hydrocephalus following lateral C1–2 puncture. Case illustration. JULIAN LIN, WILLIAM C. OLIVERO, AND KERRY W. MCCLUNEY 277

Index to
Journal of Neurosurgery: Spine
Volume 90

January and April 1999

Author Index

Abdulrauf SI. *See* Maraire JN, 234
Abe H. *See* Hida K, 198
Abi-Said D. *See* York JE, 73
Abumi K, Kaneda K, Shono Y, Fujiya M. One-stage posterior decompression and reconstruction of the cervical spine by using pedicle screw fixation systems, 19
Al-Mefty O. *See* Pait TG, 1
Alden TD, Pittman DD, Beres EJ, Hankins GR, Kallmes DK, Wisotsky BM, Kerns KM, Helm GA. Percutaneous spinal fusion using bone morphogenetic protein–2 gene therapy, 109
Anton K, Christoph R, Cornelius FM. Osteomyelitis and pathological fracture of the axis. Case illustration, 162
Apfelbaum RI. *See* Brockmeyer DL, 271
Arnautovic KI. *See* Pait TG, 1
Arnold P. *See* Stephan CL, 247
Awad IA. *See* Maraire JN, 234

Barendse GAM. *See* Kemler MA, 79
Beals SP. *See* Vishteh AG, 267
Beres EJ. *See* Alden TD, 109
Berger S. *See* Maraire JN, 234
Berk RH. *See* York JE, 73
Bhatia V. *See* Boulis NM, 99
Blacklock JB. Screw fixation of fibular graft in the axis. Case illustration, 159
Blaivas M. *See* Boulis NM, 99
Boop FA. *See* Pait TG, 1
Borges LF. *See* Maxwell M, 129
Bouillot P, Fuentes S, Dufour H, Manera L, Grisoli F. Imaging features in combined atlantoaxial and occipitoatlantal rotatory subluxation: a rare entity. Case report, 258
Boulis NM, Bhatia V, Brindle TI, Holman HT, Krauss DJ, Blaivas M, Hoff JT. Adenoviral nerve growth factor and β-galactosidase transfer to spinal cord: a behavioral and histological analysis, 99
Brindle TI. *See* Boulis NM, 99
Brisson PM. *See* Holtzman RNN, 239
Brockmeyer DL, Apfelbaum RI. A new occipitocervical fusion construct in pediatric patients with occipitocervical instability. Technical note, 271

Cahill DW, Kumar R. Palliative subtotal vertebrectomy with anterior and posterior reconstruction via a single posterior approach, 42
———. *See* Etebar S, 163
Caputy AJ. *See* Salas E, 206
Caspar W, Pitzen T, Papavero L, Geisler FH, Johnson TA. Anterior cervical plating for the treatment of neoplasms in the cervical vertebrae, 27
Ceola W. *See* Pait TG, 1
Chadduck JB, Sneyd JR, Pobereskin LH. The role of bupivacaine in early postoperative pain control after lumbar decompression, 67
Chamberlin F. *See* Stephan CL, 247
Chapman JR. *See* Grant GA, 13
Chazono M, Shiba R, Funasaki H, Soshi S, Hattori A, Fujii K. Hemangioblastoma of the L-5 nerve root. Case illustration, 160
Choi WG. *See* Hurlbert RJ, 84
Chollet-Bornand A. *See* Porchet F, 59
Christensson D, Säveland H, Zygmunt S, Jonsson K, Rydholm U. Cervical laminectomy without fusion in patients with rheumatoid arthritis, 186
Christoph R. *See* Anton K, 162
Coca S. *See* Vaquero J, 220
Connolly ES. *See* Ratliff JK, 125
Cornelius FM. *See* Anton K, 162
Crawford NR. *See* Hurlbert RJ, 84
———. *See* Vishteh AG, 91
Cudlip S, Johnston F, Marsh H. Subaxial cervical synovial cyst presenting with myelopathy. Report of three cases, 141

Daniel RT, Rajshekhar V. Tuberculosis causing secondary basilar impression. Case illustration, 276
de Oya S. *See* Vaquero J, 220
de Tribolet N. *See* Porchet F, 59
Deen HG, Zimmerman RS, Lanza LA. Vascular pedicle rib graft in anterior transthoracic fusion procedures. Technical note, 155
Detwiler PW. *See* Han PP, 255
Di-Patre PL. *See* Fineman I, 242
Dickman CA. *See* Hurlbert RJ, 84
———. *See* Vishteh AG, 91, 267
Dowd GC, Wirth FP. Anterior cervical discectomy: is fusion necessary? 8
Drabier JB. *See* Hurlbert RJ, 191
Dufour H. *See* Bouillot P, 258

Ebara S. *See* Hidai Y, 178
Eleraky MA, Llanos C, Sonntag VKH. Cervical corpectomy: report of 185 cases and review of the literature, 35
Epstein NE, Hollingsworth R. Ossification of the cervical anterior longitudinal ligament contributing to dysphagia. Case report, 261

ETEBAR S, CAHILL DW. Risk factors for adjacent-segment failure following lumbar fixation with rigid instrumentation for degenerative instability, 163

FINEMAN I, JOHNSON JP, DI-PATRE PL, SANDHU H. Chronic renal failure causing brown tumors and myelopathy. Case report and review of pathophysiology and treatment, 242
FUENTES S. *See* BOUILLOT P, 258
FUJII K. *See* CHAZONO M, 160
FUJIYA M. *See* ABUMI K, 19
FULLER GN. *See* YORK JE, 73
FUNASAKI H. *See* CHAZONO M, 160

GEISLER FH. *See* CASPAR W, 27
GOGATE N. *See* WOOD JD, 115
GOKASLAN ZL. *See* YORK JE, 73
GOTO K. *See* HIDA K, 198
GRADY MS. *See* GRANT GA, 13
GRANT GA, MIRZA SK, CHAPMAN JR, WINN HR, NEWELL DW, JONES DT, GRADY MS. Risk of early closed reduction in cervical spine subluxation injuries, 13
GREEN KD. *See* STEPHAN CL, 247
GRISOLI F. *See* BOUILLOT P, 258
GRUBER ML. *See* HOLTZMAN RNN, 239

HAN PP, THEODORE N, PORTER RW, DETWILER PW, LAWTON MT, SPETZLER RF. Subdural hematoma from a Type I spinal arteriovenous malformation. Case report, 255
HANKINS GR. *See* ALDEN TD, 109
HATTORI A. *See* CHAZONO M, 160
HAUGHEY BH. *See* WRIGHT NM, 133
HELM GA. *See* ALDEN TD, 109
HENDERSON FC. *See* MAHER CO, 52
HIDA K, IWASAKI Y, GOTO K, MIYASAKA K, ABE H. Results of the surgical treatment of perimedullary arteriovenous fistulas with special reference to embolization, 198
HIDAI Y, EBARA S, KAMIMURA M, TATEIWA Y, ITOH H, KINOSHITA T, TAKAOKA K, OHTSUKA K. Treatment of cervical compressive myelopathy with a new dorsolateral decompressive procedure, 178
HOFF JT. *See* BOULIS NM, 99
HOLLINGSWORTH R. *See* EPSTEIN NE, 261
HOLMAN HT. *See* BOULIS NM, 99
HOLTZMAN RNN, BRISSON PM, PEARL RE, GRUBER ML. Lobular capillary hemangioma of the cauda equina. Case report, 239
HURLBERT RJ, CRAWFORD NR, CHOI WG, DICKMAN CA. A biomechanical evaluation of occipitocervical instrumentation: screw compared with wire fixation, 84
———, THEODORE N, DRABIER JB, MAGWOOD AM, SONNTAG VKH. A prospective randomized double-blind controlled trial to evaluate the efficacy of an analgesic epidural paste following lumbar decompressive surgery, 191

ITOH H. *See* HIDAI Y, 178
IWASAKI Y. *See* HIDA K, 198

JADHAV RN, KHAN GM, PALANDE DA. Intramedullary epidermoid cyst in cervicodorsal spinal cord, 161
JOGANIC EF. *See* VISHTEH AG, 267
JOHNSON JP. *See* FINEMAN I, 242
JOHNSON TA. *See* CASPAR W, 27
JOHNSTON F. *See* CUDLIP S, 141
JONES DT. *See* GRANT GA, 13
JONSSON K. *See* CHRISTENSSON D, 186

KALLMES DK. *See* ALDEN TD, 109
KAMIMURA M. *See* HIDAI Y, 178
KANEDA K. *See* ABUMI K, 19
KAUFMAN BA. *See* WRIGHT NM, 133
KEMLER MA, BARENDSE GAM, VAN KLEEF M, VAN DEN WILDENBERG FAJM, WEBER WEJ. Electrical spinal cord stimulation in reflex sympathetic dystrophy: retrospective analysis of 23 patients, 79
KEPES JJ. *See* STEPHAN CL, 247
KERNS KM. *See* ALDEN TD, 109
KHAN GM. *See* JADHAV RN, 161
KIM MH. *See* SONG JH, 252
KINOSHITA T. *See* HIDAI Y, 178
KNISELY J. *See* MARAIRE JN, 234
KONAN AV, RAYMOND J, ROY D. Transarterial embolization of aneurysms associated with spinal cord arteriovenous malformations. Report of four cases, 148
KRAUSS DJ. *See* BOULIS NM, 99
KRAUSS WE. *See* LYNCH JJ, 121
KUMAR R. *See* CAHILL DW, 42

LANZA LA. *See* DEEN HG, 155
LAURYSSEN C. *See* WRIGHT NM, 133
LAWTON MT. *See* HAN PP, 255
LENELLE J. *See* ROBE P, 264
LIN J, OLIVERO WC, MCCLUNEY KW. Acute hydrocephalus following lateral C1–2 puncture. Case illustration, 277
LLANOS C. *See* ELERAKY MA, 35
LONSER RR. *See* WOOD JD, 115
LOVELL LR. *See* SHAFFREY CI, 170
LYNCH JJ, PARVIZI J, SCHEITHAUER BW, KRAUSS WE. Development of postoperative fibromatosis after resection of an intraspinal meningioma. Case report, 121

MAGWOOD AM. *See* HURLBERT RJ, 191
MAHER CO, HENDERSON FC. Lateral exit-zone stenosis and lumbar radiculopathy, 52
MANERA L. *See* BOUILLOT P, 258
MARAIRE JN, ABDULRAUF SI, BERGER S, KNISELY J, AWAD IA. De novo development of a cavernous malformation of the spinal cord following spinal axis radiation. Case report, 234
MARSH H. *See* CUDLIP S, 141
MARTIN D. *See* ROBE P, 264
MATSUDA M. *See* SUZUKI F, 145
MAXWELL M, BORGES LF, ZERVAS NT. Renal cell carcinoma: a rare source of cauda equina metastasis. Case report, 129
MCCLUNEY KW. *See* LIN J, 277
MCDOUGALL CG. *See* SCHIEVINK WI, 48
MELTON MS. *See* VISHTEH AG, 91

Mirza SK. *See* Grant GA, 13
Miyasaka K. *See* Hida K, 198
Morrison PF. *See* Wood JD, 115

Nakajima M. *See* Suzuki F, 145
Newell DW. *See* Grant GA, 13

Ohtsuka K. *See* Hidai Y, 178
Oldfield EH. *See* Wood JD, 115
Olivero WC. *See* Lin J, 277

Pait TG, Al-Mefty O, Boop FA, Arnautovic KI, Rahman S, Ceola W. Inside-outside technique for posterior occipitocervical spine instrumentation and stabilization: preliminary results, 1
Palande DA. *See* Jadhav RN, 161
Papavero L. *See* Caspar W, 27
Park HK. *See* Song JH, 138
Parvizi J. *See* Lynch JJ, 121
Pearl RE. *See* Holtzman RNN, 239
Piccirilli CB. *See* Shaffrey CI, 170
Pittman DD. *See* Alden TD, 109
Pitzen T. *See* Caspar W, 27
Pobereskin LH. *See* Chadduck JB, 67
Porchet F, Chollet-Bornand A, de Tribolet N. Long-term follow up of patients surgically treated by the far-lateral approach for foraminal and extraforaminal lumbar disc herniations, 59
Porter RW. *See* Han PP, 255

Rahman S. *See* Pait TG, 1
Rajshekhar V. *See* Daniel RT, 276
Rao JS. *See* York JE, 73
Ratliff JK, Connolly ES. Intramedullary tuberculoma of the spinal cord. Case report and review of the literature, 125
Raymond J. *See* Konan AV, 148
Reiff JL. *See* Vishteh AG, 267
Rekate HL. *See* Sawin PD, 231
Robe P, Martin D, Lenelle J, Stevenaert A. Posterior epidural migration of sequestered lumbar disc fragments. Report of two cases, 264
Roy D. *See* Konan AV, 148
Rydholm U. *See* Christensson D, 186

Salas E, Sekhar LN, Ziyal IM, Caputy AJ, Wright DC. Variations of the extreme-lateral craniocervical approach: anatomical study and clinical analysis of 69 patients, 206
Sandhu H. *See* Fineman I, 242
Sasada H. *See* Takahashi T, 224
Säveland H. *See* Christensson D, 186
Sawin PD, Theodore N, Rekate HL. Spinal cord ganglioglioma in a child with neurofibromatosis Type 2. Case report and literature review, 231
Scheithauer BW. *See* Lynch JJ, 121
Schievink WI, Vishteh AG, McDougall CG, Spetzler RF. Intraoperative spinal angiography, 48
Sekhar LN. *See* Salas E, 206
Shaffrey CI, Wiggins GC, Piccirilli CB, Young JN, Lovell LR. Modified open-door laminoplasty for treatment of neurological deficits in younger patients with congenital spinal stenosis: analysis of clinical and radiographic data, 170
Shiba R. *See* Chazono M, 160
Shin KM. *See* Song JH, 138
———. *See* Song JH, 252
Shono Y. *See* Abumi K, 19
Sneyd JR. *See* Chadduck JB, 67
Song JH, Kim MH, Shin KM. Intraspinal epidermoid cyst occurring 15 years after lipomyelomeningocele repair. Case report, 252
———, Park HK, Shin KM. Spontaneous regression of a herniated cervical disc in a patient with myelopathy. Case report, 138
Sonntag VKH. *See* Eleraky MA, 35
———. *See* Hurlbert RJ, 191
———. *See* Vishteh AG, 91, 267
Soshi S. *See* Chazono M, 160
Spetzler RF. *See* Han PP, 255
———. *See* Schievink WI, 48
———. *See* Vishteh AG, 91, 267
Stephan CL, Kepes JJ, Arnold P, Green KD, Chamberlin F. Neurocytoma of the cauda equina. Case report, 247
Stevenaert A. *See* Robe P, 264
Suzuki F, Nakajima M, Matsuda M. Cervical cord compression caused by a pillow in a postlaminectomy patient undergoing magnetic resonance imaging. Case report, 145

Takahashi T, Tominaga T, Watabe N, Yokobori AT Jr, Sasada H, Yoshimoto T. Use of porous hydroxyapatite graft containing recombinant human bone morphogenetic protein-2 for cervical fusion in a caprine model, 224
Takaoka K. *See* Hidai Y, 178
Tateiwa Y. *See* Hidai Y, 178
Theodore N. *See* Han PP, 255
———. *See* Hurlbert RJ, 191
———. *See* Sawin PD, 231
Tominaga T. *See* Takahashi T, 224

Van Den Wildenberg FAJM. *See* Kemler MA, 79
Van Kleef M. *See* Kemler MA, 79
Vaquero J, Zurita M, de Oya S, Coca S. Vascular endothelial growth/permeability factor in spinal cord injury, 220
Vishteh AG, Beals SP, Joganic EF, Reiff JL, Dickman CA, Sonntag VKH, Spetzler RF. Bilateral sagittal split mandibular osteotomies as an adjunct to the transoral approach to the anterior craniovertebral junction. Technical note, 267
———, Crawford NR, Melton MS, Spetzler RF, Sonntag VKH, Dickman CA. Stability of the craniovertebral junction after unilateral occipital condyle resection: a biomechanical study, 91
———. *See* Schievink WI, 48

WATABE N. *See* TAKAHASHI T, 224
WEBER WEJ. *See* KEMLER MA, 79
WIGGINS GC. *See* SHAFFREY CI, 170
WILDRICK DM. *See* YORK JE, 73
WINN HR. *See* GRANT GA, 13
WIRTH FP. *See* DOWD GC, 8
WISOTSKY BM. *See* ALDEN TD, 109
WOOD JD, LONSER RR, GOGATE N, MORRISON PF, OLDFIELD EH. Convective delivery of macromolecules into the naive and traumatized spinal cords of rats, 115
WRIGHT DC. *See* SALAS E, 206
WRIGHT NM, KAUFMAN BA, HAUGHEY BH, LAURYSSEN C. Complex cervical spine neoplastic disease: reconstruction after surgery by using a vascularized fibular strut graft. Case report, 133
YOKOBORI AT JR. *See* TAKAHASHI T, 224
YORK JE, BERK RH, FULLER GN, RAO JS, ABI-SAID D, WILDRICK DM, GOKASLAN ZL. Chondrosarcoma of the spine: 1954 to 1997, 73
YOSHIMOTO T. *See* TAKAHASHI T, 224
YOUNG JN. *See* SHAFFREY CI, 170

ZERVAS NT. *See* MAXWELL M, 129
ZIMMERMAN RS. *See* DEEN HG, 155
ZIYAL IM. *See* SALAS E, 206
ZURITA M. *See* VAQUERO J, 220
ZYGMUNT S. *See* CHRISTENSSON D, 186

Subject Index

Adenovirus
- Adenoviral nerve growth factor and β-galactosidase transfer to spinal cord: a behavioral and histological analysis, 99
- Percutaneous spinal fusion using bone morphogenetic protein-2 gene therapy, 109

Analgesia
- A prospective randomized double-blind controlled trial to evaluate the efficacy of an analgesic epidural paste following lumbar decompressive surgery, 191

Aneurysm
- Transarterial embolization of aneurysms associated with spinal cord arteriovenous malformations. Report of four cases, 148
- Variations of the extreme-lateral craniocervical approach: anatomical study and clinical analysis of 69 patients, 206

Angiography
- Intraoperative spinal angiography, 48

Anterior cervical fusion
- Use of porous hydroxyapatite graft containing recombinant human bone morphogenetic protein-2 for cervical fusion in a caprine model, 224

Anterior cervical surgery
- Anterior cervical discectomy: is fusion necessary? 8

Anterior longitudinal ligament
- Ossification of the cervical anterior longitudinal ligament contributing to dysphagia. Case report, 261

Arteriovenous fistula
- Results of the surgical treatment of perimedullary arteriovenous fistulas with special reference to embolization, 198

Arteriovenous malformation
- Intraoperative spinal angiography, 48
- Results of the surgical treatment of perimedullary arteriovenous fistulas with special reference to embolization, 198
- Subdural hematoma from a Type I spinal arteriovenous malformation. Case report, 255
- Transarterial embolization of aneurysms associated with spinal cord arteriovenous malformations. Report of four cases, 148

Atlantoaxial
- Imaging features in combined atlantoaxial and occipitoatlantal rotatory subluxation: a rare entity. Case report, 258

Basilar impression
- Tuberculosis causing secondary basilar impression. Case illustration, 276

Biomechanics
- A biomechanical evaluation of occipitocervical instrumentation: screw compared with wire fixation, 84
- Stability of the craniovertebral junction after unilateral occipital condyle resection: a biomechanical study, 91

Bone graft
- Cervical corpectomy: report of 185 cases and review of the literature, 35
- Screw fixation of fibular graft in the axis. Case illustration, 159

Bone morphogenetic protein
- Percutaneous spinal fusion using bone morphogenetic protein–2 gene therapy, 109

Bulk flow
- Convective delivery of macromolecules into the naive and traumatized spinal cords of rats, 115

Carcinoma
- Renal cell carcinoma: a rare source of cauda equina metastasis. Case report, 129

Cauda equina
- Lobular capillary hemangioma of the cauda equina. Case report, 239
- Neurocytoma of the cauda equina. Case report, 247
- Posterior epidural migration of sequestered lumbar disc fragments. Report of two cases, 264
- Renal cell carcinoma: a rare source of cauda equina metastasis. Case report, 129

Cavernous malformation
- De novo development of a cavernous malformation of the spinal cord following spinal axis radiation. Case report, 234

Central nervous system
- Neurocytoma of the cauda equina. Case report, 247

Cervical spine
- Cervical corpectomy: report of 185 cases and review of the literature, 35
- Cervical laminectomy without fusion in patients with rheumatoid arthritis, 186
- Complex cervical spine neoplastic disease: reconstruction after surgery by using a vascularized fibular strut graft. Case report, 133
- Inside-outside technique for posterior occipitocervical spine instrumentation and stabilization: preliminary results, 1
- Modified open-door laminoplasty for treatment of neurological deficits in younger patients with congenital spinal stenosis: analysis of clinical and radiographic data, 170
- One-stage posterior decompression and reconstruction of the cervical spine by using pedicle screw fixation systems, 19
- Risk of early closed reduction in cervical spine subluxation injuries, 13
- Screw fixation of fibular graft in the axis. Case illustration, 159
- Subaxial cervical synovial cyst presenting with myelopathy. Report of three cases, 141
- Use of porous hydroxyapatite graft containing recombinant human bone morphogenetic protein-2 for cervical fusion in a caprine model, 224

Cervical spondylosis
- Anterior cervical discectomy: is fusion necessary? 8

Children
- A new occipitocervical fusion construct in pediatric patients with occipitocervical instability. Technical note, 271

Chondrosarcoma
- Chondrosarcoma of the spine: 1954 to 1997, 73

Chordoma
Variations of the extreme-lateral craniocervical approach: anatomical study and clinical analysis of 69 patients, 206
Closed reduction
Risk of early closed reduction in cervical spine subluxation injuries, 13
Corpectomy
Cervical corpectomy: report of 185 cases and review of the literature, 35
Craniocervical
A biomechanical evaluation of occipitocervical instrumentation: screw compared with wire fixation, 84
Craniovertebral junction
A new occipitocervical fusion construct in pediatric patients with occipitocervical instability. Technical note, 271
Stability of the craniovertebral junction after unilateral occipital condyle resection: a biomechanical study, 91
Cyst, epidermoid
Intramedullary epidermoid cyst in cervicodorsal spinal cord, 161
Intraspinal epidermoid cyst occurring 15 years after lipomyelomeningocele repair. Case report, 252
Cyst, intramedullary
Intramedullary epidermoid cyst in cervicodorsal spinal cord, 161
Cyst, synovial
Subaxial cervical synovial cyst presenting with myelopathy. Report of three cases, 141

Decompression
Osteomyelitis and pathological fracture of the axis. Case illustration, 162
Discectomy
Anterior cervical discectomy: is fusion necessary? 8
The role of bupivacaine in early postoperative pain control after lumbar decompression, 67
Disc
Posterior epidural migration of sequestered lumbar disc fragments. Report of two cases, 264
Risk of early closed reduction in cervical spine subluxation injuries, 13
Spontaneous regression of a herniated cervical disc in a patient with myelopathy. Case report, 138
Drug delivery
Convective delivery of macromolecules into the naive and traumatized spinal cords of rats, 115
Dumbbell tumor
Hemangioblastoma of the L-5 nerve root. Case illustration, 160
Dysphagia
Ossification of the cervical anterior longitudinal ligament contributing to dysphagia. Case report, 261

Embolization
Results of the surgical treatment of perimedullary arteriovenous fistulas with special reference to embolization, 198
Endovascular treatment
Transarterial embolization of aneurysms associated with spinal cord arteriovenous malformations. Report of four cases, 148
Epidural
A prospective randomized double-blind controlled trial to evaluate the efficacy of an analgesic epidural paste following lumbar decompressive surgery, 191

Facet
Lateral exit-zone stenosis and lumbar radiculopathy, 52
Far-lateral approach
Long-term follow up of patients surgically treated by the far-lateral approach for foraminal and extraforaminal lumbar disc herniations, 59
Far-lateral disc herniation
Long-term follow up of patients surgically treated by the far-lateral approach for foraminal and extraforaminal lumbar disc herniations, 59
Fibromatosis
Development of postoperative fibromatosis after resection of an intraspinal meningioma. Case report, 121
Fixation
A biomechanical evaluation of occipitocervical instrumentation: screw compared with wire fixation, 84
Fusion
Vascular pedicle rib graft in anterior transthoracic fusion procedures. Technical note, 155

Ganglioglioma
Spinal cord ganglioglioma in a child with neurofibromatosis Type 2. Case report and literature review, 231
Gene therapy
Percutaneous spinal fusion using bone morphogenetic protein–2 gene therapy, 109
Gene transfer
Adenoviral nerve growth factor and β-galactosidase transfer to spinal cord: a behavioral and histological analysis, 99
Graft
Vascular pedicle rib graft in anterior transthoracic fusion procedures. Technical note, 155
Granuloma
Lobular capillary hemangioma of the cauda equina. Case report, 239

Hemangioma
Lobular capillary hemangioma of the cauda equina. Case report, 239
Hemorrhage
Transarterial embolization of aneurysms associated with spinal cord arteriovenous malformations. Report of four cases, 148
Hydrocephalus
Acute hydrocephalus following lateral C1–2 puncture. Case illustration, 277
Hydroxyapatite
Use of porous hydroxyapatite graft containing recombinant human bone morphogenetic protein-2 for cervical fusion in a caprine model, 224
Hypertrophy
Lateral exit-zone stenosis and lumbar radiculopathy, 52

Immunohistochemistry
Neurocytoma of the cauda equina. Case report, 247
Inside-outside technique
Inside-outside technique for posterior occipitocervical spine instrumentation and stabilization: preliminary results, 1
Instrumentation
A biomechanical evaluation of occipitocervical instrumentation: screw compared with wire fixation, 84

Risk factors for adjacent-segment failure following lumbar fixation with rigid instrumentation for degenerative instability, 163
Screw fixation of fibular graft in the axis. Case illustration, 159
Internal stabilization
Anterior cervical plating for the treatment of neoplasms in the cervical vertebrae, 27
Intervertebral disc
Long-term follow up of patients surgically treated by the far-lateral approach for foraminal and extraforaminal lumbar disc herniations, 59
Intervertebral foramen
Lateral exit-zone stenosis and lumbar radiculopathy, 52
Jugular foramen
Variations of the extreme-lateral craniocervical approach: anatomical study and clinical analysis of 69 patients, 206

Laminectomy
Cervical cord compression caused by a pillow in a postlaminectomy patient undergoing magnetic resonance imaging. Case report, 145
Cervical laminectomy without fusion in patients with rheumatoid arthritis, 186
One-stage posterior decompression and reconstruction of the cervical spine by using pedicle screw fixation systems, 19
Treatment of cervical compressive myelopathy with a new dorsolateral decompressive procedure, 178
Laminoplasty
Cervical cord compression caused by a pillow in a postlaminectomy patient undergoing magnetic resonance imaging. Case report, 145
Modified open-door laminoplasty for treatment of neurological deficits in younger patients with congenital spinal stenosis: analysis of clinical and radiographic data, 170
Lipomyelomeningocele
Intraspinal epidermoid cyst occurring 15 years after lipomyelomeningocele repair. Case report, 252
Lumbar spine
Lateral exit-zone stenosis and lumbar radiculopathy, 52

Magnetic resonance imaging
Cervical cord compression caused by a pillow in a postlaminectomy patient undergoing magnetic resonance imaging. Case report, 145
Osteomyelitis and pathological fracture of the axis. Case illustration, 162
Risk of early closed reduction in cervical spine subluxation injuries, 13
Meningioma
Development of postoperative fibromatosis after resection of an intraspinal meningioma. Case report, 121
Variations of the extreme-lateral craniocervical approach: anatomical study and clinical analysis of 69 patients, 206
Metastasis
Anterior cervical plating for the treatment of neoplasms in the cervical vertebrae, 27
Renal cell carcinoma: a rare source of cauda equina metastasis. Case report, 129
Methylprednisolone
The role of bupivacaine in early postoperative pain control after lumbar decompression, 67
Myelography
Acute hydrocephalus following lateral C1–2 puncture. Case illustration, 277

Myelopathy *(continued)*
Ossification of the cervical anterior longitudinal ligament contributing to dysphagia. Case report, 261
Spontaneous regression of a herniated cervical disc in a patient with myelopathy. Case report, 138
Subaxial cervical synovial cyst presenting with myelopathy. Report of three cases, 141
Treatment of cervical compressive myelopathy with a new dorsolateral decompressive procedure, 170

Nerve growth factor
Adenoviral nerve growth factor and β-galactosidase transfer to spinal cord: a behavioral and histological analysis, 99
Nerve root
Hemangioblastoma of the L-5 nerve root. Case illustration, 160
Neurinoma
Variations of the extreme-lateral craniocervical approach: anatomical study and clinical analysis of 69 patients, 206
Neurocytoma
Neurocytoma of the cauda equina. Case report, 247
Neurofibromatosis
Spinal cord ganglioglioma in a child with neurofibromatosis Type 2. Case report and literature review, 231

Occiput
Inside-outside technique for posterior occipitocervical spine instrumentation and stabilization: preliminary results, 1
Osteitis fibrosa
Chronic renal failure causing brown tumors and myelopathy. Case report and review of pathophysiology and treatment, 242
Osteoclastoma
Chronic renal failure causing brown tumors and myelopathy. Case report and review of pathophysiology and treatment, 242
Osteotomy
Bilateral sagittal split mandibular osteotomies as an adjunct to the transoral approach to the anterior craniovertebral junction. Technical note, 267
Outcome
A prospective randomized double-blind controlled trial to evaluate the efficacy of an analgesic epidural paste following lumbar decompressive surgery, 191

Pain
A prospective randomized double-blind controlled trial to evaluate the efficacy of an analgesic epidural paste following lumbar decompressive surgery, 191
Electrical spinal cord stimulation in reflex sympathetic dystrophy: retrospective analysis of 23 patients, 79
Pedicle
One-stage posterior decompression and reconstruction of the cervical spine by using pedicle screw fixation systems, 19
Posterior longitudinal ligament
Ossification of the cervical anterior longitudinal ligament contributing to dysphagia. Case report, 261
Proto-oncogene
Renal cell carcinoma: a rare source of cauda equina metastasis. Case report, 129

Radiation therapy
Complex cervical spine neoplastic disease: reconstruction after

Radiation therapy *(continued)*
surgery by using a vascularized fibular strut graft. Case report, 133
De novo development of a cavernous malformation of the spinal cord following spinal axis radiation. Case report, 234
Radiculopathy
Anterior cervical discectomy: is fusion necessary? 8
Lateral exit-zone stenosis and lumbar radiculopathy, 52
Posterior epidural migration of sequestered lumbar disc fragments. Report of two cases, 264
Radiotherapy
Chondrosarcoma of the spine: 1954 to 1997, 73
Reflex sympathetic dystrophy
Electrical spinal cord stimulation in reflex sympathetic dystrophy: retrospective analysis of 23 patients, 79
Retethering
Intraspinal epidermoid cyst occurring 15 years after lipomyelomeningocele repair. Case report, 252
Rheumatoid arthritis
Cervical laminectomy without fusion in patients with rheumatoid arthritis, 186

Screw fixation
Inside-outside technique for posterior occipitocervical spine instrumentation and stabilization: preliminary results, 1
Spinal cord
Adenoviral nerve growth factor and β-galactosidase transfer to spinal cord: a behavioral and histological analysis, 99
Convective delivery of macromolecules into the naive and traumatized spinal cords of rats, 115
De novo development of a cavernous malformation of the spinal cord following spinal axis radiation. Case report, 234
Intramedullary epidermoid cyst in cervicodorsal spinal cord, 161
Intramedullary tuberculoma of the spinal cord. Case report and review of the literature, 125
Results of the surgical treatment of perimedullary arteriovenous fistulas with special reference to embolization, 198
Transarterial embolization of aneurysms associated with spinal cord arteriovenous malformations. Report of four cases, 148
Spinal cord compression
Cervical cord compression caused by a pillow in a postlaminectomy patient undergoing magnetic resonance imaging. Case report, 145
Spinal cord injury
Convective delivery of macromolecules into the naive and traumatized spinal cords of rats, 115
Vascular endothelial growth/permeability factor in spinal cord injury, 220
Spinal cord stimulation
Electrical spinal cord stimulation in reflex sympathetic dystrophy: retrospective analysis of 23 patients, 79
Spinal cord tumor
Spinal cord ganglioglioma in a child with neurofibromatosis Type 2. Case report and literature review, 231
Spinal fusion
Anterior cervical plating for the treatment of neoplasms in the cervical vertebrae, 27
Complex cervical spine neoplastic disease: reconstruction after surgery by using a vascularized fibular strut graft. Case report, 133
Percutaneous spinal fusion using bone morphogenetic protein-2 gene therapy, 109
Screw fixation of fibular graft in the axis. Case illustration, 159
Spinal hemangioblastoma
Hemangioblastoma of the L-5 nerve root. Case illustration, 160
Spinal instability
A biomechanical evaluation of occipitocervical instrumentation: screw compared with wire fixation, 84
Spinal instrumentation
Cervical corpectomy: report of 185 cases and review of the literature, 35
Spinal metastasis
Palliative subtotal vertebrectomy with anterior and posterior reconstruction via a single posterior approach, 42
Spinal neoplasm
Anterior cervical plating for the treatment of neoplasms in the cervical vertebrae, 27
Complex cervical spine neoplastic disease: reconstruction after surgery by using a vascularized fibular strut graft. Case report, 133
Spinal reconstruction
Chronic renal failure causing brown tumors and myelopathy. Case report and review of pathophysiology and treatment, 242
Spinal stabilization
Screw fixation of fibular graft in the axis. Case illustration, 159
Spinal tumor
Palliative subtotal vertebrectomy with anterior and posterior reconstruction via a single posterior approach, 42
Spine
Chondrosarcoma of the spine: 1954 to 1997, 73
Development of postoperative fibromatosis after resection of an intraspinal meningioma. Case report, 121
Intraoperative spinal angiography, 48
Risk factors for adjacent-segment failure following lumbar fixation with rigid instrumentation for degenerative instability, 163
Subdural hematoma from a Type I spinal arteriovenous malformation. Case report, 255
Spondylitis
Osteomyelitis and pathological fracture of the axis. Case illustration, 162
Steroids
The role of bupivacaine in early postoperative pain control after lumbar decompression, 67
streptococcus viridans
Osteomyelitis and pathological fracture of the axis. Case illustration, 162
Subdural hematoma
Subdural hematoma from a Type I spinal arteriovenous malformation. Case report, 255
Subluxation
Imaging features in combined atlantoaxial and occipitoatlantal rotatory subluxation: a rare entity. Case report, 258
Survival rate
Anterior cervical plating for the treatment of neoplasms in the cervical vertebrae, 27

Thoracic spine
Vascular pedicle rib graft in anterior transthoracic fusion procedures. Technical note, 155
Transoral approach
Bilateral sagittal split mandibular osteotomies as an adjunct to the transoral approach to the anterior craniovertebral junction. Technical note, 267
Tuberculosis
Intramedullary tuberculoma of the spinal cord. Case report and review of the literature, 125
Tuberculosis causing secondary basilar impression. Case illustration, 276

Tumor
Renal cell carcinoma: a rare source of cauda equina metastasis. Case report, 129

Unilateral condylectomy
Stability of the craniovertebral junction after unilateral occipital condyle resection: a biomechanical study, 91

Vascular graft
Complex cervical spine neoplastic disease: reconstruction after surgery by using a vascularized fibular strut graft. Case report, 133
Vascular malformation
De novo development of a cavernous malformation of the spinal cord following spinal axis radiation. Case report, 234

Vascular pedicle
Vascular pedicle rib graft in anterior transthoracic fusion procedures. Technical note, 155
Vascular permeability
Vascular endothelial growth/permeability factor in spinal cord injury, 220
Vertebra
Anterior cervical plating for the treatment of neoplasms in the cervical vertebrae, 27

Vertebrectomy
Palliative subtotal vertebrectomy with anterior and posterior reconstruction via a single posterior approach, 42
Wire fixation
Inside-outside technique for posterior occipitocervical spine instrumentation and stabilization: preliminary results, 1